


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Memoranda of the Field Experiments at Rothamsted, May 1873

[Full Table of Content](#)



## Experiments on Oats; Geescroft Field

### Rothamsted Research

Rothamsted Research (1874) *Experiments on Oats; Geescroft Field* ; Memoranda Of The Field Experiments At Rothamsted, May 1873, pp 5 - 5 - DOI: <https://doi.org/10.23637/ERADOC-1-237>

GEESCROFT FIELD.

EXPERIMENTS ON THE GROWTH OF OATS YEAR AFTER YEAR ON THE SAME LAND; WITHOUT MANURE, AND WITH DIFFERENT KINDS OF MANURE.  
 Previous Cropping—1847 and 1848, Clover, Experimental Manures; 1849—1859, Beans, Experimental Manures; 1860, Fallow; 1861 and 1862, Wheat, Unmanured;  
 1863, Fallow; 1864, Beans, Dunged; 1865, Wheat, Unmanured; 1866, Beans, Unmanured; 1867 and 1868, Wheat, Unmanured.  
 First Experimental Oat Crop in 1869.

(Area under Experiment,  $\frac{3}{8}$  acre.)

| Plots.    | MANURES, PER ACRE, PER ANNUM.   | PRODUCE PER ACRE.         |                       |                           |                   |                           |                       |                   |                       |                           |                       |                       |              |
|-----------|---|---------------------------|-----------------------|---------------------------|-------------------|---------------------------|-----------------------|-------------------|-----------------------|---------------------------|-----------------------|-----------------------|--------------|
|           |   | 1ST SEASON, 1869.         |                       |                           | 2ND SEASON, 1870. |                           |                       | 3RD SEASON, 1871. |                       |                           | 4TH SEASON, 1872.     |                       |              |
|           |   | Dressed Corn.             |                       | Total Straw.              | Dressed Corn.     |                           | Total Straw.          | Dressed Corn.     |                       | Total Straw.              | Dressed Corn.         |                       | Total Straw. |
| Quantity. | Weight per Bushel.  | cwts.                     | Quantity.             | Weight per Bushel.        | cwts.             | Quantity.                 | Weight per Bushel.    | cwts.             | Quantity.             | Weight per Bushel.        | cwts.                 |                       |              |
| 1         | Unmanured . . . . .   | Bushels. 36 $\frac{3}{4}$ | lbs. 36 $\frac{3}{4}$ | Bushels. 16 $\frac{3}{4}$ | lbs. 35           | Bushels. 20 $\frac{1}{4}$ | lbs. 33 $\frac{1}{2}$ | Bushels. 15       | lbs. 36 $\frac{1}{4}$ | Bushels. 11 $\frac{1}{4}$ | lbs. 36 $\frac{1}{4}$ | cwts. 7 $\frac{1}{2}$ |              |
| 2         | { 200 lbs. Sulphate Potass, 100 lbs. Sulphate Soda, 100 lbs. Sulphate Magnesia, }<br>{ and 3 $\frac{1}{2}$ cwts. Superphosphate of Lime (1) . . . . .               | 45                        | 24 $\frac{1}{2}$      | 19 $\frac{1}{2}$          | 35 $\frac{1}{2}$  | 22                        | 35 $\frac{1}{2}$      | 19 $\frac{1}{2}$  | 37 $\frac{3}{4}$      | 13 $\frac{1}{2}$          | 37 $\frac{3}{4}$      | 10 $\frac{3}{4}$      |              |
| 3         | 400 lbs. Ammonia-salts (2) . . . . .  | 56 $\frac{1}{2}$          | 36 $\frac{3}{4}$      | 30                        | 34 $\frac{1}{2}$  | 57 $\frac{1}{2}$          | 36 $\frac{3}{4}$      | 55 $\frac{3}{4}$  | 37 $\frac{1}{2}$      | 40 $\frac{3}{4}$          | 37 $\frac{1}{2}$      | 30 $\frac{3}{4}$      |              |
| 4         | { 400 lbs. Ammonia-salts, 200 lbs. Sulphate Potass, 100 lbs. Sulphate Soda, }<br>{ 100 lbs. Sulphate Magnesia, and 3 $\frac{1}{2}$ cwts. Superphosphate . . . . .   | 75 $\frac{1}{2}$          | 54                    | 50 $\frac{3}{4}$          | 36                | 58 $\frac{3}{4}$          | 35 $\frac{3}{4}$      | 62 $\frac{3}{4}$  | 39 $\frac{3}{4}$      | 50                        | 39 $\frac{3}{4}$      | 45 $\frac{1}{2}$      |              |
| 5         | 550 lbs. Nitrate of Soda (3) . . . . .  | 62 $\frac{1}{2}$          | 42 $\frac{3}{4}$      | 36 $\frac{1}{2}$          | 35 $\frac{1}{2}$  | 55                        | 36 $\frac{3}{4}$      | 42 $\frac{1}{2}$  | 36 $\frac{3}{4}$      | 34 $\frac{3}{4}$          | 36 $\frac{3}{4}$      | 20 $\frac{3}{4}$      |              |
| 6         | { 550 lbs. Nitrate of Soda, 200 lbs. Sulphate Potass, 100 lbs. Sulphate Soda, }<br>{ 100 lbs. Sulphate Magnesia, and 3 $\frac{1}{2}$ cwts. Superphosphate . . . . . | 69 $\frac{3}{4}$          | 49 $\frac{1}{2}$      | 50                        | 35 $\frac{3}{4}$  | 60 $\frac{1}{2}$          | 33 $\frac{3}{4}$      | 44 $\frac{3}{4}$  | 37 $\frac{1}{2}$      | 48 $\frac{3}{4}$          | 37 $\frac{1}{2}$      | 24                    |              |

(1) "Superphosphate of Lime"—in all cases, made from 200 lbs. Bone-ash, 150 lbs. Sulphuric Acid sp. gr. 1.7 (and water).  
 (2) "Ammonia-salts"—in each case, equal parts Sulphate and Muriate of Ammonia of Commerce.  
 (3) 550 lbs. Nitrate of Soda is reckoned to contain the same amount of Nitrogen as 400 lbs. "Ammonia-salts."