Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1875



Full Table of Content

Cropping, &c. , of the Arable Land Not Under Experiment; Rothamsted Farm

Rothamsted Research

Rothamsted Research (1876) *Cropping, &c.*, of the Arable Land Not Under Experiment; Rothamsted Farm; Yields Of The Field Experiments 1875, pp 12 - 13 - **DOI:**

https://doi.org/10.23637/ERADOC-1-239

(12)

ROTHAMSTED

MAY,

SUMMARY STATEMENT OF THE PRESENT AND PREVIOUS

(13 Years, 1863-1875,

Name of Field,		PREVIOUS CROPPING									
	Acres,	1863.	1864,	1865.	1866.	1867.	1868.	1869.			
Thirty Acres	30 {	Wheat, Sheep-Folded, and 2 cwts. Guano.	Oats, 2 cwts. Guano, 1 cwt. Corn Manure.	Oats, 1 cwt. Guano, 3 cwts. Corn Manure.	Tares and Swedes, Dung and Artificial.	Oats, after Sheep-Folding.	Clover,	Wheat, 2 cwts. Guano.			
Upper Har- penden	14 {	Red Clover, Unmanured.	Wheat, 1½ cwt. Guano, 1½ cwt. Corn Manure.	Oats, 1 cwt. Guano, 2 cwts. Corn Manure.	Oats, 2 cwts. Guano, 1 cwt. Sulph. Ammonia.	Tares, Dung. Swedes, Artificial.	Wheat, \$\frac{2}{2}\text{ cwts, Guano,}\$ \$\frac{1}{2}\text{ th. Sheep-folded.}\$	Oats, 2 cwts. Guano, 1 cwt. dried Blood, ½ cwt. Sulph. Ammonia.			
Harpenden	22 {	Oats, 3 cwts. Guano.	Mangolds and Turnips, Dung and Artificial.	Wheat, Sheep-Folded.	Red Clover (peren.), Unmanured.	Wheat, 2½ cwts. Guano.	$ \begin{array}{c} \textbf{Oats,} \\ \text{\Srds} \begin{cases} 2 \text{ cwts. Guano, \&} \\ 1 \text{ cwt. Nitr. Soda.} \\ \text{\Srd} \end{cases} \\ \text{\Srd} \begin{cases} 1 \text{ cwt. Nitr. Soda.} \\ \text{and Sheep-folded.} \\ \end{array} $	Swedes, Dung and various Artificial Manures.			
Little Hoos	9 {	Barley, 3 cwts. Guano, 1 cwt. superphos.	Red Clover.	Wheat, 1½ cwt. Guano, 1 cwt. Nitrate Soda, 1 cwt. Corn Manure.	Mangolds, Dung and Artificial.	Wheat, Unmanured.	Oats, 2 cwts. Guano, 1 cwt. Nitrate of Soda.	Barley, 1 cwt. dried Blood, ½ cwt. Sulph. Ammonia, 1 cwt. superphosphate.			
Fosters'	18 {	Barley, 5½ cwts. Artificial Manure.	Swedes, Dung and Artificial.	Oats, 1 cwt. Guano, 1 cwt. Corn Manure.	Red Clover, Unmanured.	Wheat, 2 cwts. Guano, ½ cwt. Corn Manure.	Oats, 2 cwts. Guano, 1 cwt. Nitrate of Soda.	Barley, 1 cwt. dried Blood, 1 cwt. Sulph. Ammonia, 1 cwt. superphosphate.			
Knott Wood	30 {	Oats, Sheep-Folded.	Red Clover (peren.).	Wheat, Sheep-Folded, 1 cwt. Guano.	Oats, 2 cwts. Guano, 1 cwt. Sulph. Ammonia.	Oats, 2 cwts. Guano, 1 cwt. Sulph. Ammonia,	Swedes, 2 cwts. Guano, 2½ cwts. superphosphate and Dung.	Wheat, 3 cwts. Guano (one-half), Unmanured (one-half), after Swedes ploughed up and Fallowed.			
Little Knott	14 {	Swedes, Dung and Artificial.	Wheat, Unmanured.	Red Clover (peren.), Unmanured.	Red Clover (peren.), Sheep-Folded.	Wheat, 1 cwt. Guano, 2 cwt. Corn Manure.	Oats, 2 cwts. Guano, 1 cwt. Nitrate Soda.	Mangolds, 12 tons Dung, 3 cwts. Guano.			
Sawpit	14 {	Tares and Oats, Sheep-Folded, and 2 cwts. Guano.	Barley, 1½ cwt. Guano, ½ cwt. superphes., 1 cwt. Corn Manure.	Mangolds and Turnips, Dung and Artificial.	Wheat, Unmanured.	Red Clover, Unmanured.	Wheat, 1 cwt. Guano, 1 cwt. Wheat Manure.	Wheat, 3 cwts. Guano.			
Rick-yard	8{	Wheat, Unmanured.	Wheat, Sheep-Folded, and 3 cwts. Guano.	Barley, 2 cwts. Guano, 1½ cwt. Corn Manure.	Red Clover, Sheep-Folded.	Wheat, Guano.	Barley, 2 cwts. Wheat Manure.	Tares,			
Six Acres	6 {	Mangolds, Dung and Artificial.	Wheat, Unmanured,	Red Clover, Unmanured.	Wheat, 2 cwts. Guano, 2 cwts. Corn Manure.	Oats, 3 cwts. Guano.	Beans, Dung.	Wheat, 2 ewts. Guano, 1 ewt. Nitrate of Soda.			
Clay-Croft	12 {	Wheat, Dung.	Wheat, 2 cwts. Guano, 2 cwts. Corn Manure.	Oats, 2 cwts. Guano, 2 cwts. Corn Manure.	Oats, 2 cwts. Guano, 1 cwt. Sulph. Ammonia.	Beans, Dung.	Wheat, 2 cwts. Guano.	Cats, 2 cwts. Guano, 1 cwt. dried Blood, ½ cwt. Sulph. Ammonia.			
Ten Acres	10 {	Oats, 3 cwts. Guano.	Oats, 2 cwts. Guano, 1 cwt. Dried Blood.	Tares, Dung.	Turnips, Artificial.	Wheat, Guano.	Red Clover.	Wheat, 2 cwts. Guano.			
Agdell	9{	Barley, Sheep-Folded.	Barley, 1½ cwt. Guano, ½ cwt. superphos., 1 cwt. Corn Manure.	Red Clover, Unmanured.	Wheat, 1½ cwt. Guano, 1½ cwt. Corn Manure.	Oats, 2 cwts, Guano.	Tares, Dung.	Barley, Unmanured.			
Long Hoos	25 {	Fallow.	Swedes, Dung and Artificial.	Barley, 1 cwt. Guano, 1 cwt. Corn Manure.	Barley, 1½ cwt. Guano, 1 cwt. Corn Manure.	Mangolds and Swedes, 15 tons Dung, 3 cwts. Guano.	Wheat, 1 cwt. Guano.	Oats, 2 cwts, Guano, 1 cwt. dried Blood, ½ cwt. Sulph. Ammonia.			
Sawyers'	25 {	Swedes and Fallow, Artificial	Barley, 1 cwt. Guano, 1 cwt. Corn Manure.	Swedes, Dung and Artificial.	Wheat and Barley, Sheep-Folded.	Red Clover, Unmanured.	Wheat, 3 cwts. Guano.	Fallow.			
West Barn	32 {	Swedes, Dung and Artificial.	0ats, $1\frac{1}{2}$ cwt. Guano, $1\frac{1}{2}$ cwt. Corn Manure.	Red Clover (peren.), Sheep-Folded.	Wheat, $1\frac{1}{2}$ cwt. Guano, $1\frac{1}{2}$ cwt. Corn Manure.	Barley, 1 cwt. Blood Manure, 1 cwt. superphosphate, 1 cwt. Sulph. Ammonia.		Wheat, 3 cwts. Guano.			

(13)

FARM.

1875.

Cropping, &c., of the Abable Land not under Experiment.

ND MANURING.	-	Crop, &c., Present Season,	Acres.	Name of			
1870.	1871.	1872.	1873.	1874-	1874-75.		rieia.
Oats, 2 cwts. Guano.	Barley, 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	Barley, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda, (2½ acres experiment).	Barley (3 with Grass-seeds). 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	Grass $(\frac{3}{4})$, Folded, and 1 cwt. Nitrate. Barley $(\frac{1}{4})$, 2 cwts. superphosphate, $2\frac{1}{4}$ cwts. Nitrate Soda.	$egin{array}{l} \mathbf{Grass} \ (rac{3}{4}), \\ \mathbf{Sheep\text{-}folded}. \\ \mathbf{Tares} \ (rac{1}{4}) \\ \mathbf{Dung}. \end{array}$	30	Thirty Ac
Swedes, Dung and superphosphate.	Wheat, 2 cwts. Guano.	Oats, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	Mangolds, Dung. (Carted off.)	Wheat (10 acres Varieties). 2 cwts. Nitrate Soda.	Barley, $(\frac{1}{2})$ 3 cwts. Guano, $(\frac{1}{2})$ 2 cwts. superphosphate, $2\frac{1}{4}$ cwts. Nitrate Soda.	} 14	Upper H
Wheat, 3 cwts. Guano.	Oats, 3 cwts. Guano, 1 cwt. Nitrate Soda. Tares, Dung.	Oats, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda. Tares, Dung.	Barley, After Oats—2 cwts, super- phosphate; 2 cwts. Nitrate. After Tares—1 cwt, super- phosphate; 1 cwt. Nitrate.	Barley, 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	Mangolds, Dung, and 2 cwts. Guano.	22	Harpend
Barley, 2½ cwts. Guano.	Barley, 3 cwts. superphosphate, 2½ cwts. Nitrate Soda.	Barley (with Clover). 2½-cwts. superphosphate, 2½-cwts. Nitrate Soda.	Barley (½), Unmanured. Clover (½), Unmanured.	Barley, 2 cwts. superphosphate, 2 cwts. Nitrate Soda (1 acre Unmanured).	Barley, where Barley 1873, 2 cwts. superphosphate, 2 cwts. Nitrate of Soda. where Clover 1873, Half quantities.	9	Little H
Oats, 2 cwts. Guano, 3 cwts. Blood Manure.	Roots, Tares, and Rape, Dung and Artificial.	Wheat, \[\frac{1}{3} \text{ Varieties of Wheat,} \] 2 cwts. superphosphate, 2 cwts. Nitrate Soda, \[\frac{2}{3} \text{ Sheep-folded.} \]	Barley, 2 cwts. superphosphate, 2 cwts. Nitrate Soda (2 acres experiment).	Barley, 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	Barley, (1) 3½ cwts. Guano, (1) 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda, (1) 1½ cwts. Guano, 1½ Nitrate.	18	Fosters'.
Oats, 3 cwts. Guano.	Cats, 3 cwts. Guano, 1 cwt. Nitrate Soda.	Oats, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	Tares (4), Dung. Swedes (4), Dung, 2 owts. superphosph.; 2 cwts. Nitrate Soda.	Barley, After Roots and Tures carted, 2 cwts. superphosphate, 2 cwts. Nitrate Soda, After Tares fed, 1 cwt. each.	Barley, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	3)	Knott W
Wheat, 3 cwts. Guano.	Oats, 3 cwts. Guano, 1 cwt. Nitrate Soda.	Oats, ½ Sheep-folded. All, ½ cwts. superphos., 2½ cwts. Nitrate Soda.	Barley, 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	Mangolds, Dung. (Carted off.)	Wheat (Varieties). 1½ cwt. Nitrate Soda.	}14	Little Ki
Mangolds, Dung and 3 cwts. Guano.	Wheat, 3 cwts. Guano.	Oats, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	Oats, 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	Barley, 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	Barley. 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	14	Sawpit.
Barley, 1 cwt. Guano.	Mangolds, Dung and 4 cwts. Cotton Cake.	Wheat, Unmanured.	Barley, 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	Tares, Dung. † followed by Turnips, 1 cwt. superphosphate, 1 cwt. Nitrate Soda.	Barley, 1 cwt. Nitrate Soda.	8	Rick-ya
Barley, $2\frac{1}{2}$ cwts. Guano.	Barley, 3 cwts. superphosphate, 2½ cwts. Nitrate Soda.	Barley, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	Barley, 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	Barley, 2 cwts. superphosphate, 21 cwts. Nitrate Soda.	Barley, 2 cwts. superphosphate, 2½ cwts. Nitrate Soda.	6	Six Acre
Turnips, Dung and cwts.superphosphate.	Wheat, Unmanured.	Oats, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	Clover, Unmanured.	Wheat, 2 cwts. Nitrate Soda.	Oats. 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.		Clay-Cro
Oats, 3 cwts. Guano.	Mangolds, Dung and 4 cwts. Cotton Cake.	Wheat, Unmanured.	Barley, 2 cwts. superplosphate, 2 cwts. Nitrate Soda (5 acres experiment).	Oats, 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	Oats, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	}10	Ten Acre
Barley, $1\frac{1}{2}$ cwt. Guano, $\frac{1}{2}$ cwt. superphosphate.	Mangolds, Dung and 4 cwts. Cotton Cake.	Wheat, Unmanured (and part Roots),	Clover, Unmanured. Barley, Experiment.	Wheat, 1 cwt. Nitrate Soda (3 acres Experiment, ½ Clover, ½ Fallow).	Barley, 2 cwts. superphosphate, 2 cwts. Nitrate Soda. Wheat, 3 acres, Experiment.	9	Agdell.
Sainfoin, Unmanured.	Sainfoin, Unmanured, (Steam cultivated, July.)	Mangolds, Dung. (Carted off.)	Wheat, († Varieties of Wheat), 1½ cwt. Nitrate Soda.	Oats, 2 cwts. superphosphate, 2 cwts, Nitrate Soda.	0ats, $2\frac{1}{2}$ cwts. superphosphate, $2\frac{1}{2}$ cwts. Nitrate Soda.	25	Long Ho
Wheat, 4 cwts. Guano.	Wheat, 4 cwts. Guano. 1 cwt. Nitrate Soda.	Barley, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	Oats, 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	Mangolds and Swedes, Dung.	Barley after Swedes (\frac{3}{4}) 2 cwts. superphosphate, 2 cwts. Nitrate Soda. Wheat after Mangolds (\frac{1}{4}) 1\frac{1}{2} cwt. Nitrate Soda.	25	Sawyers
Sainfoin, Unmanured.	Sainfoin, Unmanured.	Sainfein, Unmanured.	Oats, 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	Wheat (Oats fed off 1873), 1½ cwt. Nitrate Soda.	Oats, 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	32	West Ba