
Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1875



Full Table of Content

Experiments on Sugar Beet; Barn Field

Rothamsted Research

Rothamsted Research (1876) *Experiments on Sugar Beet; Barn Field;* Yields Of The Field Experiments 1875, pp 8 - 8 - **DOI:** https://doi.org/10.23637/ERADOC-1-239

(8)

EXPERIMENTS ON SUGAR BEET-BARN FIELD.

Grown year after year on the same Land, without Manure, and with different descriptions of Manure, commencing 1871.

Previous Cropping:—1843-'48 (6 Seasons), experiments on Norfolk White Turnips, with different descriptions of Manure.

1849-'52 (4 Seasons), experiments on Swede Turnips, with different descriptions of Manure.

1853-'55 (3 Seasons), Barley without Manure (with a view as far as possible to equalise the condition of the Plots).

1856-'70 (15 Seasons), experiments on Swede Turnips, with different descriptions of Manure, in which the arrangement of the Plots was the same, and that of the Manures very similar—in fact, exactly the same during the last 10 years—as in the first year of Sugar Beet, excepting that, during those 10 years, the Alkalies were omitted for the Swedes. For the second and subsequent years of Sugar Beet slight alterations in the Mineral Manures were made, and in the fourth and fifth years the Farmyard Manure, Nitrate of Soda, Ammonia-salts, and Rapecake were omitted, as will be seen below. cake were omitted, as will be seen below.

	Area under experiment about 8 acres. The experiment	ments are	arranged	as under,	in 5 Seri	es, each o	f which c	omprises	8 Plots.	<u> </u>	1 1
Manures, per Acre, per Annum.											
PLOTS.	Series 1.		SERIES 2. Each Plot as Series 1, and Cross-dressed with 550 lbs. Nitrate Soda. SERIES 3. Each Plot as Series 1, and Cross-dressed with 400 lbs. "Ammonia-salts."		rith 200	SERIES 4. Each Plot as Series 1, and Cross-dressed with 2000 lbs. Rape-cake, and 400 lbs. "Ammonia-salts."		SERIES 5. Each Plot as Series 1, and Cross-dressed with 2000 lbs, Rape-cake.			
First Season, 1871.											
	PRODUCE PER ACRE (Roots trimmed as for feeding, not as for St										
		Roots.	Leaves,	Roots,	Leaves.	Roots.	Leaves.	Roots.	Leaves.	Roots.	Leaves,
1 2 3 4 5 6 7	Farmyard Manure (14 tons) Farmyard Manure (14 tons), and 3½ ewts. Superphosphate (¹) Without Manure (1846, and since) (3½ ewts. Superphosphate, 300 lbs. Sulph. Pot., 200 lbs. Sulph. Soda.) (100 lbs. Sulph. Magnesia (3½ ewts. Superphosphate (3½ ewts. Superphos., 300 lbs. Sulph. Potass (3½ ewts. Superphos., 300 lbs. Sulph. Pot., 36½ lbs. Ammsalts (²) Uumanured, 1853, and since; previously part Uuman., part Superphos.	Tons, cwts. 18 3 14 13 7 11 7 11 5 12 5 1 5 18 7 10	Tons cwts, 3 5 2 14 2 0 1 5 1 8 1 4 1 5 1 14	Tons. cwts. 27 13 25 16 22 3 22 15 20 19 21 5 20 19 21 13	Tons. cwts. 6 19 5 15 5 12 4 8 3 14 3 13 3 18 3 16	Tons. cwts. 22 1 21 15 15 6 17 10 15 4 17 4 18 8 16 2	Tons. cwts. 5 6 4 6 4 16 3 5 3 19 3 4 4 3 4 15	Tons. cwts- 26 4 25 2 19 18 22 15 19 18 23 11 21 0 17 19	Tons. cwts. 6 14 6 7 7 0 6 3 7 12 6 11 5 0 7 11	Tons. cwts. 28 18 25 4 20 16 21 7 18 19 21 0 21 7 20 7	Tons. cwts. 5 14 5 5 5 4 12 3 19 4 5 3 11 3 17 4 9
Second Season, 1872.											
1 2 3 4 5 6 7 8	Farmyard Manure (14 tons) Farmyard Manure (14 tons), and 3½ cwts. Superphosphate (*) Without Manure (1846, and since) (3½ cwts. Superphosphate, 500 lbs. Sulph. Pot., 200 lbs. Chloride) Sodium (common sait), 200 lbs. Sulph. Magnesia 3½ cwts. Superphosphate 3½ cwts. Superphosphate 3½ cwts. Superphosphate 3½ cwts. Superphos, 500 lbs. Sulph. Potass 3½ cwts. Superphos, 500 lbs. Sulph. Potas Unmanured, 1853, and since; previously part Unman., part Superphos.	Tons, ewts. 15 13 16 0 7 17 6 14 6 17 6 6 6 15 5 4	Tons. cwis. 4 2 3 18 1 13 1 10 1 8 1 5 1 8 1 5	Tons, cwts, 23 9 24 6 21 7 20 2 19 6 16 16 17 0 15 6	Tons. cwts. 7 19 8 16 6 6 5 19 6 4 5 14 6 1 5 19	Tons. cwts. 22 14 22 0 15 3 15 10 14 5 14 7 15 9 13 10	Tons. cwts. 9 0 7 16 4 13 3 7 4 13 3 19 3 19 4 1	Tons. cwts. 26 8 25 9 20 8 23 8 18 11 22 16 23 9 19 12	Cons. cwts. 9 11 9 14 10 1 7 13 10 4 9 9 9 10 9 17	Tons. cwts. 22 5 20 15 16 3 17 18 15 18 15 17 15 10 15 0	Tons. cwts. 6 1 5 11 3 11 3 15 3 16 3 14 3 15 4 6
Third Season, 1873.											
1 2 3 4 5 6 7 8	Farmyard Manure (14 tons) Farmyard Manure (14 tons) and 3½ cwts. Superphosphate (¹) Without Manure (1846, and since) (3½ cwts. Superphosphate, 500 lbs. Sulph. Pot., 200 lbs. Chloride) Sodium (common salt), 200 lbs. Sulph. Magnesia	Tons, cwts. 15 2 14 6 5 1 5 2 5 5 4 12 5 19 4 11	Tons, cwts. 5 12 5 2 1 11 1 13 1 11 1 5 1 12 1 7	Tons. cwts. 20 5 21 10 14 5 16 9 18 8 15 17 16 14 12 9	Tons, cwts. 10 9 11 0 6 11 6 11 5 13 4 4 5 3 5 18	Tons. cwts. 22 2 19 4 9 3 12 10 10 19 12 18 13 0 8 8	Tons. cwts. 9 18 8 9 3 16 3 10 5 0 3 12 4 15 2 19	Tons. cwts. 22 15 23 7 15 12 20 3 14 15 20 2 19 16 15 2	Tons, cwts. 12 10 13 6 9 11 8 0 9 8 9 5 9 0 9 8	Tons. cwts. 23 10 21 18 14 13 16 1 13 19 14 14 15 17 12 2	Tons. cwis. 7 8 6 18 4 1 3 8 4 9 3 11 4 4 3 16
===	FOURTH SEASON, 1874. Mineral Manures as in 1872 and 1873;	but no Fa	rmyard M	anure, or c	ross-dressi	ngs of Nita	ate Soda,	Ammonia-	salts, or R	pe-cake.	
1 2 3 4 5 6 7 8	Without Manure, 1874 and 1875 (Farmyard Manure in '71, '72, '73) 3½ cwts. Superphosphate (with Farmyard Manure, '71, '72, '73) Without Manure (1846, and since) (3½ cwts. Superphosphate, 500 lbs. Sulph. Pot., 200 lbs. Chloride Sodium (common salt), 200 lbs. Sulphate Magnesia 3½ cwts. Superphosphate 3½ cwts. 3½ cwts. Superphosphate 3½ cwts. 3½ cwts	5 19 5 11 6 14	Tons. cwts. 5 6 5 9 1 5 1 8 1 7 1 5 1 3 1 2	Tons. cwts. 11 14 7 9 3 2 8 16 7 10 8 1 9 5 7 13	Tons. cwts. 8 9 4 16 2 6 3 6 3 6 2 14 2 11 2 16	Tons. cwts. 11 7 9 5 3 7 7 10 7 6 8 1 8 15 6 10	Tons. cwts. 8 3 5 17 2 2 2 0 2 8 1 18 1 14 2 0	Tons. cwts 13 7 12 5 2 11 10 12 7 15 9 10 11 14 7 6	Tons. cwts. 9 17 7 7 2 10 4 16 5 4 4 13 4 11 4 7	Tons, cwts. 14 10 13 1 3 19 8 2 5 17 7 13 8 4 3 12	Tons, cwts, 7 8 6 4 2 9 3 11 3 6 3 2 3 9 2 1
FIFTH SEASON, 1875. Mineral Manures as in 1872, 1873, and 1874; but no Farmyard Manure, or cross-dressings of Nitrate Soda, Ammonia-salts, or Rape-cake.											
1 2 3 4 5 6 7 8	Without Manure, 1874 and 1875 (Farmyard Manure in '71, '72, '73) 3½ cwts. Superphosphate (with Farmyard Manure, '71, '72, '73) Without Manure (1846, and since) (3½ cwts. Superphosphate, 500 lbs. Sulph. Pot., 200 lbs. Chloride Sodium (common salt., 200 lbs. Sulph. Magnesia 3½ cwts. Superphosphate. 3½ cwts. Superphos, 500 lbs. Sulph. Potass 3½ cwts. Superphos., 500 lbs. Sulph. Pot. and Ammsalts '71, '72, '73 Unmanured, 1833, and since; previously part Unman., part Superphos.	}	Tons. cwts.	Tons. cwts.	Tons. cwts.	Tons. cwts.	Tons, ewts.	Tons. cwts	Tons cwts.	Tons. cwts.	Tons, cwts,
-	(1) "Superphosphate of Lime"—in all cases made fr	om 200 lbs.	Bone-ash, 15	0 lbs, Sulph	mrie Acid s	p. gr. 1.7 (a	nd water).				

⁽¹) "Superphosphate of Lime"—in all cases made from 200 lbs. Boue-ash, 150 lbs. Sulphuric Acid sp. gr. 1·7 (and water).
(*) "Ammonia-salts"—in each case equal parts Sulphate and Muriate of Ammonia of Commerce.