Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Memoranda of the Field Experiments at Rothamsted: May 1877



Full Table of Content

Cropping, &c. , of the Arable Land Not Under Experiment; Rothamsted Farm

Rothamsted Research

Rothamsted Research (1878) Cropping, &c., of the Arable Land Not Under Experiment; Rothamsted Farm; Memoranda Of The Field Experiments At Rothamsted: May 1877, pp 16 - 17 - DOI: https://doi.org/10.23637/ERADOC-1-241

(16)

ROTHAMSTED

MAY,

SUMMARY STATEMENT OF THE PRESENT AND PREVIOUS

(14 Years, 1864-1877,

Name of Field.	Acres.	PREVIOUS CROPPING									
		1864,	1865.	1866.	1867.	1868.	1869.	1870.	1871.		
hirty Acres	30{	Oats, 2 cwts. Guano, 1 cwt. Corn Manure.	Oats, 1 cwt. Guano, 3 cwts. Corn Manure.	Tares and Swedes, Dung and Artificial.	Oats, after Sheep-Folding.	Clover.	Wheat, 2 cwts. Guano.	Oats, 2 cwts. Guano.	Barley, 2 cwts. superphos 2 cwts. Nitrate Sod		
pper Har-} penden	14{	Wheat, 1½ cwt. Guano, 1½ cwt. Corn Manure.	Oats, 1 cwt. Guano, 2 cwts. Corn Manure.	Oats, 2 cwts. Guano, 1 cwt. Sulph. Ammonia.	Tares, Dung. Swedes, Artificial.	Wheat, \$\frac{2}{2}\text{ths. Guano,}\$ \$\frac{1}{2}\text{th. Sheep-folded.}\$	Oats, 2 cwts. Guano, 1 cwt. dried Blood, ½ cwt. Sulph. Ammonia.	Swedes, Dung and superphosphate.	Wheat, 2 cwts. Guano,		
arpenden	22	Mangolds and Turnips, Dung and Artificial.	Wheat, Sheep-Folded.	Red Clover (peren.), Unmanured.	Wheat, 2½ cwts. Guano.	Oats, grds {2 cwts. Guano, & 1 cwt. Nitr. Soda. 1 rd {1 cwt. Nitr. Soda. and Sheep-folded.	Swedes, Dung and various Artificial Manures.	Wheat, 3 cwts. Guano.	Oats, 3 cwts. Guano, 1 cwt. Nitrate Sod Tares, Dung.		
ttle Hoos	9{	Red Clover.	Wheat, 1½ cwt. Guano, 1 cwt. Nitrate Soda, 1 cwt. Corn Manure.	Mangolds, Dung and Artificial.	Wheat, Unmanured.	Oats, 2 cwts. Guano, 1 cwt. Nitrate of Soda.	Barley, 1 cwt. dried Blood, 1 cwt. Sulph. Ammonia, 1 cwt. superphosphate.	Barley, 2½ cwts. Guano.	Barley, 3 cwts. superphos. 2½ cwts. Nitrate Soc		
osters'	18{	Swedes, Dung and Artificial.	Oats, 1 cwt. Guano, 1 cwt. Corn Manure.	Red Clover, Unmanured.	Wheat, 2 cwts. Guano, ½ cwt. Corn Manure.	Oats, 2 cwts. Guano, 1 cwt. Nitrate of Soda.	Barley, 1 cwt. dried Blood, ½ cwt. Sulph. Ammonia, 1 cwt. superphosphate.	Oats, 2 cwts. Guano, 3 cwts. Blood Manure.	Roots, Tares, an Rape, Dung and Artificia		
nott Wood	30{	Red Clover (peren.).	Wheat, Sheep-Folded, 1 cwt. Guano.	Oats, 2 ewts. Guano, 1 ewt. Sulph. Ammonia.	Oats, 2 cwts. Guano, 1 cwt. Sulph. Ammonia.	Swedes, 2 cwts. Guano, 2½ cwts. superphosphate and Dung.	Wheat, 3 cwts. Guano (one-half), Unmanured (one-half), after Swedes ploughed up and Fallowed.	Oats, 3 cwts. Guano.	Oats, 3 cwts. Guano, 1 cwt. Nitrate Sod		
ttle Knott Wood	14{	Wheat, Unmanured.	Red Clover (peren.), Unmanured.	Red Clover (peren.), Sheep-Folded.	Wheat, 1 ewt. Guano, ½ cwt. Corn Manure.	Oats, 2 cwts. Guano, 1 cwt. Nitrate Soda.	Mangolds, 12 tons Dung, 3 cwts. Guano.	Wheat, 3 ewts. Guano.	Oats, 3 cwts. Guano, 1 cwt. Nitrate Sod		
wpit	14	Barley, 1½ cwt. Guano, ½ cwt. superphos., 1 cwt. Corn Manure.	Mangolds and Turnips, Dung and Artificial.	Wheat, Unmanured.	Red Clover, Unmanured.	Wheat, 1 cwt. Guano, 1 cwt. Wheat Manure.	Wheat, 3 cwts. Guano.	Mangolds, Dung and 3 cwts. Guano.	Wheat, 3 cwts. Guano.		
ick-yard	8{	Wheat, Sheep-Folded, and 3 cwts. Guano.	Barley, 2 cwts. Guano, 1½ cwt. Corn Manure.	Red Clover, Sheep-Folded.	Wheat, Guano.	Barley, 2 cwts. Wheat Manure.	Tares,	Barley, 1 cwt. Guano.	Mangolds, Dung and 4 ewts. Cotton Cak		
x Acres	6	Wheat, Unmanured.	Red Clover, Unmanured.	Wheat, 2 cwts. Guano, 2 cwts. Corn Manure.	Oats, 3 cwts. Guano.	Beans, Dung.	Wheat, 2 cwts. Guano, 1 cwt. Nitrate of Soda.	Barley, $2\frac{1}{2}$ cwts. Guano.	Barley, 3 cwts. superphos. 2½ cwts. Nitrate So		
ay-Croft	12{	Wheat, 2 cwts. Guano, 2 cwts. Corn Manure.	Oats, 2 ewts. Guano, 2 cwts. Corn Manure.	Oats, 2 cwts. Guano, 1 cwt. Sulph. Ammonia.	Beans, Dung.	Wheat, 2 cwts. Guano.	Oats, 2 cwts. Guano, 1 cwt. dried Blood, 1 cwt. Sulph. Ammonia.	Turnips, Dung and 3 cwts. super- phosphate.	Wheat, Unmanured.		
en Acres	10{	Oats, 2 cwts. Guano, 1 cwt. Dried Blood.	Tares, Dung.	Turnips, Artificial.	Wheat, Guano.	Red Clover.	Wheat, 2 cwts. Guano.	Oats, 3 cwts. Guano.	Mangolds, Dung and 4 cwts. Cotton Cak		
gdell	9{	Barley, 1½ cwt. Guano, ½ cwt. superphos., 1 cwt. Corn Manure.	Red Clover, Unmanured.	Wheat, 1½ cwt. Guano, 1½ cwt. Corn Manure.	Oats, 2 cwts, Guano.	Tares, Dung.	Barley, Unmanured.	Barley, 1½ cwt. Guano, 1½ cwt. super- phosphate.	Mangolds, Dung and 4 cwts, Cotton Cak		
ng Hoos	25{	Swedes, Dung and Artificial.	Barley, 1 cwt. Guano, 1 cwt. Com Manure.	Barley, 1½ cwt. Guano, 1 cwt. Corn Manure.	Mangolds and Swedes, 15 tons Dung, 3 cwts. Guano.	Wheat, 1 cwt. Guano.	Oats, 2 cwts. Guano, 1 cwt. dried Blood, 2 cwt. Sulph. Ammonia.	Sainfoin, Unmanured.	Sainfoin, Unmanured. (Steam cultivated July.)		
wyers'	25	Barley, 1 cwt. Guano, 1 cwt. Corn Manure.	Swedes, Dung and Artificial.	Wheat and Barley, Sheep-Folded.	Red Clover, Unmanured.	Wheat, 3 cwts. Guano.	Fallow.	Wheat, 4 cwts. Guano.	Wheat, 4 cwts. Guano. 1 cwt. Nitrate Soda		
est Barn	32{	Oats, $1\frac{1}{2}$ cwt. Guano, $1\frac{1}{2}$ cwt. Corn Manure.	Red Clover (peren.), Sheep-Folded.	14 cwt Corn Manure	Barley, I cwt. Blood Manure, I cwt. superphosphate, I cwt. Sulph, Ammonia.	Fallow.	Wheat, 3 cwts. Guano,	Sainfoin, Unmanured.	Sainfoin, Unmanured.		

(17)

FARM.

1877.

CROPPING, &C., OF THE ARABLE LAND NOT UNDER EXPERIMENT.

inclusive.)

1000	1079	Present Season, 1876-77.	Acres.	Field.			
Barley,	Barley (§ with Grass-seeds).	Grass (\$), Folded, and 1 cwt. Nitrate.	Grass (‡), Sheep-folded.	1876. Grass (¾), Compost.	Grass (3), Cattle Grazed.	30	Whinty A avec
Barley, 2 cwts. superphosphate, 2 cwts. Nitrate Soda, (2 acres experiment).	2 cwts, superphosphate, 2 cwts. Nitrate Soda.	Barley (1), 2 cwts. superphosphate, 21 cwts. Nitrate Soda.	Tares (1) Dung.	Wheat (1), 1 cwt. Nitrate Soda.	Barley (1), 21 cwts. superphosphate, 21 cwts. Nitrate Soda.	} 30	Thirty Acres
Oats, 2½ cwts, superphosphate, 2½ cwts. Nitrate Soda.	Mangolds, Dung, (Carted off.)	Wheat (10 acres Varieties). 2 cwts. Nitrate Soda.	Barley, $(\frac{1}{2})$ 3 cwts. Guano, $(\frac{1}{2})$ 2 cwts. superphosphate, $2\frac{1}{4}$ cwts. Nitrate Soda.	Barley (with grass seeds), 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	Grass.	14	Upper Har- penden.
Oats, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda. Tares, Dung.	Barley, After Oats—2 cwts. super- phosphate; 2 cwts. Nitrate. After Tares—1 cwt. super- phosphate; 1 cwt. Nitrate.	Barley, 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	Mangolds, Dung, and 2 cwts. Guano. (Carted off.)	Wheat (Varieties), 2 cwts. Nitrate Soda.	Barley, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	22	Harpenden.
Barley (with Clover). ½ cwts. superphosphate, ½ cwts. Nitrate Soda.	Barley $(\frac{1}{2})$, Unmanured. Clover $(\frac{1}{2})$, Unmanured.	Barley, 2 cwts. superphosphate, 2 cwts. Nitrate Soda (1 acre Unmanured).	Barley, where Barley 1873, 2 cwts. superphosphate, 2 cwts. Nitrate of Soda. where Clover 1873, Half quantities.	Barley, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda (½ with Clover).	Barley, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda (½ with Clover).	9	Little Hoos
Wheat, § Varieties of Wheat, 2 cwts. superphosphate, 2 cwts. Nitrate Soda, § Sheep-folded.	Barley, 2 cwts. superphosphate, 2 cwts. Nitrate Soda (2 acres experiment).	Barley, 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	Barley, (1) 3½ owts. Guano, (1) 2½ owts. Superphosphate, 2½ owts. Nitrate Soda, (1) 1½ owts. Guano, 1½ Nitrate.	Barley, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	Swedes. Dung. Superphosphate, ½ cwt. Nitrate Soda.	18	Fosters'.
Oats, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	Tares (1), Dung. Swedes (1), Dung, 2 owts, superphosph.; 2 owts. Nitrate Soda.	Barley, After Roots and Tares carted, 2 cwts. superphosphate, 2 cwts. Nitrate Soda, After Tares fed, 1 cwt. each.	Barley, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	Oats, 2½ cwts. superphosphate, 3 cwts. Nitrate Soda.	Barley, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	30	Knott Woo
Oats, ½ Sheep-folded. All, 2½ cwts. superphos., 2½ cwts. Nitrate Soda.	Barley, 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	Mangolds, Dung. (Carted off.)	Wheat (Varieties), 1½ cwt. Nitrate Soda.	Oats, 2½ cwts. superphosphate, 3 cwts. Nitrate Soda.	Oats (with Clover), 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	}14	Little Kno Wood.
Oats, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	Oats, 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	Barley, 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	Barley, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	Mangolds, 25 tons Dung. (Carted off.)	Wheat (Varieties), 1 ³ / ₄ cwt. Nitrate Soda.	14	Sawpit.
Wheat, Unmanured.	Barley, 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	Tares, Dung. † followed by Turnips, 1 cwt. superphosphate, 1 cwt. Nitrate Soda.	Barley, 1 cwt. Nitrate Soda.	Swedes, Dung, and Superphosphate.	Barley, 1 cwt. Nitrate Soda.	8	Rick-yard
Barley, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	Barley, 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	Barley, 2 cwts. superphosphate, 2½ cwts. Nitrate Soda.	Barley, 2 cwts. superphosphate, 2½ cwts. Nitrate Soda.	Barley, 2½ cwts. superphosphate 2½ cwts. Nitrate Soda.	With Clover), 2½ cwts. superphosphate 2½ cwts. Nitrate Soda.	6	Six Acres
Oats, 2½ cwts. superphosphate, 2½ cwts. Nitrate Sods.	Clover, Unmanured.	Wheat, 2 cwts. Nitrate Soda.	Oats, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	Oats, 2½ cwts. superphosphate 2½ cwts. Nitrate Soda.	, Fallow.	$\left. \right $	Clay-Croft
Wheat, Unmanured.	Barley, 2 cwts. superphosphate, 2 cwts. Nitrate Soda (5 acres experiment).	Oats, 2 cwts. superphosphate, 2½ cwts. Nitrate Soda.	Oats, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	Fallow.	Wheat (with Clover), 2 cwts. Nitrate Soda.	10	Ten Acres
Wheat, Unmanured (and part Roots).	Clover, Unmanured. Barley, Experiment.	Wheat, 1 cwt. Nitrate Soda (3 acres Experiment, ½ Clover, ½ Fallow).	Barley, 2 cwts. superphosphate, 2 cwts. Nitrate Soda. Wheat, 3 acres, Experiment.	Barley, 2½ cwts. superphosphate 3 cwts. Nitrate Soda. Swedes, 3 acres, Experiment.	Barley, 2½ cwts. superphosphate 2½ cwts. Nitrate Soda. Barley, 3 acres experiment.	9	Agdell.
Mangolds, Dung. (Carted off.)	Wheat, († Varieties of Wheat), 1½ cwt. Nitrate Soda.	Oats, 2 cwts. superphosphate, 2 cwts, Nitrate Soda.	Oats, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	Oats (\frac{3}{4}), 2\frac{1}{2} cwts. superphosphate 3 cwts. Nitrate Soda. Tares (\frac{1}{4}), Dung.	2½ cwts. superphosphate 2½ cwts. Nitrate Soda.)	Long Hoo
Barley, 2½ cwts. superphosphate, 2½ cwts. Nitrate Soda.	Oats, 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	Mangolds and Swedes, Dung.	Barley after Swedes (2) 2 cwts. superphosphate, 2 cwts. Nitrate Soda. Wheat after Mangolds (1) 1 cwt. Nitrate Soda.	2 CW (S) INTRIBUC BOOMS.	Barley (\$\frac{3}{2}\$), 2\frac{1}{2}\$ cwts. Superphosphate 2\frac{1}{2}\$ cwts. Nitrate Soda. Tares (\$\frac{1}{4}\$), Dung.	25	Sawyers'.
Sainfoin, Unmanured.	Oats, 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	Wheat (Oats fed off 1873), 1½ cwt. Nitrate Soda.	Oats, 2 cwts. superphosphate, 2 cwts. Nitrate Soda.	Oats, 2 cwts. superphosphate (2) 1½ Nitrate Soda, (1) 2½ Nitrate Soda.	Fallow.	32	West Bar