


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



# **Yields of the Field Experiments 1948**

*[Full Table of Content](#)*



## **48/BE/1 Market Garden - First Crops**

### **Rothamsted Research**

Rothamsted Research (1949) *48/BE/1 Market Garden - First Crops ; Yields Of The Field Experiments 1948*, pp 51 - 53

48/Be/1.1

WOBURN MARKET GARDEN EXPERIMENT

Globe Beet and Peas. First crops of 7th year.

The use of heavy dressings of organic manures for making a market garden soil, and the effect of sulphate of ammonia.

JRB and JPE - Lansome, 1948.

System of replication: 2 series, one of each crop, each consisting of 4 randomized blocks of 10 plots each, certain interactions being confounded with block differences.

Area of each plot: 1/80 acre.

Treatments:

Organic manures: Dung, sewage sludge compost, sewage sludge (West Middlesex), and vegetable compost, each at 15 and 30 tons per acre.

Sulphate of ammonia: None, 0.2 cwt. N per acre on organic manure plots. None, 0.2, 0.4, 0.6 cwt. N per acre on plots without organic manure.

Basal manuring: Superphosphate, 0.4 cwt. P<sub>2</sub>O<sub>5</sub> per acre.

Muriate of potash, 0.5 cwt K<sub>2</sub>O per acre.

Cultivations, etc.:

Series A. Globe Beet.

Organic manures applied: Mar 31. Ploughed: Apr 1.  
Harrowed: Apr 2. Ground lime applied to all plots receiving sulphate of ammonia (plots 1, 7 at 33 cwt per acre, plots 24, 27 at 22 cwt per acre, other plots at 11 cwt per acre). Harrowed in: Apr 5. Rolled, basal manures and sulphate of ammonia dressings applied, seed drilled and harrowed in: Apr 6. Ring rolled: Apr 10. Dusted with Flea beetle dust: Apr 27. Hoed: May 6-10. Hoed and hand weeded: May 13-28. Harvested: July 6, 12-13.  
Variety: Crimson Globe. Previous crop: Leeks.

Series B. Peas.

Organic manures applied: Jan 16-19. Ploughed: Jan 19-20. Springtime harrowed: Feb 17-19. Harrowed: Mar 15. Rolled, basal manures and sulphate of ammonia applied, peas drilled: Mar 16. Ring rolled: Mar 23. Hoed: Apr 29, May 10. Harvested: July 14-26. Variety: Kelvedon Wonder. Previous crop: Winter cabbage\*.

Note: The winter cabbage crop failed owing to drought.

Standard errors per plot:

Peas, marketable produce, 11.88 cwt. per acre or 18.3%  
Globe beet, weight of marketable produce, 1.272 tons per acre or 24.0%  
total plant number, 4.01 thousands per acre  
or 12.3%  
weight of bulbs, 0.719 cwt per acre or 26.4%

48/Be/1.2

Summary of Results

Organic manures	Level of manuring (tons/acre)	Sulphate of ammonia, cwt. N per acre				Mean
		None	0.2	0.4	0.6	

Green peas, marketable produce: cwt. per acre  
(±8.40, means ±5.94)

None		66.1	61.8	45.0	71.1	63.9*
Dung	15	96.1	75.0			85.5
Dung	30	79.3	44.3			61.8
Composted sewage sludge	15	75.7	85.0			80.4
Sewage sludge	30	80.4	73.9			77.1
Sewage sludge	15	47.1	46.8			47.0
Vegetable compost	30	35.7	38.2			37.0
Vegetable compost	15	85.4	84.3			84.8
Vegetable compost	30	52.1	57.1			54.6

Globe beet, total produce: tons per acre  
(±0.900, means ±0.636)

None		1.30	2.92	3.86	2.37	2.11*
Dung	15	4.50	6.02			5.26
Dung	30	9.34	7.58			8.46
Composted sewage sludge	15	3.07	3.68			3.30
Sewage sludge	30	4.72	6.19			5.45
Sewage sludge	15	6.37	5.94			6.15
Vegetable compost	30	6.74	6.35			6.54
Vegetable compost	15	4.32	5.02			4.67
Vegetable compost	30	6.05	6.78			7.32

Globe beet, weight of bulbs: tons per acre  
(±0.500, means ±0.360)

None		0.47	1.37	2.04	1.20	0.92*
Dung	15	2.04	3.20			2.62
Dung	30	5.01	4.12			4.56
Composted sewage sludge	15	1.39	1.77			1.53
Sewage sludge	30	2.46	3.26			2.86
Sewage sludge	15	3.25	3.08			3.17
Vegetable compost	30	3.50	3.30			3.40
Vegetable compost	15	2.10	2.62			2.36
Vegetable compost	30	3.53	4.74			4.14

\* These means are for 0.0 and 0.2 cwt. N per acre only

48/Be/1.3

Organic manures	Level of manuring (tons/acre)	Sulphate of ammonia, cwt. N per acre			Mean
		None	0.2	0.4	

Globe beet, total plant number: thous. per acre  
(±2.84, means ±2.01)

None		27.1	32.4	33.4	25.2	29.8*
Dung	15	32.8	31.6			32.2
Dung	30	42.8	29.4			36.1
Composted sewage sludge	15	29.6	35.0			32.4
Sewage sludge	30	33.5	34.2			33.9
Sewage sludge	15	37.6	29.9			33.8
Vegetable compost	30	28.8	27.2			28.0
Vegetable compost	15	37.0	39.0			38.0
	30	31.8	34.9			33.4

\*These means are for 0.0 and 0.2 cwt. N per acre only