


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1948

[Full Table of Content](#)



---

### 48/CD/3 Potatoes - Time of Planting

#### Rothamsted Research

Rothamsted Research (1949) *48/CD/3 Potatoes - Time of Planting* ; Yields Of The Field Experiments 1948, pp 83 - 85

48/Ca/3.1

## POTATOES

The effects of four times of planting, of dung, sulphate of ammonia, superphosphate and muriate of potash.

RP - Sawyers II, 1948

System of replication: 4 randomized blocks of 16 plots each, certain high order interactions being confounded with block differences.

Area of each plot: 0.0133 acre

### Treatments:

Time of planting: 10th April, 24th April, 8th May, 22nd May.

Dung: None, 15 tons F.Y.M. per acre

Sulphate of ammonia: None, 0.6 cwt. N per acre

Superphosphate: None, 0.6 cwt.  $P_2O_5$  per acre

Muriate of Potash: None, 1.0 cwt.  $K_2O$  per acre.

Cultivations: Whole experiment; Ploughed: during Jan. Cultivated: Mar 16  
Tooth harrowed: Mar 25. Sprayed with Perenox: Aug 10. Sprayed with  
20% B.O .V. to kill off haulm: Sept 15. Lifted: Oct 4-5.

1st planting; Bouted: Apr 8. Artificially applied: Apr 9.

Dung applied, potatoes planted and covered in: Apr 10. Rolled ridges:  
Apr 12. Chain harrowed: May 18. Grubbed: June 14 and again June 19.  
Earthed up: June 21.

2nd planting; Ridged, dung and artificially applied, potatoes  
planted and covered in: Apr 24. Rolled ridges: May 6. Chain harrowed:  
May 18. Grubbed: June 14 and again June 19. Earthed up: June 26.

3rd planting; Thistles cut, ridged, dung and artificially  
applied, potatoes planted and covered in: May 7. Rolled ridges: May 8.  
Chain harrowed: June 5. Weeded: July 5. Earthed up: July 7.

4th planting; Thistles cut: May 7. Dung and artificially  
applied, potatoes planted and covered in: May 21. Rolled ridges: May 22.  
Chain harrowed: June 5. Weeded: July 5. Earthed up: July 29.

Variety: Majestic (Scotch A), Previous crop: Barley.

Standard error per plot: Total tubers,  $\pm 1.98$  tons per acre or 21.0% (34 d.f.)

Total tubers: tons per acre

48/Ca/3.2

	Time of Planting				Mean
	10th April	24th April	8th May	22nd May	
Mean ( $\pm 0.496$ )	12.15	9.22	9.42	6.91	9.42
No Dung ( $\pm 0.701$ )	10.75	8.35	8.61	7.10	8.71
Dung	13.55	10.08	10.23	6.71	10.14
Response to Dung ( $\pm 0.992$ )	2.80	1.73	1.62	-0.39	1.43 <sup>(1)</sup>
No Nitrogen ( $\pm 0.701$ )	11.96	9.53	8.92	6.54	9.24
Nitrogen	12.34	8.91	9.92	7.28	9.61
Response to Nitrogen ( $\pm 0.992$ )	0.38	-0.62	1.00	0.74	0.37 <sup>(1)</sup>
No Superphosphate ( $\pm 0.701$ )	10.98	8.63	9.46	7.36	9.11
Superphosphate	13.32	9.81	9.38	6.46	9.74
Response to Superphosphate ( $\pm 0.992$ )	2.34	1.18	-0.03	-0.90	0.63 <sup>(1)</sup>
No Potash ( $\pm 0.701$ )	11.22	9.19	9.17	6.83	9.10
Potash	13.08	9.25	9.68	6.99	9.75
Response to Potash ( $\pm 0.992$ )	1.86	0.06	0.51	0.16	0.65 <sup>(1)</sup>
Standard Error (1) $\pm 0.496$					

48/00/3.3

Responses to Treatments  $\pm 0.701$

Response to	Dung		Sulphate of Ammonia		Super-Phosphate		Muriate of Potash	
	Abs.	Pres.	Abs.	Pres.	Abs.	Pres.	Abs.	Pres.
Dung	-	-	1.14	1.74	1.69	1.19	1.97	0.91
Sulphate of ammonia	0.07	0.67	-	-	0.41	0.33	0.60	0.14
Super-phosphate	0.89	0.39	0.68	0.60	-	-	0.58	0.70
Muriate of potash	1.18	0.12	0.88	0.42	0.59	0.71	-	-