


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1948

[Full Table of Content](#)



Outside Experiments - Lady Manners School

Rothamsted Research

Rothamsted Research (1949) *Outside Experiments - Lady Manners School* ; Yields Of The Field Experiments 1948, pp 96 - 97

48/Da/1

MEADOW HAY

17th Season

Direct and residual effects of mixed artificials and compost.

Lady Manners School, Bakewell 1948

System of replication: 4 randomized blocks of 9 plots each

Area of each plot: 0.00492 acre

Treatments: 3 x 3 factorial design.

No manure, mixed artificials (2 cwt nitrate of soda, 3 cwt superphosphate and 1 cwt muriate of potash per acre), 8 tons per acre compost applied in alternate years from 1932 to 1948 or from 1933 to 1947.

Basal Manuring: None

Soil: Limestone

Cultivations: Compost and artificials applied: Mar 22. Harvested: July 1.

Standard error per plot: ± 7.02 cwt. per acre or 16.0% (24 d.f.)

Hay: cwt. per acre

Alternate years 1932 - 1948	Alternate years 1933 - 1947			Mean	Increase
	No Manure	NPK	Compost		
		(± 3.51)		(± 2.03)	(± 2.87)
No manure	29.9	27.7	43.5	33.7	
NPK	41.7	44.0	49.0	44.9	11.2
Compost	51.2	54.4	53.1	52.9	19.2
Mean (± 2.03)	41.0	42.0	48.5	43.8	
Increase (± 2.87)		1.0	7.5		

48/Da/2

MEADOW HAY

18th Season

Effects of nitrate of soda, superphosphate and muriate of potash

Lady Manners School, Bakewell 1948

System of replication: 3 randomized blocks of 8 plots each.

Area of each plot: 0.00723 acre

Treatments: 2 x 2 x 2 factorial design

Nitrate of soda: None, 2 cwt per acre

Superphosphate: None, 3 cwt per acre

Muriate of Potash: None, 1 cwt per acre

Basal Manuring: None

Soil: Limestone.

Artificials applied: Mar 22. Harvested: June 30

Standard error per plot: ± 7.08 cwt per acre of 21.2% (14 d.f.)

Hay: cwt per acre

Mean yield 33.3

Responses to treatments (± 4.09 Means ± 2.89)

	Mean	Nitrate of soda		Superphosphate		Muriate of potash	
		Absent	Present	Absent	Present	Absent	Present
Nitrate of Soda	7.2	-	-	7.4	7.0	2.5	11.9
Super-phosphate	3.7	3.9	3.5			-1.2	8.6
Muriate of potash	9.1	4.4	13.8	4.2	14.0	-	-