


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1950

[Full Table of Content](#)



50/BA/4 Six-course Rotation - Rothamsted and Woburn

Rothamsted Research

Rothamsted Research (1951) *50/BA/4 Six-course Rotation - Rothamsted and Woburn* ; Yields Of The Field Experiments 1950, pp 21 - 24 - DOI: <https://doi.org/10.23637/ERADOC-1-185>

50/Ba/4.1

SIX COURSE ROTATION EXPERIMENT

The 21st year

Seasonal effects of fertilizers - Rothamsted Long Hoos IV and Woburn Stackyard, 1950.

For details of rotation and treatments etc. see Appendix Z.

Area of each plot: Rothamsted - 0.0250 acre. Woburn - 0.0268 acre.

Cultivations, etc.:

Rothamsted

Sugar beet.

Ploughed: Aug 29 and again Jan 10-12. Cultivated: Mar 24.
Harrowed, fertilizers applied: Mar 27. Ring rolled: Mar 28.
Seed drilled and harrowed in: Mar 29. Rolled: Mar 30.
Hoed: May 17. Singled: May 31-June 1. Hoed: June 5 and
29, July 12 and 13. Lifted: Oct 31. Variety: Klein E.
Previous crop: Rye.

Barley.

Ploughed: Dec 7-8. Ground chalk applied: Jan 16. Springtined:
Mar 8 and again Mar 10. Fertilizers applied and harrowed in,
seed drilled and harrowed in: Mar 14. Rolled: Mar 15. Clover
seed undersown and harrowed in: Mar 21. Ring rolled: Mar 22.
Harvested: Aug 4. Variety: Plumage Archer. Previous crop:
Sugar beet.

Clover.

Seed undersown in barley and harrowed in: Apr 13. Autumn
fertilizers applied: Dec 6. Rolled: Mar 15. Sulphate of
ammonia applied: Apr 17. Cut: July 20. Variety: Late
flowering Montgomery Red. Previous crop: Barley.

Wheat.

Ploughed: July 2-4. Springtined, autumn fertilizers applied:
Oct 14. Harrowed, seed drilled and harrowed in: Oct 28.
Harrowed: Mar 16. Rolled: Apr 8. Sulphate of ammonia
applied: Apr 17. Ring rolled: Apr 20. Harvested: Aug 3.
Variety: Yeoman. Previous crop: Clover.

Potatoes.

Ploughed: Aug 30 and again Jan 7-9. Cultivated: Mar 31.
Harrowed: Mar 27 and again Mar 28. Ring rolled: Mar 29.
Ridged: Mar 31. Fertilizers applied, potatoes planted and
covered in: Apr 1. Rolled down ridges: Apr 3. Chain
harrowed: May 5. Grubbed: May 23. Hoed weeds: June 21.
Earthed up: June 26. Sprayed with Perenox: July 25. Sprayed
with Copposon: Aug 18. Sprayed with 15% B.O.V. to kill off
haulm: Sept 22. Lifted: Oct 11. Variety: Majestic. Previous
crop: Wheat.

50/Ba/4.2

Rye.

Ploughed: Sept 22. Springtined, autumn fertilizers applied: Oct 14. Ground chalk applied: Oct 27. Harrowed, seed drilled and harrowed in: Oct 28. Harrowed: Mar 16. Rolled: Apr 8. Sulphate of ammonia applied: Apr 14. Ring rolled: Apr 20. Harvested: Aug 3. Variety: King II. Previous crop: Potatoes.

Woburn

Sugar beet.

Ploughed: Aug 31. Springtined: Nov 2. Ploughed: Nov 15 and again Jan 23. Springtined: Mar 2. Harrowed and rolled: Mar 27. Fertilizers applied: Mar 29. Harrowed, rolled, seed drilled, harrowed and rolled in: Mar 30. Hoed: May 11. Singled: June 1-2. Hoed: June 8, 15, 29, 30, July 1 and 26. Weeded: Sept 11. Lifted: Sept 29. Variety: Klein E. Previous crop: Rye.

Barley.

Ploughed: Oct 5 and again Jan 24. Ground chalk applied: Feb 27. Springtined: Mar 7. Fertilizers applied: Mar 15. Seed drilled and harrowed in: Mar 16. Rolled: Mar 17. Clover undersown, harrowed and rolled: Mar 22. Harvested: Aug 4. Variety: Plumage Archer. Previous crop: Sugar beet.

Clover.

Seed undersown in barley: Mar 18. Rolled: Mar 28. Fertilizers applied: Apr 12. Cut: June 20. Variety: Late flowering Montgomery Red. Previous crop: Barley.

Wheat.

Ploughed: July 20. Harrowed: Aug 24. Ploughed: Aug 25 and again Oct 5. Springtined: Oct 31. Harrowed, seed drilled, autumn fertilizers applied, harrowed in: Nov 1. Tractor weeded: Mar 21. Sulphate of ammonia applied: Apr 12. Sprayed with D.N.O.C.: June 5. Harvested: Aug 8. Variety: Squarehead's Master 13/4. Previous crop: Clover.

Potatoes.

Ploughed: Aug 31, Nov 2-3 and Jan 23. Springtined: Mar 21. Harrowed: Mar 27. Rolled: Mar 30. Ridged, fertilizers applied: Apr 3. Potatoes planted and covered in: Apr 4. Rolled: Apr 12. Tractor weeded: May 11. Chain harrowed ridges: May 15. Reridged: May 16. Chain harrowed: May 24. Grubbed: June 7. Ridged: June 29. Hand weeded: July 14. Sprayed with Peronox: July 22 and again Aug 4. Sprayed with 15% B.O.V. to kill off haulm: Sept 18. Lifted: Oct 4. Variety: Majestic. Previous crop: Wheat.

P.T.O

50/Ba/4.4

Summary of Results

Mean yields per acre and increments in yield per cwt of N, P₂O₅ and K₂O

	Rothamsted Response	Woburn Response	Rothamsted Response	Woburn Response
Sugar Beet, roots (washed): tons per acre		Clover, hay: dry matter cwt per acre		
Yield	15.34	10.72	44.2	38.4
N	6.39	10.23	-16.4	9.8
P	-2.25	1.41	4.8	1.5
K	-1.66	-1.36	-10.0	-13.8
Sugar Beet, tops: tons per acre		Wheat, grain: cwt per acre		
Yield	11.05	4.80	27.8	11.5
N	6.93	4.34	8.5	12.0
P	-3.55	0.02	-3.6	-1.6
K	-1.63	-0.56	-1.7	-0.5
Sugar Beet, Sugar percentage		Wheat, straw: cwt per acre		
Yield	18.52	19.25	45.4	20.9
N	-1.29	0.48	24.3	28.7
P	0.87	0.22	-3.9	2.7
K	0.25	-0.98	-6.8	-6.2
Sugar Beet, total sugar: cwt per acre		Potatoes, total tubers: tons per acre		
Yield	56.8	41.3	12.59	8.21
N	19.9	40.8	5.63	8.78
P	-5.7	6.1	-0.32	-0.15
K	-5.5	-7.5	0.97	-1.61
Sugar Beet, plant number: thousands per acre		Potatoes, percentage ware		
Yield	22.4		90.0	92.3
N	-3.0		0.1	2.1
P	-1.9		-12.5	-0.1
K	-0.1		4.2	-1.7

50/Ba/4.5.

	Rothamsted Response	Woburn Response	Rothamsted Response	Woburn Response
	Barley, grain: cwt per acre		Rye, grain: cwt per acre	
Yield	28.3	20.7	34.9	26.0
N	10.7	28.0	14.3	22.1
P	2.1	3.1	1.3	3.6
K	-0.4	-3.1	-0.7	1.6
	Barley, straw: cwt per acre		Rye, straw: cwt per acre	
Yield	37.3	25.9	44.5	33.1
N	4.2	14.7	23.4	26.9
P	-5.1	1.7	-4.2	3.1
K	1.9	2.4	-1.4	-0.3