Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1950



Full Table of Content

50/CE/3 Potatoes - Method of Planting - Rothamsted and Woburn

Rothamsted Research

Rothamsted Research (1951) 50/CE/3 Potatoes - Method of Planting - Rothamsted and Woburn; Yields Of The Field Experiments 1950, pp 77 - 78 - DOI: https://doi.org/10.23637/ERADOC-1-185

50/Ce/3.1

POTATOES

Methods of planting and fertilizers - Rothamsted Great Knott I and Woburn Butt Close 1950

System of replication: $4 \times 2 \times 2$ design in 4 randomized blocks of 8 plots each, a high order interaction being confounded with block differences, plus 2 extra plots per block without fertilizer.

Area of each plot: 0.028 acre. Area harvested: 0.014 acre

Treatments: All combinations of Compound granular fertilizer (7% N, 7% P2O5, 10.5% K2O): 8, 16 cwt per acre.

Method of placement: A - Broadcast fertilizer on the flat, ridge, plant by dropper into ridges; B - Broadcast on the flat, plant by dropper on the flat, ridge; C - Ridge, broadcast on ridges, plant by hand in furrows, split back ridges (standard method); D - Ridge, broadcast on ridges, split back ridges, plant by dropper into ridge.

Depth of planting: Shallow; Deep.

The two plots per block receiving no fertilizer were planted by Method C, one at each depth.

Basal manuring: Rothamsted - 10-12 tons dung and compost per acre.
Woburn - None

Cultivations, etc.:

Rothamsted

Ploughed: Sept 8-12. Dung applied: Feb 6. Ploughed: various days: Feb 6-27. Cultivated: Mar 28-29. Disced: Mar 30. Fertilizers applied A and B plot: Apr 13. Potatoes planted and covered in on B plots: Apr 4. Ridged A, C and D plots: Apr 17. Fertilizers applied C and D plots, potatoes planted A, C and D plots and rolled ridges: Apr 21. Harrowed ridges: May 17. Grubbed: June 2. Earthed up: June 30. Weeded: various days, July 10-31. Sprayed with Perenox: July 31. Sprayed with Coppesan: Aug 21. Sprayed with 15% B.O.V. to kill off haulm: Sept 27. Lifted: Oct 12. Variety: Majestic. Previous crop: Linseed.

Woburn

Ploughed: Sept 7-9, Oct 25-27 and Jan 2-6. Springtined: Mar 31. Fertilizers applied, potatoes planted and covered in, all plots: May 1-2. Rolled ridges: May 15-17. Harrowed and weeded: May 30-31. Grubbed: June 9-16. Ridged: June 26-27. Sprayed with Perenox: Aug 4. Sprayed with Coppesan: Aug 8. Weeded: Sept 4. Sprayed with 15% B.O.V. to kill off haulm: Oct 2-3. Lifted: Oct 12. Variety: Majestic. Previous crop: Wheat.

50/06/3.2

Standard errors per plot:

Total tubers, Rothamsted: 0.840 tons per acre or 5.6% (19 d.f.)

Woburn: 0.851 tons per acre or 5.8% (19 d.f.)

Summary of Results

Placement of	No					
fertilizers	On Fi	lat . On	Fertilizer In	ertilizer On Ridges In In In		
Planting of potatoes	ridges	flat		furrows	ridges	
	A	В/	C	С	D	Mean
Total tubers: tons per acre. Rothamsted						-
Mean (±0.297)	15.33	15.77	15,10	14.10	15.12	15.09
Fertilizer cwt per acre						
8 (±0,420)	16.06	16.30		14.95	16.16	15.87
.0	14.60	15.25		13.26	14.09	14.30
Difference (±0.594)	-1.46	-1.05		-1. 69	-2.07	-1.57 (±0.297)
Planting	-					(=0.2)
Shallow (±0.420)	14.78	15.88		13.61	15.19	14.85
		15.67	WEST W	14.60	15.06	15.32
Difference (±0.594)	1.10	-0.21	0.61	0.99	-0.13	0.47 (±0.266)
Total tubers: tons per acre. Woburn						
	1					47.70
Mean (±0.301)	14.55	15.29	7.82	14.35	14.92	13.38
Fertilizer cwt per acre	13.42	14.34		47 00	17 77	13.88
16 (±0.426)	15.68	16.24		13.98 14.71	13.77 16.07	15.67
Difference (±0.602)	2. 26	1.90		0.73	2.30	1.79
Planting					22	(±0.301)
Shallem	14.56	14.52	8.19	14.46	14.95	13.34
Deep (±0.426)	14.53	16.06	* 1.44	14.24	14.89	13.43
Difference (±0,602)	-0.03	1.54	-0.74	-0.22	-0.06	0.09
			- 1		4	(±0, 269)
Percentage Ware. Woburn						
Mean	92.4	92.8	92.9	94.0	92.7	93.0
Fertilizer cwt per acre						
8	91.9	92.2		93.4	92.0	92.4
	93.0	93.4		94.6	93.4	93.6
Difference	1,1	1.2		1.2	1.4	1.2
Planting Shallow	91.9	93.0	00.0	07 0	00.7	02.5
Deep	93.0	92.7	92.0 9 3. 8	9 3. 2 94 . 8	92 .3 93 . 0	92.5 93.5
Difference	1.1	-0.3	1.8	1.6	0.7	1.0
					7.0	