Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1950



Full Table of Content

50/CH/1 Permanent Grass - Fertilizer Placement -Rothamsted

Rothamsted Research

Rothamsted Research (1951) 50/CH/1 Permanent Grass - Fertilizer Placement - Rothamsted ; Yields Of The Field Experiments 1950, pp 83 - 84 - DOI: https://doi.org/10.23637/ERADOC-1-185

This work is licensed under a <u>Creative Commons Attribution 4.0 International License</u>.

50/Ch/1.1

PERMANENT GRASS

Fertilizer placement - Highfield 1950

System of replication: 3 randomized blocks of 6 plots each

Area of each plot: 0.0137 acre

Treatments: No fertilizer; no fertilizer but plots drilled over; and all combinations of:-

Compound granular PK fertilizer (13% P205, 15% K20): 3.2, 6.4 cwt per acre.

Method of placement: Broadcast; drilled in bards 10" apart and 3" deep.

Basal manuring: 3 cwt sulphate of ammonia per acre

Cultivations, etc.:

Fertilizer broadcast and drilled: Apr 4. Sulphate of ammonia applied: Apr 6. 1st cut: June 8. 2nd cut: Aug 2.

Standard errors per plot:

Dry matter, 1st cut: 2.26 cwt per acre or 8.4% (10 d.f.) 2nd cut: 1.36 cwt per acre or 11.4% (10 d.f.) This work is licensed under a <u>Creative Commons Attribution 4.0 International License</u>.

50/Ch/1.2

Summary of Results

Grass Dry Matter: cwt per acre

	Compoun		Fertilizer cwt p 1st Cut		Difference
Method of Placement	None	3.2	6.4	Mean	of levels
		(±1.31)	*	(±0.92)	(±1.85)
Broadcast	25.2+	29.7	28.9	29.3*	-0.8
Drilled	23.5+	25.4	28.0	26.7*	2.6
Mean (±0.92)	24.4	27.6	28.5	26.8	0.9 (±1.31)
Difference (±1.85)	-1.7	-4.3	-0.9	-2.6* (±1.31)	(-1.51)

-	2nd Cut							
Broadcast	11.7+	(±0.79)	12.5	(±0.56) 12.1*	(±1.11) 0.7			
Drilled	11.8+	12.2	11.7	11.9*	-0.5			
Mean (±0.56)	11.7	12.0	12.1	11.9	0.1 (±0.79)			
Difference (±1.11)	0.1	0.4	-0.8	-0.2* (±0.79)	(10. (9)			

⁺see Treatment descriptions. ^{*}excluding no fertilizer.