


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1951

[Full Table of Content](#)



51/A/8 Woburn - Permanent Barley

Rothamsted Research

Rothamsted Research (1952) *51/A/8 Woburn - Permanent Barley* ; Yields Of The Field Experiments 1951, pp 12 - 12 - DOI: <https://doi.org/10.23637/ERADOC-1-171>

51/A/8

PERMANENT BARLEY - WOBURN STACKYARD 1951

For details of treatments etc. see Appendix Y 1950.

Cultivations, etc: Ploughed: Sept 7 and again Feb 7. Seed drilled at 3 bushels per acre, nitrochalk applied: Apr 23. Sprayed with D.N.O.C: June 8. Harvested: Sept 24. Variety: Plumage Archer.

Summary of Results

Plot	Nitrochalk dressing cwt per acre	Total grain cwt per acre
7	2	4.0
1	4	0.6
3	6	3.3
4	2	3.9
6	4	4.6
9	6	5.2
11b (2)	2	7.8
11b (3)	4	8.7
11b (1)	6	5.2

Note Owing to the large amount of spurrey in the produce the straw was not weighed, nor was the grain for plots 10a, 10b and 11a.