


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1951

[Full Table of Content](#)



51/BA/1 Three-course Rotation - Rothamsted

Rothamsted Research

Rothamsted Research (1952) *51/BA/1 Three-course Rotation - Rothamsted* ; Yields Of The Field Experiments 1951, pp 13 - 15 - DOI: <https://doi.org/10.23637/ERADOC-1-171>

THREE COURSE ROTATION EXPERIMENT

The 19th year

Ploughing in straw - Long Hoos VI 1951.

For details of rotation and treatment see Appendix Z 1950.

Area of each plot: 0.0200 acre.

Cultivations, etc:

Potatoes (Series 2)

Adco and all autumn fertilizers applied: Jan 29. Straw applied, ploughed all plots: Mar 5. Spring fertilizers applied: May 3. Ridged: May 9. Potatoes planted by dropper into top of ridges: May 10. Barthed up ridges: July 6. Sprayed with copper fungicide, 5 lb per acre: Aug 14 and again Sept 8. Sprayed with 15% sulphuric acid: Sept 26. Lifted Oct 8th. Variety: Majestic.

Barley (Series 1)

Adco, straw and all autumn fertilizers applied: Jan 29. Ploughed: Mar 5. Spring fertilizers applied, seed drilled at 3 bushels per acre: Apr 17. Harvested: Aug 29. Variety: Plumage Archer.

Sugar beet (Series 3)

Adco applied: Jan 29. Autumn fertilizers and straw applied: Jan 30. Ploughed: Mar 5. Spring fertilizers applied: Apr 24. Seed drilled at 18 lb per acre: May 2. Singled: June 18. Lifted: Nov 7. Variety: Klein E.

Standard errors per plot:

Potatoes, Total clean tubers:	0.500 tons per acre or 7.8% (8 d.f.)
Barley, Grain:	3.62 cwt per acre or 14.9% (8 d.f.)
Sugar beet, Total sugar:	4.46 cwt per acre or 13.1% (8 d.f.)
Tops:	1.31 tons per acre or 14.8% (8 d.f.)

51/Ba/1.2

Summary of Results

	Treatments applied 1949/50					Treatments applied 1950/51				
	Art.	Adco	St 1	St 2	Mean	Art.	Adco	St 1	St 2	Mean
<u>Potatoes</u>										
Total clean tubers: tons per acre	5.36	6.40 (±0.289)	6.23	6.16	6.04 (±0.144)	7.50	6.05 (±0.289)	6.22	7.34	6.78 (±0.144)
Percentage ware	75.8	81.5	79.4	81.9	79.6	82.7	82.7	83.7	83.6	83.2
<u>Barley</u>										
Grain: cwt per acre	21.1	20.8 (±2.09)	21.4	24.6	22.0 (±1.04)	30.3	21.3 (±2.09)	28.1	26.8	26.6 (±1.04)
Straw: cwt per acre	19.3	19.9	18.2	22.4	19.9	30.0	19.4	25.7	23.7	24.7
<u>Sugar beet</u>										
Roots (washed): tons per acre	9.84	8.18	10.00	10.30	9.58	12.53	8.43	10.32	8.52	9.95
Sugar Percentage	17.51	17.71	17.37	17.40	17.50	17.45	17.58	17.46	17.16	17.42
Total sugar: cwt per acre	34.5	29.0 (±2.58)	34.8	35.9	33.5 (±1.29)	43.8	29.7 (±2.58)	36.0	29.2	34.7 (±1.29)
Tops: tons per acre	8.35	7.19 (±0.756)	8.88	9.37	8.45 (±0.378)	12.30	7.31 (±0.756)	9.74	7.80	9.29 (±0.378)
Plant number: thous. per acre	27.7	27.8	26.4	27.9	27.4	27.1	26.8	26.5	25.7	26.5

51/Ba/1.3

Responses to Magnesium Sulphate

	Treatments applied 1949/50					Treatments applied 1950/51				
	Art.	Adco	St 1	St 2	Mean	Art.	Adco	St 1	St 2	Mean
<u>Potatoes</u>										
Total clean tubers:	0.50	1.23	-0.47	-0.32	0.23	1.34	0.11	-0.98	-0.63	-0.04
tons per acre		(±0.612)			(±0.306)		(±0.612)			(±0.306)
Percentage ware	2.4	4.6	-1.3	5.5	2.8	0.8	1.8	6.7	2.1	2.8
<u>Barley</u>										
Grain:	-1.2	-4.1	-5.3	0.6	-2.5	-3.7	-1.5	1.2	-3.4	-1.8
cwt per acre		(±4.43)			(±2.21)		(±4.43)			(±2.21)
Straw:	-0.3	-3.1	-6.9	-0.5	-2.7	-2.8	-0.3	2.3	-4.4	-1.3
cwt per acre										
<u>Sugar beet</u>										
Roots (washed):	-0.36	1.40	1.25	1.53	0.95	-1.24	1.03	-3.52	0.09	-0.91
tons per acre										
Sugar percentage	0.34	-0.02	-0.30	0.44	0.11	-0.52	0.33	0.16	0.48	0.11
Total sugar:	-0.6	4.9	3.7	6.3	3.6	-5.6	4.1	-12.0	1.1	-3.1
cwt per acre		(±5.47)			(±2.73)		(±5.47)			(±2.73)
Tops:	-0.67	0.94	1.95	1.09	0.83	-2.50	-0.25	-4.09	0.49	-1.59
tons per acre		(±1.60)			(±0.80)		(±1.60)			(±0.80)
Plant number:	-0.5	-1.7	2.1	1.3	0.3	1.4	2.1	-0.7	-1.1	0.4
thous. per acre										