


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1951

[Full Table of Content](#)



---

## 51/BB/1 Deep Cultivation Rotation - Rothamsted

### Rothamsted Research

Rothamsted Research (1952) *51/BB/1 Deep Cultivation Rotation - Rothamsted* ; Yields Of The Field Experiments 1951, pp 23 - 30 - DOI: <https://doi.org/10.23637/ERADOC-1-171>

51/Bb/1.1

DEEP CULTIVATION ROTATION EXPERIMENT

The 8th Year

Deep ploughing, fertilizers and dung - Long Hoos I and II 1951.

For details of rotation and treatments etc see Appendix Z 1950.

Area of each plot: 0.0312 acre. Area harvested: wheat, spring oats, barley, 0.0265 acre; ley 0.0275 acre; sugar beet (half plot), 0.0119 acre; potatoes (half plot), 0.0107 acre.

Cultivations, etc:

Sugar beet (Series 6)

Fertilizers for ploughing in applied: Sept 8. Dung applied and ploughed in 'deep': Sept 29. Dung applied and ploughed in 'shallow': Oct 3. Fertilizers for surface applications broadcast: Apr 26. Seed drilled at 18 lb per acre: May 2. Singled: June 20. Lifted: Nov 7. Variety: Klein E.

Barley (Series 2)

Ploughed: Feb 2 and again Mar 5. Basic slag applied: Apr 11. Seed drilled at 3 bushels per acre and basal sulphate of ammonia applied: Apr 16. Harvested: Sept 3. Variety: Plumage Archer.

Ley (Series 3)

Seeds undersown in barley: Mar 22 1950. Harvested: June 18 1951. Seeds mixture (per acre) 18 lb S.24 perennial ryegrass, 8 lb Montgomery red clover, 2 lb Canadian Alsike clover.

Wheat (Series 4)

Ploughed 'deep' plots: July 19. Ploughed 'shallow' plots: Aug 1. Ploughed all plots: Sept 18. Seed drilled at  $3\frac{1}{2}$  bushels per acre: Nov 1. Basal sulphate of ammonia drilled: May 25. Harvested: Aug 16. Variety: Yeoman.

Potatoes (Series 5)

Fertilizers for ploughing in applied: Sept 8. Dung applied and ploughed in 'deep': Sept 28. Dung applied and ploughed in 'shallow': Oct 3. Ridged: May 15. Fertilizers applied in ridges, potatoes planted: May 18. Earthed up ridges: July 19. Sprayed with copper fungicide 5 lb per acre: Aug 15 and again Sept 8. Sprayed with 15% sulphuric acid: Sept 26. Lifted: Oct 12. Variety: Majestic.

Spring oats (Series 1)

Ploughed: Nov 6. Seed at 4 bushels per acre, and basal sulphate of ammonia drilled: Apr 16. Harvested: Aug 16. Variety: Star.

51/Bb/1.2

Standard errors per plot:

Sugar beet	Total sugar,	whole plot, 4.21 cwt per acre or 13.4%	(4d.f)
		sub-plot, 2.06 cwt per acre or 6.6%	(7d.f)
	Tops,	whole plot, 1.65 tons per acre or 10.8%	(4d.f)
		sub-plot, 1.05 tons per acre or 6.9%	(7d.f)
Barley	Grain,	2.34 cwt per acre or 8.0%	(4d.f)
Ley	Hay,	2.90 cwt per acre or 5.0%	(4d.f)
Wheat	Grain,	3.66 cwt per acre or 14.0%	(4d.f)
Potatoes	Total clean tubers,	whole plot, 0.861 tons per acre or 18.0%	(4d.f)
		sub-plot, 1.249 tons per acre or 26.0%	(7d.f)
Spring oats	Grain,	0.819 cwt per acre or 2.4%	(4d.f)

Erratum to 1950 Results 50/Bb/1.1

Ley. The seeds mixture should have been shown as 18 lb Ryegrass S.24, 4 lb English red clover (Montgomery), 2 lb American Alsike clover.

Summary of Results

Series 6: Sugar Beet

Responses to treatments

	Mean	Ploughing		Dung		Phosphate		Potash	
		Shallow	Deep	Abs.	Pres.	Abs.	Pres.	Abs.	Pres.
Roots (washed): Mean yield 9.82 tons per acre									
Floughing deep-shallow	1.55	-	-	2.13	0.97	1.91	1.19	1.35	1.75
Dung	2.05	2.63	1.47	-	-	2.93	1.17	2.53	1.57
Superphosphate	0.40	0.76	0.04	1.28	-0.48	-	-	0.95	-0.15
Potash	1.33	1.13	1.53	1.81	0.85	1.88	0.78	-	-

Sugar percentage: Mean 16.03

Floughing deep-shallow	-0.18	-	-	-0.35	-0.01	-0.28	-0.08	-0.10	-0.26
Dung	-0.01	-0.18	0.16	-	-	-0.07	0.05	-0.20	0.18
Superphosphate	0.11	0.01	0.21	0.05	0.17	-	-	0.10	0.12
Potash	0.18	0.26	0.10	-0.01	0.37	0.17	0.19	-	-

Total Sugar: Mean yield 31.4 cwt per acre

(±2.11)

(±2.98)

Floughing deep-shallow	4.6	-	-	6.2	3.0	5.5	3.7	4.1	5.1
Dung	6.6	8.2	5.0	-	-	9.3	3.9	7.7	5.5
Superphosphate	1.5	2.4	0.6	4.2	-1.2	-	-	3.2	-0.2
Potash	4.6	4.1	5.1	5.7	3.5	6.3	2.9	-	-

Tops: Mean yield 15.23 tons per acre

(±0.825)

(±1.167)

Floughing deep-shallow	0.66	-	-	1.61	-0.29	0.73	0.59	0.50	0.82
Dung	1.80	2.75	0.85	-	-	2.53	1.07	1.91	1.69
Superphosphate	0.26	0.33	0.19	0.99	-0.47	-	-	0.50	0.02
Potash	1.10	0.94	1.26	1.21	0.99	1.34	0.86	-	-

Plant Number: Mean 25.6 thousands per acre

Floughing deep-shallow	1.5	-	-	0.7	2.3	1.5	1.5	1.1	1.9
Dung	-0.4	-1.2	0.4	-	-	0.4	-1.2	-0.4	-0.4
Superphosphate	0.9	0.9	0.9	1.7	0.1	-	-	1.7	0.1
Potash	-0.2	-0.6	0.2	-0.2	-0.2	0.6	-1.0	-	-

Noxious Nitrogen: Mean 40.9 mgs. %

Floughing deep-shallow	0.6	-	-	4.4	-3.2	0.0	1.2	-1.9	3.1
Dung	2.5	6.3	-1.3	-	-	-1.3	6.3	1.9	3.1
Superphosphate	-0.6	-1.2	0.0	-4.4	3.2	-	-	5.6	-6.8
Potash	-3.8	-6.3	-1.3	-4.4	-3.2	2.4	-10.0	-	-

Series 6: Sugar Beet

	Phosphate		Potash		Mean		
	None	Ploughed in bed	None	Ploughed in bed			
Roots (washed): tons per acre							
Shallow	8.66	9.58	9.27	8.48	9.97	9.24	9.04
Deep	10.57	10.40	10.81	9.82	11.28	11.42	10.59
No dung	8.15	9.39	9.47	7.89	9.80	9.59	8.79
Dung	11.08	10.59	10.61	10.42	11.45	11.07	10.84
Mean	9.62	9.99	10.04	9.15	10.63	10.33	9.82

Sugar Percentage							
Shallow	16.12	16.12	16.15	15.99	16.20	16.30	16.12
Deep	15.84	15.93	16.16	15.89	15.97	16.02	15.94
No dung	16.01	15.84	16.29	16.04	15.82	16.26	16.04
Dung	15.94	16.21	16.02	15.84	16.36	16.07	16.03
Mean	15.98	16.02	16.16	15.94	16.09	16.16	16.03

	Total Sugar: cwt per acre						
	(a)	(b) and (c)		(a)	(b) and (c)		
Shallow	27.9	30.8	29.8	27.1	32.3	30.1	29.1
Deep	33.5	33.2	35.0	31.2	36.1	36.6	33.8
No dung	26.1	29.6	30.8	25.3	30.9	31.2	28.2
Dung	35.4	34.3	34.0	33.0	37.4	35.5	34.7
Mean	30.7	32.0	32.4	29.1	34.2	33.3	31.4

	Tops: tons per acre						
	(a)	(b) and (c)		(a)	(b) and (c)		
Shallow	14.74	14.40	15.73	14.43	15.09	15.65	14.90
Deep	15.46	15.11	16.21	14.93	15.99	16.40	15.56
No dung	13.84	14.43	15.22	13.73	14.65	15.22	14.33
Dung	16.36	15.07	16.72	15.63	16.43	16.82	16.13
Mean	15.10	14.75	15.97	14.68	15.54	16.02	15.23

Standard errors (b) for use in horizontal comparisons only, (a) and (c) for use in all other comparisons.

Standard errors:	(a)	(b)	(c)
Total sugar	2.11	1.03	2.23
Tops	0.825	0.526	0.905

51/Bb/1.5

Series 6: Sugar Beet

	Phosphate			Potash			Mean
	None	Ploughed In seed in bed		None	Ploughed In seed in bed		
Plant number: thousands per acre							
Shallow	24.4	25.9	24.8	25.1	24.7	24.4	24.9
Deep	25.9	26.5	27.2	26.3	26.3	26.7	26.4
No dung	25.0	26.5	26.9	25.9	25.6	25.9	25.8
Dung	25.3	25.8	25.1	25.5	25.4	25.2	25.4
Mean	25.1	26.2	26.0	25.7	25.5	25.6	25.6

Noxious nitrogen: mgs %							
Shallow	41.2	42.5	37.5	43.8	38.8	36.2	40.6
Deep	41.2	45.0	37.5	41.9	46.2	35.0	41.2
No dung	41.9	42.5	32.5	41.9	40.0	35.0	39.7
Dung	40.6	45.0	42.5	43.8	45.0	36.2	42.2
Mean	41.2	43.8	37.5	42.8	42.5	35.6	40.9

51/Bb/1.6

Series 1: Barley

Responses to treatments

	Mean	Ploughing		Dung		Phosphate		Potash	
		Shallow	Deep	Abs.	Pres.	Abs.	Pres.	Abs.	Pres.
Grain: Mean yield 29.2 cwt per acre									
	(±1.17)	(±1.65)							
Ploughing deep-shallow	-0.3	-	-	0.1	-0.7	1.4	-2.0	-0.8	-0.2
Dung	4.4	4.8	4.0	-	-	5.6	3.2	5.5	3.3
Superphosphate	-1.3	0.4	-3.0	-0.1	-2.5	-	-	-0.5	-2.1
Potash	0.9	0.4	1.4	2.0	-0.2	1.7	0.1	-	-

Straw: Mean yield 30.5 cwt per acre

Ploughing deep-shallow	-3.6	-	-	-1.9	-5.3	0.0	-7.2	-4.5	-2.7
Dung	8.5	10.2	6.8	-	-	8.2	8.8	10.5	6.5
Superphosphate	-0.8	2.8	-4.4	-1.1	-0.5	-	-	-1.1	-0.5
Potash	1.3	0.4	2.2	3.3	-0.7	1.0	1.6	-	-

Series 3: Ley

Responses to treatments

	Mean	Ploughing		Dung		Phosphate		Potash	
		Shallow	Deep	Abs.	Pres.	Abs.	Pres.	Abs.	Pres.
Hay: Mean yield 57.5 cwt per acre									
	(±1.45)	(±2.05)							
Ploughing deep-shallow	-1.1	-	-	-0.1	-2.1	-0.9	-1.3	-2.2	0.0
Dung	-0.6	0.4	-1.6	-	-	-0.8	-0.4	-3.6	2.4
Superphosphate	0.7	0.9	0.5	0.5	0.9	-	-	2.1	-0.7
Potash	-0.3	-1.4	0.8	-3.3	2.7	1.1	-1.7	-	-

51/Bb/1.7

Series 4: Wheat

Responses to treatments

	Mean	Ploughing		Dung		Phosphate		Potash	
		Shallow	Deep	Abs. Pres.		Abs. Pres.		Abs. Pres.	
Grain: Mean yield 26.1 cwt per acre									
	(±1.83)	(±2.58)							
Ploughing									
deep-shallow	-0.5	-	-	0.4	-1.4	-0.6	-0.4	0.4	-1.4
Dung	-1.4	-0.5	-2.3	-	-	-3.6	0.8	-1.3	-1.5
Superphosphate	2.4	2.3	2.5	0.2	4.6	-	-	0.1	4.7
Potash	1.7	2.6	0.8	1.8	1.6	-0.6	4.0	-	-

Straw: Mean yield 33.3 cwt per acre

Ploughing									
deep-shallow	3.1	-	-	0.4	5.8	3.3	2.9	1.4	4.8
Dung	3.2	0.5	5.9	-	-	0.0	6.4	0.6	5.8
Superphosphate	2.3	2.5	2.1	-0.9	5.5	-	-	-0.2	4.8
Potash	5.0	3.3	6.7	2.4	7.6	2.5	7.5	-	-

Series 5: Potatoes

Responses to treatments

	Mean	Ploughing		Dung		Phosphate		Potash	
		Shallow	Deep	Abs. Pres.		Abs. Pres.		Abs. Pres.	
Total tubers: Mean yield 4.79 tons per acre									
	(±0.431)	(±0.609)							
Ploughing									
deep-shallow	-1.46	-	-	-0.71	-2.21	-1.08	-1.84	-1.05	-1.87
Dung	2.58	3.33	1.83	-	-	2.37	2.79	3.51	1.65
Superphosphate	0.87	1.25	0.49	0.66	1.08	-	-	0.93	0.81
Potash	1.39	1.80	0.98	2.32	0.46	1.45	1.33	-	-

Percentage ware: Mean yield 82.3

Ploughing									
deep-shallow	-2.6	-	-	-1.0	-4.2	-3.5	-1.7	-2.8	-2.4
Dung	6.7	8.3	5.1	-	-	6.5	6.9	9.9	3.5
Superphosphate	-1.8	-2.7	-0.9	-2.0	-1.6	-	-	0.2	-3.8
Potash	4.1	3.9	4.3	7.3	0.9	6.1	2.1	-	-



Potatoes

	Phosphate			Potash			Mean
	None	Ploughed in	In ridges	None	Ploughed in	In ridges	
Total tubers: tons per acre							
	(a)	(b) and (c)		(a)	(b) and (c)		
Shallow	4.90	5.34	6.95	4.63	5.90	6.95	5.53
Deep	3.82	3.61	5.01	3.58	3.86	5.24	4.06
No dung	3.17	3.01	4.65	2.35	3.76	5.55	3.50
Dung	5.55	5.94	7.31	5.85	5.99	6.64	6.08
Mean	4.36	4.47	5.98	4.10	4.88	6.10	4.79

Percentage: ware

Shallow	85.0	84.7	79.8	81.7	86.1	85.0	83.6
Deep	81.4	80.1	81.1	78.9	83.1	83.2	81.0
No dung	80.0	77.8	78.2	75.4	81.7	83.4	79.0
Dung	86.4	87.0	82.7	85.2	87.5	84.7	85.6
Mean	83.2	82.4	80.4	80.3	84.6	84.1	82.3

Series I: Spring Oats

Responses to treatments

	Mean	Ploughing		Dung		Phosphate		Potash	
		Shallow	Deep	Abs.	Pres.	Abs.	Pres.	Abs.	Pres.
Grain: Mean yield 34.9 cwt per acre									
Floughing	(±0.41)	(±0.58)							
deep-shallow	2.2	-	-	1.9	2.5	-1.2	5.6	1.6	2.8
Dung	4.1	3.8	4.4	-	-	4.7	3.5	2.2	6.0
Superphosphate	2.0	-1.4	5.4	2.6	1.4	-	-	2.9	1.1
Potash	0.8	0.2	1.4	-1.1	2.7	1.7	-0.1	-	-

Straw: Mean yield 36.7 cwt per acre

Floughing									
deep-shallow	0.0	-	-	2.4	-2.4	-2.4	2.4	-0.5	0.5
Dung	5.9	8.3	3.5	-	-	7.0	4.8	1.4	10.4
Superphosphate	2.8	0.4	5.2	3.9	1.7	-	-	1.9	3.7
Potash	3.7	3.2	4.2	-0.8	8.2	2.8	4.6	-	-

Standard Errors (b) for use in horizontal comparisons only  
 (a) and (c) for use in all other comparisons.

Standard Error	Total tubers	(a) 0.431	(b) 0.624	(c) 0.617
----------------	--------------	-----------	-----------	-----------