


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1951

[Full Table of Content](#)



---

### 51/CD/1 Spring Beans - Fertilizer Placement - Rothamsted

#### Rothamsted Research

Rothamsted Research (1952) *51/CD/1 Spring Beans - Fertilizer Placement - Rothamsted* ; Yields Of The Field Experiments 1951, pp 71 - 72 - DOI: <https://doi.org/10.23637/ERADOC-1-171>

51/Ca/1.1

### SPRING BEANS

Fertilizer placement - West Barnfield I, 1951.

System of replication: 4 randomized blocks of 8 plots each, a high order interaction being confounded with block differences.

Area of each plot: 0.0152 acre. Area harvested: 0.0126 acre.

Treatments: None (quadruplicate plots) and all combinations of:  
Granular compound fertilizer ( $13\frac{3}{4}\%$   $P_2O_5$ ,  $13\frac{3}{4}\%$   $K_2O$ ): 2.65; 5.30  
cwt per acre.

Methods of placement: Drilled 3" below surface and 2" to side of seed (duplicate plots); broadcast on the flat and ploughed in (E); broadcast on the seed bed and harrowed in (L); half broadcast on the flat and ploughed in, half drilled; half broadcast on the seed bed and harrowed in, half drilled.

Basal manuring: None

Cultivations, etc.: 'E' fertilizers applied: Mar 8. Ploughed all plots: Mar 8. 'L' fertilizers applied, beans drilled at 4 bushels per acre with placed fertilizers as above: Apr 16. Sprayed with 1% nicotine against blackfly: June 11 and again July 19. Harvested: Sept 8. Previous crop: Wheat.

Standard errors per plot:

Yield, dry matter: 1.32 cwt per acre or 10.1% (18 d.f.)

Plant number: 9.59 thousands per acre or 8.2% (18 d.f.)

Summary of Results

Compound fertilizer cwt per acre	Method of Placement					Mean
	D	E	L	$\frac{1}{2}E\frac{1}{2}D$	$\frac{1}{2}L\frac{1}{2}D$	
Yield, dry matter: cwt per acre						
	(±0.66)	(±0.99)				
None						12.2 (±0.47)
2.65	13.7	13.4	12.8	14.9	13.0	13.6 (±0.38)
5.30	14.3	15.3	11.5	12.0	11.2	13.1
Mean (±0.66)	14.0 <sup>(1)</sup>	14.4	12.2	13.5	12.1	13.1

Standard error (1): 0.47.

Mean D.M. 79.0%

Plant number: thousands per acre						
	(±4.8)	(±7.2)				
None						118 (±3.4)
2.65	120	116	115	98	128	116 (±2.8)
5.30	116	104	125	124	124	118
Mean (±4.8)	118 <sup>(2)</sup>	110	120	111	126	117

Standard error (2): 3.4

D - Drilled.

E - Broadcast on flat and ploughed in.

L - Broadcast on seed bed and harrowed in.

$\frac{1}{2}E\frac{1}{2}D$  - Half broadcast on flat and ploughed in, half drilled.

$\frac{1}{2}L\frac{1}{2}D$  - Half broadcast on seed bed and harrowed in, half drilled.