


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1951

[Full Table of Content](#)



51/CE/2 Potatoes - Method of Planting - Rothamsted

Rothamsted Research

Rothamsted Research (1952) *51/CE/2 Potatoes - Method of Planting - Rothamsted* ; Yields Of The Field Experiments 1951, pp 81 - 82 - DOI: <https://doi.org/10.23637/ERADOC-1-171>

51/Ce/2.1

POTATOES

Methods of Planting and fertilizer application - Great Harpenden, 1951.

System of replication: 3 randomized blocks of 9 plots each.

Area of each plot: 0.028 acre. Area harvested: 0.021 acre.

Treatments: All combinations of:-

Compound fertilizer (7% N, 7% P_2O_5 , 10.5% K_2O); None; $7\frac{1}{2}$;
15 cwt per acre.

Methods of planting: A - Draw ridges, broadcast fertilizer over
ridges, plant by hand, split back ridges (standard method);
D - Broadcast fertilizer on the flat, draw ridges, plant deep
in ridges with dropper; S - As D but plant shallow.

Basal manuring: None

Cultivations, etc.: Ploughed: Sept 25 and again Jan 3. Ridged,
fertilizer applied, potatoes planted: May 17. Earthed up ridges:
July 23. Sprayed with copper fungicide, 5 lb per acre: Aug 16 and
again Sept 11. Sprayed with 20% sulphuric acid to kill off haulm:
Oct 10. Lifted: Oct 17. Variety: Majestic. Previous crop:
Linsced.

Standard errors per plot:

Total clean tubers: 0.768 tons per acre or 12.2% (16 d.f.)

Plant number: 0.562 thousands per acre or 5.0% (16 d.f.)

51/6e/2.2

Summary of Results

Compound Fertilizer cwt per acre	Method of planting			Mean
	A	D	S	
Total Clean Tubers: tons per acre				
0	3.44	(±0.443) 4.73	6.03	(±0.256) 4.73
7½	4.67	7.73	7.54	6.65
15	6.59	7.21	8.72	7.51
Mean (±0.256)	4.90	6.56	7.43	6.30

Plant Number: thousands per acre				
0	10.1	(±0.32) 11.3	12.2	(±0.19) 11.2
7½	9.6	12.2	12.1	11.3
15	10.2	11.7	11.8	11.2
Mean (±0.19)	9.9	11.7	12.0	11.2

A - Draw ridges, broadcast fertilizer over ridges, plant by hand, split back ridges (standard method).

D - Broadcast fertilizer on the flat, draw ridges, plant deep in ridges with dropper.

S - As D but plant shallow.