


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1951

[Full Table of Content](#)



51/CF/1 Kale - Fertilizer Placement - Rothamsted

Rothamsted Research

Rothamsted Research (1952) *51/CF/1 Kale - Fertilizer Placement - Rothamsted* ; Yields Of The Field Experiments 1951, pp 85 - 85 - DOI: <https://doi.org/10.23637/ERADOC-1-171>

51/Cf/1

KALE

Fertilizer placement - Highfield 4 1951.

System of replication: 3 randomized blocks of 6 plots each.

Area of each plot: 0.0152 acre. Area harvested: 0.0076 acre.

Treatments: None (duplicate plots) and all combinations of:-
Compound granular fertilizer ($13\frac{3}{4}\%$ P_2O_5 , $13\frac{3}{4}\%$ K_2O): 2.65;
5.30 cwt per acre.

Method of placement: Broadcast; Drilled 2" to side of seed.

Basal manuring: 5 cwt nitrochalk per acre.

Cultivations, etc.: Ploughed: Mar 1. Ground chalk, 24 cwt per acre applied: Apr 18. Nitrochalk drilled, fertilizer broadcast: May 7. Seed drilled at 8 lb. per acre with fertilizer: May 7. Sprayed with DDT emulsion 4 pints per acre against fleabeetle: May 25. Dusted with DDT $\frac{1}{2}$ cwt per acre against cabbage white caterpillar: July 17. Cut: Nov 22. Variety: Thousand Head. Previous crop: Permanent Grass.

Standard error per plot:

Total yield: 1.84 tons per acre or 10.1% (11 d.f.)

Summary of Results

Method of placement	Compound fertilizer: cwt per acre			Mean
	None	2.65	5.30	

	Total yield: tons per acre			
	(± 1.06)		(± 0.75)	
Broadcast	19.19	17.56	18.38	
Drilled 2" to side of seed	18.46	19.58	19.02	
Mean (± 0.75)	17.25	18.83	18.57	18.22

Plant number: thousands per acre (1 Block only)

Broadcast	95.3	117.7	106.5	
Drilled 2" to side of seed	74.7	90.8	82.8	
Mean	60.1	85.0	104.3	83.1