


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



# **Yields of the Field Experiments 1952**

*[Full Table of Content](#)*



## **52/CF/1 Lucerne - Fertilizer Placement - Rothamsted**

### **Rothamsted Research**

Rothamsted Research (1953) *52/CF/1 Lucerne - Fertilizer Placement - Rothamsted ; Yields Of The Field Experiments 1952*, pp 95 - 96 - DOI: <https://doi.org/10.23637/ERADOC-1-178>

52/cr/1.1

LUCERNE

Fertilizer placement - Highfield 5 1952.

System of replication: 8 randomized blocks of 8 plots each, a high order interaction being confounded with block differences.

Area of each plot: 0.0136 acre.

Treatments: All combinations of:-

Superphosphate: None; 1.0 cwt P<sub>2</sub>O<sub>5</sub> per acre.

Muriate of Potash: None; 1.0 cwt K<sub>2</sub>O per acre.

Method of placement: Broadcast on seed bed (B): Ploughed in 10" (D)

Starter: None; 2 cwt granular superphosphate per acre placed beneath seed.

Basal dressing: None.

Cultivations, etc.: 'D' fertilizers applied: Mar 17. Ploughed: Mar 18. 'B' fertilizers applied: May 2. Starter applied, seed drilled at 20 lb per acre: May 7. Dusted with D.D.T: June 5. Cut and weighed. green: July 29 and again Oct 10. Variety: Du Puit. Previous crop: Kale.

Standard errors per plot: Dry Matter.

1st cut: 1.18 cwt per acre or 11.8% (42 d.f.)

2nd cut: 1.78 cwt per acre or 8.6% (42 d.f.)

52/cf/1.2

Summary of Results

Dry Matter: cwt per acre

Starter	No fertilizer	Superphosphate		Muriate of potash		Superphosphate and Muriate of potash		Mean
		Broad- cast	Ploughed in	Broad- cast	Ploughed in	Broad- cast	Ploughed in	
1st cut*								
None (±0.57)	6.8(1)	7.7	9.0	6.5	7.6	9.0	10.1	7.9
Granular Super	12.0(1)	10.7	12.2	12.5	12.2	12.9	13.2	12.2
Mean (±0.42)	9.4(2)	9.2	10.6	9.5	9.9	10.9	11.6	10.1
Difference (±0.78)	5.2(3)	3.0	3.2	6.0	4.6	3.9	3.1	4.3(2)

{1} ±0.42  
{2} ±0.30  
{3} ±0.59

Mean Dry Matter %: 27.7  
\* Adjusted for block effects

## 2nd cut

Starter	No fertilizer	Superphosphate		Muriate of potash		Superphosphate and Muriate of potash		Mean
		Broad- cast	Ploughed in	Broad- cast	Ploughed in	Broad- cast	Ploughed in	
2nd cut								
None (±0.89)	18.8(4)	19.5	19.4	18.6	18.6	20.6	20.6	19.4
Granular Super	21.9(4)	21.6	21.6	22.2	22.2	21.4	22.3	21.9
Mean (±0.63)	20.3(5)	20.6	20.5	20.4	20.4	21.0	21.5	20.6
Difference (±1.26)	3.1(6)	2.1	2.2	3.6	3.6	0.8	1.7	2.5(5)

{4} ±0.63  
{5} ±0.45  
{6} ±0.89

Mean Dry Matter %: 22.9