


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1953

[Full Table of Content](#)



### 53/CJ/1 Carrots - Soil Conditioners - Rothamsted (2) and Woburn (2)

#### Rothamsted Research

Rothamsted Research (1954) *53/CJ/1 Carrots - Soil Conditioners - Rothamsted (2) and Woburn (2)* ;  
Yields Of The Field Experiments 1953, pp 105 - 106 - DOI:

<https://doi.org/10.23637/ERADOC-1-173>

53/Ch/2.1

### CARROTS

Soil conditioners - Rothamsted, Long Hoos VI and Stackyard; Woburn, Stackyard and Warren Field.

System of replication: 4 x 4 Latin square.

Area of each plot: 0.00207 acre. Area harvested: 0.00138 acre.

#### Treatments:

None and 3 proprietary soil conditioners A, B and C each at 10 cwt per acre active material, rotary cultivated in to 6".

Basal dressing: 5 cwt compound fertilizer (7% N; 7% P<sub>2</sub>O<sub>5</sub>; 10.5% K<sub>2</sub>O) per acre.

#### Cultivations, etc.:

Long Hoos VI (R). Ploughed: Jan 22. Roto tilled, soil conditioners and basal dressing applied, rotor tilled: Mar 20. Seed drilled: Apr 20. Lifted: Sept 25 and Oct 28. Previous crop: Sugar beet.

Stackyard (R). Ploughed: Oct 20, 1952 and again Mar 9, 1953. Roto tilled, soil conditioners and basal dressing applied, roto tilled: Mar 21. Seed drilled: Apr 20. Lifted: Oct 19 and 24. Previous crop: Wheat.

Stackyard (W). Hand dug: Jan 23. Soil conditioners applied: Mar 25 and Apr 23. Seed drilled: May 5. Basal dressing applied: May 15. Singled: July 2. Lifted: Oct 12. Previous crop: Fallow.

Warren Field (W). Hand dug: Jan 27. Soil conditioners applied: Mar 25 and Apr 23. Seed sown: May 6. Basal dressing applied: May 15. Singled: June 23. Lifted: Aug 27-Sept 22. Previous crop: Barley.

All fields, Variety: James' Scarlet Intermediate.

Standard errors per plot: Roots: tons per acre

Long Hoos VI (R):	1.21 tons per acre or 4.3% (6 d.f.)
Stackyard (R):	1.51 tons per acre or 6.5% (6 d.f.)
Stackyard (W):	1.24 tons per acre or 13.3% (3 d.f.) <sup>‡</sup>
Warren Field (W):	0.82 tons per acre or 6.4% (6 d.f.)

<sup>‡</sup>1 row of the Latin square received incorrect treatments.



53/Ch/2.2

Summary of Results

	Soil conditioners 10 cent per acre active material				
	None	A	B	C	Mean
Roots: tons per acre					
<u>Rothamsted, Long Hoos VI</u>					
Mean ( $\pm 0.606$ )	28.26	28.91	27.13	29.08	28.35
Increase ( $\pm 0.858$ )		+0.65	-1.13	+0.82	
<u>Rothamsted, Stackyard</u>					
Mean ( $\pm 0.756$ )	23.80	24.93	21.65	23.06	23.36
Increase ( $\pm 1.069$ )		+1.13	-2.15	-0.74	
<u>Woburn, Stackyard</u>					
Mean ( $\pm 0.761$ )	8.74	9.66	9.38	9.62	9.35
Increase ( $\pm 1.077$ )		+0.92	+0.64	+0.88	
<u>Woburn, Warren Field</u>					
Mean ( $\pm 0.410$ )	11.75	12.30	13.75	13.35	12.79
Increase ( $\pm 0.579$ )		+0.55	+2.00	+1.60	

General means:	Plant no. thousands per acre	Percentage over $1\frac{1}{2}$ " diameter
Woburn, Stackyard	167	50.9
Woburn, Warren Field	174	56.6