


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1953

[Full Table of Content](#)



53/BA/3 Six-course Rotation - Rothamsted and Woburn

Rothamsted Research

Rothamsted Research (1954) *53/BA/3 Six-course Rotation - Rothamsted and Woburn* ; Yields Of The Field Experiments 1953, pp 23 - 25 - DOI: <https://doi.org/10.23637/ERADOC-1-173>

53/Ba/3.1

SIX COURSE ROTATION EXPERIMENT

The 24th year

Seasonal effects of fertilizers - Rothamsted Long Hoos IV and Woburn Stackyard, 1953.

For details of rotation and treatments etc. see "Results of the Field Experiments 1939-47" Vol. I, Section Ba/4.

Area of each plot: Rothamsted - 0.0250 acre. Woburn - 0.0266 acre.

Cultivations, etc.:

Rothamsted

Sugar beet.

Ploughed: Aug 18, 1952 and again Feb 2, 1953. Fertilizers applied: Mar 17. Seed drilled at 18 lb per acre: Mar 26. Sprayed with D.D.T. emulsion, 3 pints in 10 gallons per acre: May 11. Singled: June 5. Lifted: Nov 15. Variety: Klein E.

Barley.

Ploughed: Jan 22, 1953. 20 cwt ground chalk per acre applied: Feb 4. Fertilizers applied, seed drilled at 3 bushels per acre: Feb 27. Harvested: Aug 10. Variety: Plumage Archer.

Clover.

Seed undersown in barley at 40 lb per acre: Apr 18, 1952. Autumn fertilizers applied: Nov 12. Sulphate of ammonia applied: Apr 7, 1953. Cut: June 23. Variety: Late flowering Montgomery Red.

Wheat.

Ploughed: Aug 6, 1952 and again Sept 5. Autumn fertilizers applied: Oct 8. Seed drilled at 3 bushels per acre: Oct 29. Sulphate of ammonia applied: Apr 21, 1953. Harvested: Aug 12. Variety: Yecman.

Potatoes.

Ploughed: Aug 24, 1952. Ridged and fertilizers applied: Mar 27, 1953. Potatoes planted: Mar 28. Earthed up: June 25. Sprayed with copper fungicide, 5½ lb per acre: July 28 and again Aug 8. Lifted: Sept 29. Variety: Majestic.

Rye.

Ploughed: Oct 8, 1952. 23 cwt ground chalk per acre applied: Oct 11. Autumn fertilizers applied: Oct 15. Seed drilled at 3 bushels per acre: Oct 29. Sulphate of ammonia applied: Apr 21, 1953. Harvested: Aug 10. Variety: King II.

Woburn

Sugar beet.

Ploughed: Aug 19, 1952 and again Nov 11. Fertilizers applied: Mar 20, 1953. Seed drilled at 18 lb per acre: Mar 24. Dusted with D.D.T.: Apr 25. Singled: May 29. Lifted: Oct 20. Variety: Klein E.

Barley.

Ploughed: Nov 11, 1952. 25 cwt ground chalk per acre applied: Feb 23, 1953. Fertilizers applied and seed drilled at 3 bushels per acre: Mar 5. Harvested: Aug 13. Variety: Plumage Archer.

Clover.

Seed undersown in barley at 40 lb per acre: May 9, 1952. Autumn fertilizers applied: Jan 14, 1953. Sulphate of ammonia applied: Apr 20. Cut: June 25. Variety: Late flowering Montgomery Red.

Wheat.

Ploughed: July 9, 1952 and again Aug 20. Autumn fertilizers applied: Oct 9. Seed drilled at 3 bushels per acre: Oct 10. Sulphate of ammonia applied: Apr 21, 1953. Sprayed with D.N.O.C. 80 gallons per acre: May 26. Harvested: Aug 26. Variety: Squareheads Master 13/4.

Potatoes.

Ploughed: Aug 19, 1952 and again Nov 11. Ridged, fertilizers applied, potatoes planted: Apr 10, 1953. Sprayed with sulphuric acid, 15% B.O.V.: Sept 17. Lifted: Sept 24. Variety: Majestic.

Rye.

Cultivated: Oct 5, 1952. 25 cwt ground chalk per acre applied: Oct 9. Autumn fertilizers applied, seed drilled at 3 bushels per acre: Oct 11. Sulphate of ammonia applied: Apr 21, 1953. Harvested: Aug 13. Variety: King II.

Summary of Results

53/Ba/3.3

Mean yields per acre and responses in yield per cwt of N, P₂O₅ and K₂O

	Rothamsted	Woburn	Rothamsted	Woburn	
		Sugar Beet, roots (washed): tons per acre		Barley, grain: cwt per acre	
Mean	13.84	12.66	23.2	21.8	
Response to: N	+1.32	+9.71	+22.8	+24.5	
P	-1.57	-1.24	-4.3	+0.3	
K	+1.71	+0.30	-0.4	+5.9	
		Sugar Beet, sugar percentage		Barley, straw: cwt per acre	
Mean	18.07	17.27	25.0	29.0	
Response to: N	+0.53	+1.67	+23.6	+25.1	
P	-0.17	-0.71	-9.7	-0.7	
K	+0.06	+0.28	+1.1	+6.8	
		Sugar Beet, total sugar: cwt per acre		Clover, hay: dry matter cwt per acre	
Mean	50.0	43.8	35.3	33.6	
Response to: N	+6.1	+37.5	+3.5	-2.0	
P	-6.2	-6.3	+1.3	+7.3	
K	+6.3	+1.7	+2.7	+8.9	
		Sugar Beet, tops: tons per acre		Wheat, grain: cwt per acre	
Mean	8.41	7.14	34.1	6.0	
Response to: N	+1.79	+9.27	+5.5	+10.6	
P	-0.29	-1.53	-6.7	+0.6	
K	+1.58	+0.70	-2.8	-2.8	
		Sugar Beet, plant number: thousands per acre		Wheat, straw: cwt per acre	
Mean	26.6	*	58.1	12.7	
Response to: N	-5.1		+20.9	+17.8	
P	+3.7		-1.5	+4.5	
K	+0.8		-2.3	-4.1	
		Potatoes, total tubers: tons per acre		Rye, grain: cwt per acre	
Mean	10.95	10.16	26.7	16.8	
Response to: N	+5.11	+5.04	+28.7	+27.0	
P	+1.54	+2.57	+0.2	+2.3	
K	-0.09	+1.83	-3.4	-2.4	
		Potatoes, percentage ware		Rye, straw: cwt per acre	
Mean	88.9	90.0	38.0	26.1	
Response to: N	-1.9	+1.0	+28.0	+36.7	
P	-1.8	+5.9	-7.1	+9.4	
K	-2.5	+2.5	+3.2	-0.8	

*not recorded.