Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



# Yields of the Field Experiments 1953



Full Table of Content

# 53/CB/2 Barley - Nitrophosphates and Fertilizers - Rothamsted

## **Rothamsted Research**

Rothamsted Research (1954) *53/CB/2 Barley - Nitrophosphates and Fertilizers - Rothamsted ;* Yields Of The Field Experiments 1953, pp 80 - 80 - **DOI:** https://doi.org/10.23637/ERADOC-1-173

53/Cb/2

#### BARLEY

Nitrophosphate and fertilizers broadcast or drilled - Highfield 5 1953.

System of replication: 4 randomized blocks of 8 plots each.

Area of each plot: 0.0194 acre.

#### Treatments:

Sulphate of ammonia broadcast; Nitrochalk broadcast; Nitrophosphate (British) broadcast or drilled; Compound fertilizer (9% N; 9% P<sub>2</sub>O<sub>5</sub>) broadcast or drilled; Nitrochalk and superphosphate mixture broadcast or drilled. All fertilizers were applied at rates to give 0.5 cwt N and 0.5 cwt. P<sub>2</sub>O<sub>5</sub> per acre.

Basal dressing: 94 lb sulphate of potash per acre.

Cultivations, etc.: Ploughed: Sept 24, 1952 and again Jan 20, 1953.

Seed drilled at 3 bushels per acre, fertilizers applied: Mar 9.

Combine harvested: Aug 19. Variety: Herta. Previous crop: Linseed.

Standard error per plot:
Grain (at 85% D.M.): 2.74 cwt per acre or 8.7% (20 d.f.)

Note: The yield of grain (at 85% D.M.) has been adjusted to allow for tractor damage to two plots.

## Summary of Results

Sul	lphate		Nitroph	nosphate	Nat:	ional	Nitrock	nalk and	
.0	of Nitro-		(British)		Compound No. 9		Superphosphate		
am	nonia	chalk	Broad-		Broad-		Broad-		
	Broadcast		cast	Drilled	cast	Drilled	cast	Drilled	Mean

Grain (at 85% Dry Matter): cut per acre

Mean (±1.37) 30.3 29.5 31.0 30.0 31.5 33.6 33.3 32.2 31.4

Mean D.M. 7: 79.8