Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1955



Full Table of Content

55/R/A/6 Hoosfield Exhaustion Land - Barley

Rothamsted Research

Rothamsted Research (1956) *55/R/A/6 Hoosfield Exhaustion Land - Barley*; Yields Of The Field Experiments 1955, pp 14 - 14 - **DOI:** https://doi.org/10.23637/ERADOC-1-175

55/A/6

BARLEY - EXHAUSTION LAND HOOSFIELD 1955

For history, details of treatments etc., see "Results of the Field Experiments 1952", section A/6.

Cultivations, etc.: Ploughed: Sept 28, 1954. 1st dressing of ground chalk applied to acid areas: Dec 31. Ploughed: Jan 10, 1955.

2nd dressing of ground chalk applied: Mar 18. Nitrochalk applied at 3½ cwt per acre: Mar 21. Seed drilled at 3 bushels per acre: Mar 22. Sprayed with M.C.P.A. at 2½ pints in 40 gallons per acre: Mar 31. Parts of certain plots infested with wild oats (Avena fatua) cut and discarded: July 28. Harvested: Aug 15. Variety: Plumage Archer.

Note: Wild oats were pulled by hand during August from the harvested areas.

Summary of Results

Manuring to Potatoes 1876-1901*		Yields: cwt per acre Grain Straw	
1	Unmanured	9.5	12.5
2	Unmanured after 6 years dung	12.4	16.6
3	Dung	27.1	28.5
4	Dung	25.3	27.0
5	Ammonium salts	11.8	14.1
6	Nitrate of soda	8.0	11.4
7	Ammonium salts and complete minerals	24.6	27.3
8	Nitrate of soda and complete minerals	22.8	24.9
9	Superphosphate	20.9	22.5
10	Complete minerals	23.9	26.7

^{*}For certain changes see history.

Mean dry matter % as threshed, Grain: 85.4

Straw: 85.6

⁺At 85% dry matter