Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1958



Full Table of Content

58/R/CF/1 Potatoes - Control of Skin Spot ("seed" Treatment)

Rothamsted Research

Rothamsted Research (1959) 58/R/CF/1 Potatoes - Control of Skin Spot ("seed" Treatment); Yields Of The Field Experiments 1958, pp 109 - 109 - **DOI:** https://doi.org/10.23637/ERADOC-1-181

58/Cf/1

POTATOES

Control of skin spot (Oospora pustulans) by seed tuber treatment - Geescroft 1958.

Design: 6 randomized blocks of 6 plots each.

Area of each plot: 0.0141 acres. Area harvested: 0.0071 acres.

Treatments applied to seed tubers:					
Wedderspoon seed untreated	(1)				
Wedderspoon seed washed 5 days after lifting	(2)				
Wedderspoon seed washed as above and dipped in organo-mercur	У				
fungicide 5 days after lifting					
Wedderspoon seed washed and dipped as above and inoculated					
at planting	(4)				
Irish seed untreated	(5)				
Irish seed inoculated at planting	(6)				

Basal dressing: 10 cwt per acre compound fertilizer (10% N, 10% $P_2^0_5$, 18% K_2^0).

Oultivations, etc.: Ploughed: Sept 23 - Oct 21, 1957. Dung applied at 12½ tons per acre: Dec 2 - 10. Second ploughing: Dec 3 and Feb 6, 1958. Basal dressing applied: Apr 12. Potatoes hand planted: Apr 21. Earthed up: July 8. Sprayed with copper fungicide, 5 lb in 40 gallons per acre: July 10. Sprayed with copper fungicide, 3 lb and 1 pint spreader in 40 gallons per acre: Aug 6 and again Aug 16. Sprayed with sulphuric acid at 20% BOV in 100 gallons per acre: Sept 10. Lifted: Oct 22. Variety: Majestic. Previous crop: Barley.

Standard error per plot.

Total tubers: 0.951 tons per acre or 7.3% (25 d.f.)

Summary of Results

1	2	Treat	ments 4	5	6	Mean
		Total tu	bers: tons (±0.388)	per acre		
13.66	12.81	11.92	12.33	14.00	13.43	13.03
		Percenta	ige ware (1	" riddle)		
90.0	89.0	84.6	88.5	88.2	89.4	88.3

Note. Records of incidence of skin spot (Oospora pustulans) were made.