


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1959

[Full Table of Content](#)



Miscellaneous Data

Rothamsted Research

Rothamsted Research (1960) *Miscellaneous Data* ; Yields Of The Field Experiments 1959, pp 109 - 110 - DOI: <https://doi.org/10.23637/ERADOC-1-179>

59/E/1.2

METEOROLOGICAL RECORDS 1959 - WOBURN

Month	Total sun- shine: hours	Mean temperature: °F		Grass minimum: °F	Total rainfall: in. 8" gauge	Rain days ⁽²⁾
		Air ⁽¹⁾	In ground 1 ft.			
January	74	33.7	35.7	26.2	3.65	16
February	70	38.5	37.3	30.6	0.05	3
March	102	44.5	43.8	35.2	1.97	16
April	147	49.1	49.5	38.8	2.42	16
May	217	53.3	56.7	39.1	0.66	6
June	222	58.7	63.2	44.2	0.99	13
July	259	63.3	66.7	46.7	2.68	10
August	227	63.4	66.1	48.5	0.95	6
September	172	57.9	60.4	39.3	0.09	2
October	146	53.4	53.7	37.7	1.92	13
November	57	43.8	43.8	31.7	2.21	16
December	38	41.8	41.4	33.5	3.73	25
Year*	1731	50.1	51.5	37.6	21.32	142

(1) Mean of maximum and minimum.

(2) Number of days rainfall was 0.01 in. or more.

*Mean or total.

ROTHAMSTED REPORT FOR 1977, PART 1

CONVERSION FACTORS

Factors for the Conversion of Imperial to Metric Units

1 inch (in.)	= 2.540 centimetres (cm)
1 foot (ft) (=12 in.)	= 30.48 cm
1 yard (yd) (=3 ft)	= 0.9144 metre (m)
1 square yard (yd ²)	= 0.8361 m ²
1 acre (ac) (=4840 yd ²)	= 0.4047 hectare (ha)
1 ounce (oz)	= 28.35 grams (g)
1 pound (lb)	= 0.4536 kilogram (kg)
1 hundredweight (cwt) (=112 lb)	= 50.80 kg
1 ton (=2240 lb)	= 1016 kg = 1.016 metric tons (tonnes) (t)
1 pint	= 0.5682 litre (l)
1 gallon (gal) (=8 pints)	= 4.546 litres
1 fluid ounce = 1/20 pint	= 0.02841 litre = 28.41 ml
1 cubic foot	= 28.32 litres

<i>To convert</i>	<i>Multiply by</i>
oz ac ⁻¹ to g ha ⁻¹	70.06
lb ac ⁻¹ to kg ha ⁻¹	1.121
cwt ac ⁻¹ to kg ha ⁻¹	125.5
cwt ac ⁻¹ to t ha ⁻¹	0.1255
ton ac ⁻¹ to kg ha ⁻¹	2511
ton ac ⁻¹ to t ha ⁻¹	2.511
gal ac ⁻¹ to l ha ⁻¹	11.233

The following factors are accurate to about 2 parts in 100:

$$\begin{aligned}1 \text{ lb ac}^{-1} &= 1.1 \text{ kg ha}^{-1} \\1 \text{ gal ac}^{-1} &= 11 \text{ litres ha}^{-1} \\1 \text{ ton ac}^{-1} &= 2.5 \text{ t ha}^{-1}\end{aligned}$$

In general reading of the text there will be no great inaccuracy in regarding:

$$\begin{aligned}1 \text{ lb} &= 0.5 \text{ kg} \\1 \text{ lb ac}^{-1} &= 1 \text{ kg ha}^{-1}\end{aligned}$$

Temperatures

To convert °F into °C subtract 32 and multiply by $\frac{5}{9}$ (0.556)
To convert °C into °F multiply by $\frac{9}{5}$ (1.8) and add 32