


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1962

[Full Table of Content](#)



---

## 62/W/C/10 Effect of Subsoiling - Potatoes

### Rothamsted Research

Rothamsted Research (1963) *62/W/C/10 Effect of Subsoiling - Potatoes* ; Yields Of The Field Experiments 1962, pp 120 - 121 - DOI: <https://doi.org/10.23637/ERADOC-1-164>

62/C/10.1

### EFFECT OF SUBSOILING

Woburn Roadpiece and Great Hill. Test crops: Sugar beet, spring wheat and barley - the 1st year 1962.

Design: 3 randomised blocks of 2 plots each, with three crops grown in strips across the plots.

Area of each plot (acres):	Area harvested (acres):
Sugar beet: 0.0068	0.0051
Spring wheat: 0.0290	Roadpiece - 0.0138 Great Hill - 0.0119
Barley: 0.0290	Roadpiece - 0.0138 Great Hill - 0.0130

Treatments: None; subsoiled, 7 strokes per plot, 3 feet apart, 18 inches deep.

Basal dressings:-

Sugar beet: 8 cwt per acre compound fertiliser (17% N, 11% P<sub>2</sub>O<sub>5</sub>, 22% K<sub>2</sub>O).

Spring wheat and barley: 3½ cwt per acre compound fertiliser (16% N, 9% P<sub>2</sub>O<sub>5</sub>, 9% K<sub>2</sub>O) combine drilled.

Cultivations, etc. (both fields except where stated): - Subsoiled: Oct 25, 1961. Ploughed: Roadpiece - Nov 1 - 11, Great Hill - Oct 31 - Nov 6, 1961.

Sugar beet: Basal dressing applied, seed drilled at 7 lb per acre: Mar 20, 1962. Singled: May 11. Lifted: Oct 3. Variety: Klein E.

Spring wheat: Seed drilled at 2¾ bushels per acre: Mar 2, 1962. Roadpiece sprayed with MCPA/TBA at 4 pints in 40 gallons per acre: May 9. Great Hill sprayed with MCPA/MBA at 4 pints in 40 gallons per acre: May 14. Combine harvested: Aug 31. Variety: Jufy I.

Barley: Seed drilled at 2¼ bushels per acre: Feb 23, 1962. Roadpiece sprayed with MCPA/TBA at 4 pints in 40 gallons per acre: May 9. Great Hill sprayed with MCPA/MBA at 4 pints in 40 gallons per acre: May 14. Combine harvested: Aug 22. Variety: Proctor.

Previous crops:-

Roadpiece: sugar beet 1960, spring wheat 1961.

Great Hill: potatoes 1960, barley 1961, except barley 1962 which followed potatoes 1960, spring wheat 1961.

Note: The spring wheat on Great Hill was severely and irregularly infected with Fusarium.

62/C/10.2

Summary of Results

	Treatment		Mean
	None	Subsoiled	
	<u>Sugar beet. Roots (washed): tons per acre</u>		
Roadpiece	16.63	15.95	16.29
Great Hill	14.61	15.38	14.99
	<u>Sugar beet. Sugar percentage</u>		
Roadpiece	17.2	17.3	17.2
Great Hill	17.8	17.7	17.7
	<u>Sugar beet. Total sugar: cwt per acre</u>		
Roadpiece	57.4	55.1	56.2
Great Hill	51.9	54.3	53.1
	<u>Sugar beet. Tops: tons per acre</u>		
Roadpiece	17.49	17.78	17.63
Great Hill	10.37	10.49	10.43
	<u>Spring wheat. Grain (at 85% dry matter): cwt per acre</u>		
Roadpiece	15.7	19.2	17.5
Great Hill	10.2	8.8	9.5
Mean dry matter % as harvested:	Roadpiece	81.3	
	Great Hill	80.9	
	<u>Barley. Grain (at 85% dry matter): cwt per acre</u>		
Roadpiece	23.1	29.3	26.2
Great Hill	15.6	18.1	16.8
Mean dry matter % as harvested:	Roadpiece	84.3	
	Great Hill	83.8	