Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1962



Full Table of Content

62/W/C/10 Effect of Subsoiling - Potatoes

Rothamsted Research

Rothamsted Research (1963) 62/W/C/10 Effect of Subsoiling - Potatoes; Yields Of The Field Experiments 1962, pp 120 - 121 - DOI: https://doi.org/10.23637/ERADOC-1-164

62/C/10.1

EFFECT OF SUBSOILING

Woburn Roadpiece and Great Hill. Test crops: Sugar beet, spring wheat and barley - the 1st year 1962.

Design: 3 randomised blocks of 2 plots each, with three crops grown in strips across the plots.

Area of each plot (acres):

Sugar beet: 0.0068

Spring wheat: 0.0290

Barley: 0.0290

Roadpiece - 0.0138 Great Hill - 0.0130

Treatments: None; subsoiled, 7 strokes per plot, 3 feet apart, 18 inches deep.

Basal dressings:-

Sugar beet: 8 cwt per acre compound fertiliser (17% N, 11% P205, 22% K20).

Spring wheat and barley: $3\frac{1}{2}$ cwt per acre compound fertiliser (16% N, 9% P₂O₅, 9% K₂O) combine drilled.

Cultivations, etc. (both fields except where stated): - Subsoiled: Oct 25, 1961. Ploughed: Roadpiece - Nov 1 - 11, Great Hill - Oct 31 - Nov 6, 1961.

Sugar beet: Basal dressing applied, seed drilled at 7 lb per acre: Mar 20, 1962. Singled: May 11. Lifted: Oct 3. Variety: Klein E.

Spring wheat: Seed drilled at 23/4 bushels per acre: Mar 2, 1962.

Roadpiece sprayed with MCPA/TBA at 4 pints in 40 gallons per acre: May 9. Great Hill sprayed with MCPA/MBA at 4 pints in 40 gallons per acre: May 14. Combine harvested: Aug 31.

Variety: Jufy I.

Barley: Seed drilled at 2½ bushels per acre: Feb 23, 1962.
Roadpiece sprayed with MCPA/TBA at 4 pints in 40 gallons per acre: May 9. Great Hill sprayed with MCPA/MBA at 4 pints in 40 gallons per acre: May 14. Combine harvested: Aug 22. Variety: Proctor.

Previous crops:-

Roadpiece: sugar beet 1960, spring wheat 1961.

Great Hill: potatoes 1960, barley 1961, except barley 1962 which
followed potatoes 1960, spring wheat 1961.

Note: The spring wheat on Great Hill was severely and irregularly infected with Fusarium.

62/0/10.2

Summary of Results

	None	Treatment Subsoiled	Mean
	Sugar beet. Roots	s (washed): tons per acre	
Roadpiece Great Hill	16.63 14.61	15 . 95 15 . 38	16.29 14.99
Sugar beet. Sugar percentage			
Roadpiece Great Hill	17.2 17.8	17•3 17•7	17.2 17.7
Sugar beet. Total sugar: cwt per acre			
Roadpiece Great Hill	57 • 4 51 • 9	55•1 54•3	56.2 53.1
Sugar beet. Tops: tons per acre			
Roadpiece Great Hill	17.49 10.37	17.78 10.49	17.63 10.43
Spring wheat. Grain (at 85% dry matter): cwt per acre			
Roadpiece Great Hill	15.7 10.2	19.2 8.8	17.5 9.5
Mean dry matter % as harvested: Roadpiece 81.3 Great Hill 80.9			
Barley. Grain (at 85% dry matter): cwt per acre			
Roadpiece Great Hill	23.1 15.6	29•3 18•1	26.2 16.8
Mean dry matter % as harvested: Roadpiece 84.3 Great Hill 83.8			