


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1962

[Full Table of Content](#)



62/R/DC/2 Spring Beans - Control of Weeds

Rothamsted Research

Rothamsted Research (1963) *62/R/DC/2 Spring Beans - Control of Weeds* ; Yields Of The Field Experiments 1962, pp 131 - 131 - DOI: <https://doi.org/10.23637/ERADOC-1-164>

62/Dc/2

SPRING BEANS

Control of weeds by residual herbicides - Delafield 1962.

Design: 3 randomised blocks of 8 plots each.

Area of each plot: 0.0193 acres. Area harvested: 0.0121 acres.

Treatments:

None (0)

Mechanical inter row cultivations (M)

Residual herbicide sprays (lb active material in 40 gallons per acre):-

Simazine: 1; $1\frac{1}{2}$ (S₁; S₂)

2,6-DBN: 2; 4 (D₁; D₂) applied either in autumn (A) or in spring (B).

Basal dressing: $3\frac{1}{4}$ cwt compound fertiliser (14% P₂O₅, 28% K₂O) per acre placement drilled.

Cultivations, etc.: Ploughed: Oct 6, 1961. All plots spring tine cultivated, DA plots sprayed and spring tine harrowed: Nov 17. DB plots sprayed: Feb 19, 1962. DB plots harrowed: Feb 20. All plots spring tine cultivated: Mar 20. Seed drilled at 200 lb per acre and harrowed in: Mar 21. Simazine applied: Apr 12. Weeder used on M plots: May 4. M plots steerage hoed: May 11, May 31 and June 22. Sprayed with demeton-methyl at 12 fluid oz in 60 gallons per acre: July 7. Combine harvested: Sept 26. Variety: Tick 30B. Previous crops: Spring wheat 1960; winter wheat 1961.

Notes (1) The crop failed on all plots of treatments D₁B, D₂B.
(2) Weed counts were made on all plots.

Standard error per plot.

Grain (at 85% dry matter): 2.04 cwt per acre or 7.1% (10 d.f.)

Summary of Results

Grain (at 85% dry matter): cwt per acre

0	M	Treatment		D ₁ A	D ₂ A	Mean
		S ₁	S ₂			
27.8	30.4	31.2	32.0	28.4	23.2	28.8
(±1.18)						

Mean dry matter % as harvested: 76.7