


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1962

[Full Table of Content](#)



62/R/DF/1 Kale - Control of Weeds

Rothamsted Research

Rothamsted Research (1963) *62/R/DF/1 Kale - Control of Weeds* ; Yields Of The Field Experiments 1962, pp 142 - 142 - DOI: <https://doi.org/10.23637/ERADOC-1-164>

62/Df/1

KALE

Control of weeds by residual herbicides - West Barnfield I 1962.

Design: 2 randomised blocks of 7 plots each, plots being split for 0 ▽ mechanical cultivations.

Area of each sub plot: 0.0106 acres.

Treatments. All combinations of:-

Whole plots: Residual herbicides as follows:

<u>Herbicide</u>	Rates (in lb active material in 40 gallons per acre)	
None	Nil	(0)
Dinoseb	3; 6	(D1; D2)
Paraquat	$\frac{1}{2}$; $\frac{3}{4}$	(Pa1; Pa2)
Prometryne	$1\frac{3}{4}$; $2\frac{1}{2}$	(Pr1; Pr2)

Sub plots: None; mechanical cultivations (M)

Basal dressings per acre: $5\frac{3}{4}$ tons dung, 10 cwt compound fertiliser (10% N, 10% P₂O₅, 18% K₂O), $2\frac{1}{2}$ cwt 'Nitro-Chalk'.

Cultivations, etc.: Dung applied: Dec 18, 1961. Ploughed: Dec 21.
Rotary cultivated: Apr 24, 1962. Basal compound fertiliser applied: Apr 27. Seed drilled at 3 lb per acre: May 23.
Residual herbicides applied: May 30. Appropriate sub plots steerage hoed: June 23. Basal 'Nitro-Chalk' applied: July 11.
'M' sub plots steerage hoed: July 12. Variety: Thousand Head.
Previous crops: Barley 1960 and 1961.

*Note 1: Except on one plot of treatment D2 on which no kale had survived.

Note 2: No yields were taken, as the crop was destroyed by the severe frost and by birds.