


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1962

[Full Table of Content](#)



62/R/A/3 Hoosfield - Wheat After Fallow

Rothamsted Research

Rothamsted Research (1963) *62/R/A/3 Hoosfield - Wheat After Fallow* ; Yields Of The Field Experiments 1962, pp 9 - 9 - DOI: <https://doi.org/10.23637/ERADOC-1-164>

62/A/3

WHEAT AFTER FALLOW - HOOSFIELD 1962

Without manure 1851 and since

For history, treatments etc., see "Details of the Classical and Long Term Experiments" 1956.

Area harvested: 0.0362 acres.

Cultivations, etc.:

Cropped plots. Ploughed: Sept 15, 1961. Seed sown at 3 bushels per acre: Nov 1. Combine harvested: Sept 15, 1962. Variety: Squarehead's Master 13/4.

Fallowed plots. Ploughed three times: Sept 15, 1961; May 17, 1962; July 16.

Note: Counts of straw number and estimates of Eyespot (*Cercospora herpotrichoides*) and Take-all (*Ophiobolus graminis*) were made.

Summary of Results

Grain (at 85% dry matter): cwt per acre

Plot No. of years of fallow	A ₁	A ₂	A ₃	Mean
	1	1	3	
	12.5	11.8	12.2	12.2

Mean dry matter % as harvested: 78.0