

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1964

[Full Table of Content](#)



64/R/AX/C/11 N and NPK Residuals - Spring Wheat and Kale

Rothamsted Research

Rothamsted Research (1965) *64/R/AX/C/11 N and NPK Residuals - Spring Wheat and Kale* ; Yields Of The Field Experiments 1964, pp 167 - 168 - DOI: <https://doi.org/10.23637/ERADOC-1-160>

64/C/11.1

N AND NPK RESIDUES

(AX)

An investigation of the relative importance of short term N and PK residues - Fosters West Side 1964.

Crops in 1964: Spring wheat and kale.

Design: 4 randomised blocks of 16 plots each, with sub blocks of 8 plots each per crop.

Area of each plot: 0.0193. Area harvested: Spring wheat - 0.0129, kale - 0.0087.

Treatments (broadcast in seedbed): All combinations of:-

1. N: None (N0), 0.5 (N1), 1.0 (N2), 1.5 (N3) cwt as 'Nitro-Chalk'.
2. PK: None (0), 2.0 cwt P2O5 and 2.0 cwt K2O as 0:20:20 (C).

Basal dressing: None.

Cultivations, etc.: Ploughed twice: Oct 8 and Dec 2, 1963.

Spring wheat. Fertilisers applied: Mar 31, 1964. Seed drilled at 2.75 bushels: Apr 2. Sprayed with mecoprop/2,4-D (Methoxone Extra at 6 pints in 40 gals): May 28. Combine harvested: Aug 31. Variety: Jufy 1.

Kale. Fertilisers applied: Apr 1, 1964. Seed drilled at 2 lb: May 7. Harvested: (by blocks) Nov 5, 12, 19, 26. Variety: Thousand Head.

Previous crops: Sugar beet 1962, spring wheat 1963.

NOTE: The spring wheat was affected by take-all (*Ophiobolus graminis*).

Standard errors per plot.

Spring wheat, grain: 3.29 or 12.5% (21 d.f.)

Kale, fresh weight: 1.724 or 11.6% (21 d.f.)

64/C/11.2

SUMMARY OF RESULTS

	NO	N1	N2	N3	Mean
	SPRING WHEAT				
	GRAIN				
	(±1.65)				
	(±0.82)				
O	16.5	26.2	30.3	29.2	25.5
C	14.1	28.0	33.9	33.1	27.3
Mean (±1.16)	15.3	27.1	32.1	31.1	26.4

Mean D.M.%: 85.6

KALE

FRESH WEIGHT

	(±0.862)				
	(±0.431)				
O	9.17	15.38	17.12	19.07	15.19
C	9.61	14.47	15.59	18.74	14.60
Mean (±0.610)	9.39	14.93	16.35	18.91	14.89