Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1964



Full Table of Content

64/R/RW301/DA/6 Wheat - Varieties and N

Rothamsted Research

Rothamsted Research (1965) *64/R/RW301/DA/6 Wheat - Varieties and N*; Yields Of The Field Experiments 1964, pp 213 - 214 - **DOI: https://doi.org/10.23637/ERADOC-1-160**

64/Da/6.1

WHEAT

(RW 301)

Varieties and nitrogen - Claycroft 1964.

Design: 4 randomised blocks of 21 plots each, blocks being divided into 2 sub-blocks each, one of 12 winter and one of 9 spring wheat plots.

Area of each plot: 0.0192. Area harvested: 0.0129.

Treatments. All combinations of:-

- Varieties: Winter wheat: Cappelle (Ca), Prestige (Pr), Rothwell Perdix (Rp), Squarehead's Master 13/4 (Sq). Spring wheat: Jufy I (Ju), Opal (Op), Prestige (Pr).
- 2. Nitrogen: 0.5 (N1), 0.75 (N2), 1.0 (N3) cwt N broadcast in spring.
- Basal dressing (combine drilled): 280 lb compound fertiliser (6: 15: 15) to winter wheat, 210 lb compound fertiliser (0: 20: 20) to spring wheat.
- Cultivations, etc.: Ploughed: Nov 22 Dec 4, 1963. Winter wheat drilled at 3 bushels: Dec 10. Spring wheat drilled at 3 bushels: Mar 11, 1964. 'Nitro-Chalk' applied: Spring wheat Apr 1, Winter wheat Apr 25. Sprayed with mecoprop/2,4-D (Methoxone Extra at 6 pints in 40 gallons): May 9. Combine harvested: Aug 28. Previous crops: Winter and spring wheat 1962, spring beans 1963.
- NOTE: One plot of spring wheat (Ju N2) was affected by bird damage at germination an estimated value was used in the analysis.
- Standard errors per plot. Grain: Winter wheat: 2.87 or 6.3% (33 d.f.) Spring wheat: 1.94 or 5.2% (23 d.f.)

64/Da/6.2

SUMMARY OF RESULTS

GRATN

WINTER WHEAT

	Ca	Pr	Rp	Sq	Mean
		(±0.72)			
N1 N2 N3	48.7 47.7 48.0	41.6 42.3 39.5	56.6 60.2 58.8	38.5 35.4 33.6	46.4 46.4 45.0
Mean (±0.83)	48.2	41.1	58.5	35.8	45.9

Mean D.M. %: 86.1

SPRING WHEAT

	Ju	Op	Pr	Mean	
100	cie la E begani	(±0.97)	7.20(D) 08	(±0.56)	
N1 N2 N3	39.3 35.6 35.4	45.5 43.2 43.2	30.8 29.9 31.0	38.5 36.2 36.6	
Mean (±0.56)	36.8	44.0	30.6	37.1	

Mean D.M. %: 85.9