

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1964

[Full Table of Content](#)



### 64/R/RBE201/DC/1 Spring Beans - Row Spacing

#### Rothamsted Research

Rothamsted Research (1965) *64/R/RBE201/DC/1 Spring Beans - Row Spacing* ; Yields Of The Field Experiments 1964, pp 223 - 224 - DOI: <https://doi.org/10.23637/ERADOC-1-160>

64/Dc/1.1

SPRING BEANS

(RBe 101)

Row spacing, seed rates and rates and methods of fertiliser application -  
Delharding 1964.

Design: 2 replicates of 4 x 2 x 2 x 2 in blocks of 8 plots.

Area of each plot: 0.0193. Area harvested: 0.0133.

Treatments. All combinations of:-

1. Row spacing: 10.5 inches (C), 21 inches (W).
2. Seed rates: 200 lb (L), 300 lb (H).
3. Fertiliser rates: 400 lb (F1), 560 lb (F2) 0:20:20, 500 lb (N1), 700 lb (N2) 6:15:15.
4. Methods of fertiliser application: Broadcast (B), placed (P).

Basal dressing: None.

Cultivations, etc.: Ploughed: Oct 3, 1963. Seed drilled (treatments CB, CP and WB): Apr 3, 1964, treatments WP: Apr 6. Broadcast fertilisers applied: Apr 7. Sprayed with simazine at 1 lb in 40 gals: Apr 8. Combine harvested: Sept 3. Variety: Pedigree Tic. Previous crop: Barley 1962 and 1963.

Standard error per plot.

Grain: 1.45 or 4.4% (28 d.f.)

64/Dc/1.2

SUMMARY OF RESULTS

GRAIN

	F1	F2	N1	N2	Mean
Mean ( $\pm 0.36$ )	32.7	33.4	33.0	34.1	33.3
					( $\pm 0.26$ )
C ( $\pm 0.51$ )	33.1	33.3	33.0	33.6	33.3
W ( $\pm 0.51$ )	32.3	33.5	33.0	34.5	33.3
L ( $\pm 0.51$ )	32.4	32.6	32.7	33.4	32.8
H ( $\pm 0.51$ )	33.0	34.3	33.2	34.8	33.8
B ( $\pm 0.51$ )	32.0	32.7	33.1	33.5	32.9
P ( $\pm 0.51$ )	33.4	34.1	32.8	34.6	33.7

  

	C	W	L	H
L	32.9	32.6		
H	33.6	34.0		
B	33.1	32.6	32.4	33.4
P	33.4	34.1	33.2	34.2

Mean D.M. %: 84.4