Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1964



Full Table of Content

64/R/PG/A/6 Park Grass - Hay

Rothamsted Research

Rothamsted Research (1965) 64/R/PG/A/6 Park Grass - Hay; Yields Of The Field Experiments 1964, pp 29 - 30 - DOI: https://doi.org/10.23637/ERADOC-1-160

64/A/6

HAY - THE PARK GRASS PLOTS 1964

(PG)

The 109th year

For history, treatments etc., see 'Details' 1956.

Cultivations, etc.: Ground chalk applied: Nov 28 - Dec 11, 1963. Mineral fertilisers applied: Dec 18. Nitrogenous fertilisers applied: 1st dressing: Mar 3, 1964, 2nd dressing - Apr 10. Cut twice: June 26 and Nov 5.

SUMMARY OF RESULTS

| | DRY MATTER | | | | | |
|-----------------------------|--------------|------------------------------------|--------------|--------------|-------------------------------|----------------|
| Plot | 1st crop | Not limed 2nd crop | Total | 1st crop | Limed 2nd crop | Total |
| | | | | - | | |
| 1 | 10.0 | 0.0 | 10.0 | 17.7 | 0.0 | 17.7 |
| 2 | 13.3 | 0.0 | 13.3 | 18.6 | 0.0 | 18.6 |
| 4-1 | 11.8 | 0.0 | 11.8 | 18.7 | 0.0 | 18.7 |
| 4-1 | 28.0 | 0.0 | 28.0 | 28.7 | 0.0 | 28.7 |
| 5-1 | 13.9 | 0.0 | 26.0 13.9 | 33.2 | 0.0 | 33.2 |
| 5-2 | 36.5 | 8.4 | 44.9 | | | |
| 5 - 2 6 7 8 | 39.3 | 10.1 | 49.4 | | | |
| 7 | 38.7 | 8.1 | 46.8 | 42.2 | 10.2 | 52.4 |
| 8 | 31.3 | 0.0 | 31.3 | 29.0 | 0.0 | 29.0 |
| 9 | 40.5 | 0.0 | 40.5 | 46.6 | 6.2 | 52.8 |
| 10 | 25.6 | 0.0 | 25.6 | 35.4 | 0.0 | 35.4 |
| 11-1 | 30.7 | 18.6 | 49.3 | 51.5 | 9.4 | 60.9 |
| 11 - 2 | 44.5 | 18.2 | 62.7 | 56.8 | 12.3 | 69.1 |
| 13 | 19.7 34.2 | 0.0 8.5 | 19.7 | 21.2 | 10.0 | 1.2 6 |
| 14 | 40.5 | 9.0 | 42.7 49.5 | 31.3 41.3 | 12 . 3 6 . 1 | 43.6 47.4 |
| 15 | 22.7 | 9.0 | 31.7 | 34.5 | 9.5 | 44.0 |
| 16 | 32.6 | 10.7 | 43.3 | 38.3 | 8.0 | 46.3 |
| 17 | 19.2 | 10.5 | 29.7 | 21.6 | 5.0 | 26.6 |
| 18 | 14.6 | 0.0 | 14.6 | 24.9* | 0.0 | 24.9* |
| | | | | 25.4+ | 0.0 | 25.4+ |
| 19 | 31.2 | 6.1 | 37.3 | 27.2* | 4.1* | 31.3* |
| 20 | 27.1 | 0.0 | 1.7 0 | 30.7+ | 7.2+ | 37.9+ |
| 20 | 37.1 | 9.9 | 47.0 | 40.5* | 7.6* | 48.1* 44.6+ |
| *Heavy liming. | | 36.1+ 8.5+ 44.6+ +Light liming. | | | | |
| TION 1 TIME 18 | | · mon - min - | | | | |

Mean D.M.%: 1st crop 27.1: 2nd crop 41.7.

NOTE: Because of poor growth between the first and second cuts no second crop was taken on a number of plots, the grass being cut and left to lie.

