

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1964

[Full Table of Content](#)



64/S/SA/A/10 Saxmundham - Rotation 1

Rothamsted Research

Rothamsted Research (1965) *64/S/SA/A/10 Saxmundham - Rotation 1 ; Yields Of The Field Experiments 1964*, pp 37 - 38 - DOI: <https://doi.org/10.23637/ERADOC-1-160>

64/A/10.1

SAXMUNDHAM

ROTATION I

(SA)

The long term effects of manuring on a poor clay-loam soil -
Harwoods Field 1964, the sixty fifth year. See Rothamsted
Report for 1964, pp 228-232.

Rotation: Mangolds and sugar beet, barley, peas, winter wheat.

Design: 4 blocks of 10 plots each, one block for each crop.

Area of each plot: 0.0546. Area harvested: Wheat and barley -
0.0500, sugar beet and mangolds - 0.0114.

Treatments: 6 tons dung (D), 4 cwt bone meal (B) and all
combinations of:-

1. Nitrate of soda (N): None, 2 cwt
2. Superphosphate (P): None, 2 cwt
3. Muriate of potash (K): None, 1 cwt.

Basal dressing: None.

Cultivations, etc.:-

Mangolds and sugar beet. Dung applied: Sept 17, 1963. Ploughed:
Oct 11. Bone meal applied: Mar 2, 1964. Superphosphate
applied: Mar 12. Seed drilled at 7 lb per acre: Apr 13.
Nitrate of soda applied: Apr 30. DDT applied at 14 lb
powder: May 6. Muriate of potash applied: May 7. Singled:
May 22. Sugar beet sprayed (no details): June 27.
Sugar beet sprayed with demeton methyl: July 24. Harvested:
Sept 30. Varieties: Mangolds - Golden Tankard, sugar beet -
Klein E.

Barley. Dung applied: Oct 28, 1963. Ploughed: Oct 29. Bone
meal applied: Mar 2, 1964. Superphosphate applied, seed
drilled at 2.75 bushels: Mar 11. Nitrate of soda applied:
Apr 30. Muriate of potash applied: May 7. Harvested:
Aug 13. Variety : Proctor.

Peas. Dung applied: Oct 28, 1963. Ploughed: Oct 29. Bone
meal applied: Mar 2, 1964. Superphosphate applied: Mar 12.
Nitrate of soda applied: Mar 23. Seed drilled at 12 stones:
Apr 9. Muriate of potash applied: Apr 30. Peas ploughed
up because of bird damage: June 23. Variety: Lincoln Blue.

Winter wheat. Dung applied: Sept 15, 1963. Ploughed: Sept 16.
Bone meal, superphosphate and muriate of potash applied:
Sept 26. Seed drilled: Sept 27. Nitrate of soda applied:
Mar 23, 1964. Harvested: Aug 5. Variety: Cappelle.

64/A/10.2

SUMMARY OF RESULTS

Former plot no.	Treatment	Mangolds						Sugar beet						Barley						Wheat					
		Roots + tops	Roots	Sugar %	Total sugar																				
1	D	11.86	9.78	19.9	39.0	3.02	21.3	25.4	21.3	25.3	62.6														
2	B	3.97	3.20	18.9	12.1	1.26	7.4	8.2	18.2	18.2	33.0														
3	N	1.65	0.71	17.5	2.5	0.65	11.7	13.2	21.3	21.3	33.8														
4	P	3.85	3.10	19.0	11.8	1.10	5.2	6.1	19.7	19.7	28.5														
5	K	0.98	0.65	18.5	2.4	0.43	2.0	3.6	9.9	9.9	16.4														
6	O	1.41	1.10	18.5	4.1	0.67	2.8	5.9	13.9	13.9	21.6														
7	PK	2.55	2.28	19.6	8.9	0.94	3.1	6.1	18.1	18.1	27.9														
8	MK	1.10	0.92	19.6	3.6	0.47	11.1	20.2	20.8	20.8	36.3														
9	NP	7.62	5.48	19.5	21.4	1.49	14.4	15.5	27.4	27.4	38.4														
10	NPK	8.25	7.13	20.0	28.5	2.51	16.1	22.4	25.2	25.2	43.3														
	Mean	4.33	3.44	19.1	13.4	1.26	9.5	12.7	20.0	20.0	34.2														
	D.M.%:											84.1	89.3	83.5	87.0										