

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1964

[Full Table of Content](#)



64/W/WMG/B/5 Market Garden Soil

Rothamsted Research

Rothamsted Research (1965) *64/W/WMG/B/5 Market Garden Soil ; Yields Of The Field Experiments 1964*, pp 91 - 110 - DOI: <https://doi.org/10.23637/ERADOC-1-160>

64/B/5.1

WOBURN MARKET GARDEN EXPERIMENT

(WMG)

Organic manures, N, P and K - Lansome Field 1964, the 23rd year of the experiment, the fourth year with revised treatments.

Carrots: The nitrogen is now applied at none, 0.45, 0.9 cwt N.

All fertilisers are applied in the seedbed.

Globe beet: The seed dressing test is discontinued, all seed now being dressed with EHC/organo-mercury dressing. All fertilisers are now applied in the seedbed.

Area of each sub plot: 0.0063. Area harvested: Leeks - 0.0022, carrots - 0.0017, globe beet - 0.0017.

NOTE: The 1964 - 65 leeks grew poorly and were lifted without weighing to clear the ground early in preparation for microplots 1965.

Cultivations, etc.:

Leeks 1963 - 64. Dung and NPK applied: Aug 7, 1963. Second half of NPK applied, leeks planted: Aug 8. Harvested: 1st lifting - Feb 24, 2nd lifting - Mar 23, 1964.

Carrots. Dung applied, plots ploughed: Jan 9, 1964. Fertilisers applied: Apr 2. Seed drilled at 5.5 lb: Apr 3. Sprayed with menazon at 0.7 pints in 60 gals: May 27. Lifted - 1st harvest: July 14, 2nd harvest: Aug 5.

Globe beet. Ground chalk applied at 23 cwt, dung applied, plots ploughed: Apr 15, 1964. Fertilisers applied: Apr 27.

Seed drilled at 11 lb: May 4. Sprayed with DDT (Arkotine DDT at 3 pints in 40 gals): May 21. Singled: June 16 - 30.

Lifted - 1st harvest: July 22, 2nd harvest: Aug 10.

NOTE: The eight plots on the western side of the experiment were affected by faulty drilling and yields were estimated from reduced areas.

64/B/5.2

Standard errors per plot.

Carrots: Graded Produce: 1st harvest: 1.307 or 15.0% (11 d.f.)

2nd harvest: 1.909 or 9.9% (11 d.f.)

Mean of 2 harvests: 1.232 or 8.8% (11 d.f.)

Tops: 1st harvest: 1.708 or 17.9% (11 d.f.)

2nd harvest: 1.382 or 12.0% (11 d.f.)

Mean of 2 harvests: 1.177 or 11.2% (11 d.f.)

Globe Beet: Total Produce: 1st lifting: 1.036 or 9.6% (11 d.f.)

2nd lifting: 2.794 or 19.3% (11 d.f.)

Mean of 2 liftings: 1.794 or 14.2% (11 d.f.)

Total Saleable Roots: 1st lifting: 0.671 or 13.4% (11 d.f.)

2nd lifting: 2.103 or 22.1% (11 d.f.)

Mean of 2 liftings: 1.280 or 17.6% (11 d.f.)

(11 d.f.)

11100.0 = mixed - harvested area 11100.0 = total area 11100.0 = seed area 11100.0 = harvested

11100.0 = mixed - harvested area 11100.0 = total area 11100.0 = seed area 11100.0 = harvested

11100.0 = mixed - harvested area 11100.0 = total area 11100.0 = seed area 11100.0 = harvested

64/B/5.3

SUMMARY OF RESULTS

LEEKES 1963 - 1964. 1ST LIFTING. SALEABLE PRODUCE

Dung	Organic manure applied 1942-61	Mean	None	Fertiliser N1P1K1
10	D1	2.71	2.84	2.58
20	D2	2.64	2.96	2.31
10	C1	2.72	2.56	2.88
20	C2	2.66	3.22	2.11
	D1+C1	2.72	2.70	2.74
	D2+C2	2.65	3.09	2.21
Mean		2.68	2.90	2.47

NPK	
111	2.21
111*	1.91
211	2.01
211*	2.26
112	2.56
112*	2.51
212	0.95
212*	2.56
Mean	2.12

* NPK half ploughed in, half in seedbed.

64/B/5.4

LEEKES 1963 - 1964. 2ND LIFTING. SALEABLE PRODUCE

Dung	Organic manure applied 1942-61	Mean	Fertiliser	
			None	N1P1K1
10	D1	3.32	3.62	3.02
20	D2	3.60	4.00	3.22
10	C1	3.56	3.30	3.82
20	C2	2.95	3.30	2.61
	D1+C1	3.44	3.46	3.42
	D2+C2	3.28	3.64	2.91
Mean		3.36	3.55	3.16
<hr/>				
NPK				
111	2.61			
111*	3.12			
211	2.76			
211*	2.91			
112	2.51			
112*	3.12			
212	2.11			
212*	2.96			
Mean	2.76			

* NPK half ploughed in, half in seedbed.

64/B/5.5

LEEKES 1963 - 1964. MEAN OF 2 LIFTINGS. SALEABLE PRODUCE

Dung	Organic manure applied 1942-1961	Mean	Fertiliser	
			None	N1P1K1
10	D1	3.01	3.23	2.80
20	D2	3.12	3.48	2.76
10	C1	3.14	2.93	3.35
20	C2	2.81	3.26	2.36
	D1+C1	3.08	3.08	3.08
	D2+C2	2.96	3.37	2.56
Mean		3.02	3.22	2.82
<hr/>				
NPK				
111	2.41			
111*	2.52			
211	2.38			
211*	2.58			
112	2.54			
112*	2.82			
212	1.53			
212*	2.76			
Mean	2.44			

* NPK half ploughed in, half in seedbed.

64/B/5.6

CARROTS. GRADED PRODUCE. ROOTS

Dung	Organic manure applied 1942-62*	Mean	Fertiliser	
		1ST HARVEST		
10	D1	(±0.654) 8.98	(±0.924) 9.85	8.11
20	D2	8.98	7.60	10.36
10	C1	8.15	8.20	8.10
20	C2	9.24	8.25	10.23
	D1+C1	(±0.462) 8.56	(±0.654) 9.02	8.10
	D2+C2	9.11	7.92	10.30
Mean		8.84	8.48	9.20 (±0.462)
NPK				
111		8.99		
211		8.35		
112		8.53		
212		7.80		
Mean		8.42		

* Last applied to early potatoes in 1962.

64/B/5.7

CARROTS. GRADED PRODUCE. ROOTS

Dung	Organic manure applied 1942-62*	Mean	Fertiliser	
		None	N1P1K1	
2ND HARVEST				
10	D1	(±0.954) 18.16	(±1.350) 18.75	17.56
20	D2	20.39	20.31	20.47
10	C1	19.60	19.81	19.40
20	C2	20.14	18.69	21.60
	D1+C1	(±0.675) 18.88	(±0.954) 19.28	18.48
	D2+C2	20.27	19.50	21.04
Mean		19.57	19.39 (±0.675)	19.76
NPK				
111		16.45		
211		18.35		
112		21.35		
212		17.65		
Mean		18.45		

* Last applied to early potatoes in 1962.

64/B/5.8

CARROTS. GRADED PRODUCE. ROOTS

Dung	Organic manure applied 1942-62*	Mean	Fertiliser	
			None	N1P1K1
MEAN OF 2 HARVESTS				
10	D1	(±0.616) 13.56	14.30	12.83
20	D2	14.69	13.96	15.42
10	C1	13.88	14.01	13.75
20	C2	14.69	13.47	15.91
	D1+C1	(±0.436) 13.72	14.16	13.29
	D2+C2	14.69	13.72	15.66
Mean		14.20	13.94 (±0.436)	14.48

NPK	
111	12.72
211	13.35
112	14.94
212	12.72
Mean	13.43

* Last applied to early potatoes in 1962.

64/B/5.9

CARROTS. TOPS

Dung	Organic manure applied 1942-62*	Mean	Fertiliser	
			None	N1P1K1
1ST HARVEST				
10	D1	(±0.854) 8.82	9.85	(±1.208) 7.78
20	D2	12.04	9.29	14.80
10	C1	9.07	7.18	10.96
20	C2	11.46	9.08	13.84
	D1+C1	(±0.604) 8.94	8.52	(±0.854) 9.37
	D2+C2	11.75	9.18	14.32
Mean		10.35	8.85	11.84 (±0.604)

NPK	
111	7.02
211	8.00
112	6.46
212	10.00
Mean	7.87

* Last applied to early potatoes in 1962.

64/B/5.10

CARROTS. TOPS

Dung	Organic manure applied 1942-62*	Mean	Fertiliser	
			None	N1P1K1
2ND HARVEST				
10	D1	(±0.691) 10.92	11.23	(±0.977) 10.61
20	D2	14.88	13.55	16.22
10	C1	11.21	9.91	12.51
20	C2	13.45	12.06	14.84
	D1+C1	(±0.489) 11.06	10.57	(±0.691) 11.56
	D2+C2	14.16	12.80	15.53
Mean		12.62	11.69	13.54 (±0.489)

NPK	
111	8.23
211	8.52
112	9.15
212	11.36
Mean	9.32

* Last applied to early potatoes in 1962.

64/B/5.11

CARROTS. TOPS

Dung	Organic manure applied 1942-62*	Mean	Fertiliser	
			None	N1P1K1
MEAN OF 2 HARVESTS				
10	D1	(±0.588) 9.87	(±0.832) 10.54	9.20
20	D2	13.46	11.42	15.51
10	C1	10.14	8.54	11.73
20	C2	12.46	10.57	14.34
	D1+C1 D2+C2	(±0.416) 10.00 12.96	(±0.588) 9.54 11.00	10.46 14.92
Mean		11.48	10.27	12.70 (±0.416)
NPK				
111	7.62			
211	8.26			
112	7.80			
212	10.68			
Mean	8.59			

* Last applied to early potatoes in 1962.

64/B/5.12

GLOBE BEET. SALEABLE BULBS

Dung	Organic manure applied 1942-61*	Mean	None	Fertiliser N1P1K1
1ST HARVEST				
10	(±0.01)	(±0.336)	(±0.01)	(±0.474)
20	D1 D2	4.20 6.23	1.62 5.72	6.78 6.75
10	C1	4.83	2.88	6.78
20	C2	6.69	6.65	6.72
	(±0.01)	(±0.237)	(±0.01)	(±0.336)
	D1+C1 D2+C2	4.52 6.46	2.24 6.18	6.78 6.74
Mean	(±0.01)	5.49	4.22	6.76 (±0.237)
NPK				
111	4.07			
211	4.17			
112	4.07			
212	4.07			
Mean	4.10			

* Last applied to Leeks 1961/62.

64/B/5.13

GLOBE BEET. SALEABLE BULBS

Dung	Organic manure applied 1942-61*	Mean	Fertiliser	
			None	N1P1K1
2ND HARVEST				
10	D1	(±1.052) 8.58	5.23	(±1.487) 11.92
20	D2	11.69	11.21	12.18
10	C1	9.06	6.46	11.66
20	C2	11.92	9.79	14.05
	D1+C1	(±0.744) 8.82	5.85	(±1.052) 11.79
	D2+C2	11.81	10.50	13.12
Mean		10.31	8.17	12.45 (±0.744)

NPK	
111	8.88
211	8.79
112	6.23
212.	7.56
Mean	7.86

*Last applied to Leeks 1961/62.

64/B/5.14

GLOBE BEET. SALEABLE BULBS

Dung	Organic manure applied 1942-61*	Mean	Fertiliser	
		MEAN OF 2 HARVESTS		
10	D1	(±0.640) 6.39	3.42	9.35
20	D2	8.96	8.46	9.46
10	C1	6.95	4.67	9.22
20	C2	9.30	8.22	10.38
	D1+C1 D2+C2	(±0.453) 6.67 9.13	4.05 8.34	(±0.640) 9.29 9.92
Mean		7.90	6.19	(±0.453) 9.60
NPK				
111	6.48			
211	6.48			
112	5.15			
212	5.82			
Mean	5.98			

* Last applied to Leeks 1961/62.

64/B/5.15

GLOBE BEET. TOTAL PRODUCE

Dung	Organic manure applied 1942-61*	Mean	Fertiliser	
			None	N1P1K1
1ST HARVEST				
10	D1	(±0.518) 9.22	5.10	13.34
20	D2	13.00	12.08	13.92
10	C1	10.45	7.14	13.76
20	C2	13.65	13.66	13.63
	D1+C1	(±0.366) 9.84	6.12	13.55
	D2+C2	13.32	12.87	13.78
Mean		11.58	9.50	13.66
			(±0.366)	

NPK	
111	8.72
211	9.21
112	9.63
212	9.27
Mean	9.21

*Last applied to Leeks 1961/62.

64/B/5.16

GLOBE BEET. TOTAL PRODUCE

Dung	Organic manure applied 1942-61*	Mean	Fertiliser
			None N1P1K1
2ND HARVEST			
10	D1	(±1.397) 12.99	(±1.976) 9.08 16.89
20	D2	17.67	17.18 18.15
10	C1	13.99	10.85 17.12
20	C2	17.78	14.89 20.67
	D1+C1	(±0.988) 13.49	(±1.397) 9.96 17.01
	D2+C2	17.72	16.04 19.42
Mean		15.61	13.00 (±0.988) 18.21
NPK			
111		13.24	
211		13.41	
112		10.82	
212		11.86	
Mean		12.33	

* Last applied to Leeks 1961/62.

64/B/5.17

GLOBE BEET. TOTAL PRODUCE

Dung	Organic manure applied 1942-61*	Mean	Fertiliser None	N1P1K1
MEAN OF 2 HARVESTS				
10	D1	(±0.897) 11.10	7.09	15.12
20	D2	15.34	14.63	16.04
10	C1	12.22	9.00	15.44
20	C2	15.72	14.28	17.15
	D1+C1	(±0.634) 11.66	8.04	15.28
	D2+C2	15.53	14.46	16.60
Mean		13.60	11.25	15.94 (±0.634)
NPK				
111		10.98		
211		11.31		
112		10.22		
212		10.56		
Mean		10.77		

* Last applied to Leeks 1961/62.

64/B/5.18

GLOBE BEET. PLANT NUMBER 64/B/5.18

Dung	Organic manure applied 1942-61*	Mean	None	Fertiliser N1P1K1
1ST HARVEST				
10	D1	123.6	110.3	136.9
20	D2	154.8	159.2	150.5
10	C1	132.6	140.1	125.0
20	C2	143.1	143.8	142.4
	D1+C1	128.1	125.2	131.0
	D2+C2	149.0	151.5	146.4
Mean		138.5	138.4	138.7

NPK	
111	118.4
211	120.1
112	173.4
212	123.3
Mean	133.8

* Last applied to Leeks 1961/62.

64/B/5.19

GLOBE BEET. PLANT NUMBER

Dung	Organic manure applied 1942-61*	Mean	Fertiliser	
			None	N1P1K1
2ND HARVEST				
10	D1	139.5	142.1	136.9
20	D2	166.6	177.4	155.7
10	C1	159.0	172.2	145.9
20	C2	149.6	149.6	149.6
	D1+C1	149.3	157.2	141.4
	D2+C2	158.1	163.5	152.6
Mean		153.7	160.3	147.0
NPK				
111		130.0		
211		124.7		
112		178.0		
212		147.0		
Mean		144.9		

* Last applied to Leeks 1961/62.

64/B/5.20

GLOBE BEET. PLANT NUMBER

Dung	Organic manure applied 1942-61*	Mean	Fertiliser None	N1P1K1
MEAN OF 2 HARVESTS				
10	D1	131.6	126.2	136.9
20	D2	160.7	168.3	153.1
10	C1	145.8	156.2	135.5
20	C2	146.4	146.7	146.0
	D1+C1	138.7	141.2	136.2
	D2+C2	153.6	157.5	149.6
Mean		146.1	149.4	142.9

NPK	
111	124.2
211	122.4
112	175.7
212	135.2
Mean	139.4

* Last applied to Leeks 1961/62.