

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1964

[Full Table of Content](#)



---

### 64/R/BK/A/1 Broadbalk - Wheat

#### Rothamsted Research

Rothamsted Research (1965) *64/R/BK/A/1 Broadbalk - Wheat* ; Yields Of The Field Experiments 1964, pp 13 - 15 - DOI: <https://doi.org/10.23637/ERADOC-1-160>

64/A/1.1

WHEAT - BROADBALK 1964

(BK)

The 121st year

For history, treatments, etc. see 'Details' 1962.

All sections except VA are now sprayed annually with weedkillers.

Cultivations, etc.:

CROPPED SECTIONS. Ground chalk applied to section VA (first half of 5 ton dressing): Sept 19, 1963. Ground chalk applied to plot 19, Section IV at 5 tons: Sept 23. Normal annual dressing of ground chalk applied to plots: Sept 23 and Oct 1. Dung applied: Sept 24. Ploughed: Sept 25 - Oct 2. Ground chalk applied to Section VA (remainder of 5 ton dressing): Oct 11. Autumn fertilisers applied: Oct 15. Seed drilled at 3 bushels: Nov 30. Spring fertilisers applied: Apr 13, 1964. Second dressing of nitrate of soda applied to plot 16: Apr 17. All sections except VA sprayed with dicamba/MCPA ('Banlene' at 4 pints in 40 gals): May 7. Combine harvested: Aug 27. Variety: Squarehead's Master 13/4 (Rothamsted seed from Broadbalk).  
FALLOW SECTION. (IV) Ploughed: Sept 25 - Oct 2, 1963, May 4, 1964, July 9.

BROADBALK WILDERNESS. Cultivations etc.:

Ungrazed meadow (north): Shrubs grubbed out: Dec 18 - 31, 1963.  
Grazed meadow (centre): Grazed by sheep: Apr 28 - May 7, 1964, June 4 - 9, July 8 - 13, Aug 14 - 18. Grass topped: May 8, June 13, July 13, Aug 18, Nov 12.

64/A/1.2

SUMMARY OF RESULTS

GRAIN

Section Years after fallow	VA	II	IB	III	VB	IA	Mean
	1	2	3	4	6	13	
2A	15.9	30.1	24.3	23.3	24.9	20.1	24.3
2B	22.7	24.9	21.1	20.9	21.6	19.7	22.3
3	17.7	12.9	13.0	13.8	8.2	7.8	12.8
5	14.7	17.0	15.0	18.5	15.1	7.6	16.0
6	16.1	20.8	17.0	21.4	18.3	14.4	19.1
7	15.1	26.1	23.9	23.6	13.6	23.4	22.1
8	18.5	27.9	27.4	27.3	29.5	25.4	26.5
9	17.8	19.2	15.0	16.4	12.3	14.9	16.5
10	17.4	24.4	17.8	19.7	10.6	10.2	18.7
11	27.7	22.1	6.0	18.6	14.4	21.6	18.6
12	9.5	21.3	19.8	20.9	13.0	17.4	18.3
13	9.6	21.0	18.0	20.2	14.9	19.7	18.2
14	10.9	21.2	18.3	18.8	14.4	18.3	17.9
15	19.5	22.1	19.7	21.9	11.3	14.6	19.6
16	17.6	21.2	20.1	21.4	17.9	18.3	20.1
17	20.7	23.1	20.1	22.9	13.8	15.7	20.7
18	6.1	7.5	4.6	6.7	6.6	4.0	6.3
19	19.5	18.8	16.4	17.9	15.0	14.2	17.5
20		20.0	16.8			10.4	17.2

Mean D.M. %: 87.4

64/A/1.3

Section Years after fallow	STRAW						Mean
	VA 1	II 2	IB 3	III 4	VB 6	IA 13	
2A	44.1	32.9	29.9	29.2	31.9	27.0	32.3
2B	41.8	33.9	25.0	32.0	28.3	30.1	32.2
3	22.6	12.6	12.8	15.5	9.4	5.8	13.8
5	34.0	18.8	17.6	20.4	16.6	9.5	20.0
6	38.0	23.5	17.7	23.6	23.1	17.5	24.0
7	48.3	34.7	31.9	36.4	36.6	29.9	36.3
8	42.8	50.4	42.3	45.0	40.8	42.5	45.2
9	36.7	26.0	19.8	21.1	20.0	19.6	23.9
10	29.0	29.9	21.3	22.3	20.0	18.9	24.5
11	31.9	28.4	24.0	21.4	21.5	29.4	25.5
12	40.5	31.0	24.4	23.4	28.6	27.2	28.6
13	32.0	32.6	27.9	33.6	30.3	33.9	32.0
14	35.3	26.3	26.2	24.1	27.9	24.0	26.8
15	32.1	28.2	26.2	25.9	20.9	23.6	26.6
16	53.4	32.9	29.7	28.2	42.3	33.4	34.8
17	42.3	32.4	29.8	36.0	25.6	25.8	33.0
18	33.1	8.0	5.5	6.6	11.6	6.5	10.7
19	37.1	24.7	18.9	24.4	25.0	23.2	25.2
20		27.2	21.3			18.1	23.5

Mean D.M. %: 91.0