

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1965

[Full Table of Content](#)



65/W/WBT/C/5 Methods of Application of Fertiliser 1964-65 - Potatoes

Rothamsted Research

Rothamsted Research (1966) *65/W/WBT/C/5 Methods of Application of Fertiliser 1964-65 - Potatoes ; Yields Of The Field Experiments 1965*, pp 137 - 138 - DOI:

<https://doi.org/10.23637/ERADOC-1-159>

65/C/51

METHODS OF APPLICATION OF FERTILISER, 1965 - 1966

(WBT)

Methods of application of fertiliser - Woburn Broadmead I, 1965 the first year - potatoes.

Design: 3 randomised blocks of 12 plots.

Area of each plot: 0.0212. Area harvested: 0.0133.

Treatments: None (I0) - 3 plots per block - and all combinations of:-

1. Levels of (13:13:20) to supply (cwt):

N	P2O5	K2O	
0.66	0.66	1.02	(I1)
1.33	1.33	2.03	(I2)
2.00	2.00	3.07	(I3)

2. Methods of application: Broadcast (B), placed (P), broadcast and rotary cultivated in (BR).

NOTE: The experiment is designed to include an additional factor applied to the 1966 wheat crop, viz. PK broadcast on the seedbed and 'Nitro-Chalk' as spring dressing to supply:

N, P2O5 and K2O at levels as (I0), (I1), (I2) above.

Basal applications: Manures: None. Weedkiller: Linuron at 2 lb plus paraquat at 0.75 lb ion in 40 gals. Fungicide: Mancozeb at 1.2 lb in 37 gals.

Cultivations, etc.: Ploughed: Dec 10, 1964. BR fertilisers applied to ploughed land, all plots rotary cultivated: Apr 1, 1965. B fertilisers applied, potatoes machine planted: Apr 8. Sprayed (weedkiller): May 10, fungicide: July 3 and 16. Sprayed with diquat (Reglone at 4 pints in 34 gals): Aug 17. Lifted: Sept 28. Variety: King Edward. Previous crops: Winter wheat 1963, barley 1964.

Standard error per plot.

Total tubers: 0.933 or 8.5% (24 d.f.)

65/C/5.2

SUMMARY OF RESULTS

	I0	I1	I2	I3	Mean
TOTAL TUBERS					
		(±0.538)			(±0.311)
B		9.74	12.96	14.86	12.52
P		13.14	15.42	14.85	14.47
BR		10.09	11.53	14.37	12.00
Mean (±0.311)	5.11	10.99	13.30	14.69	11.02*
% WARE					
B		89.9	94.5	94.7	93.0
P		91.4	95.3	94.4	93.7
BR		88.9	93.8	93.6	92.1
Mean	76.8	90.1	94.5	94.2	88.9*

* General mean