

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1965

[Full Table of Content](#)



65/R/AQ/C/9 Cereal Disease Reference Plots - Wheat

Rothamsted Research

Rothamsted Research (1966) *65/R/AQ/C/9 Cereal Disease Reference Plots - Wheat* ; Yields Of The Field Experiments 1965, pp 145 - 146 - DOI: <https://doi.org/10.23637/ERADOC-1-159>

65/C/9.1

CEREAL DISEASE REFERENCE PLOTS

(AQ)

Pennells Piece 1965, the third year

For treatments etc., see 'Results' 63/C/10. (WW = Winter wheat, SW = Spring wheat, O = Oats).

Area of each plot: 0.0180. Area harvested: Winter wheat - 0.0115, spring wheat - 0.0116.

Cultivations, etc.: Ploughed: Oct 12, 1964. All plots except winter wheat chisel ploughed: Dec 23.

Winter wheat: Seed combine drilled at 160 lb: Oct 23. 'Nitro-Chalk' applied: Mar 11, 1965. Sprayed with mecoprop/2,4-D (Methoxone Extra at 7 pints in 40 gals): Apr 23. Combine harvested: Sept 10.

Spring wheat: Seed combine drilled at 190 lb: Apr 2, 1965. 'Nitro-Chalk' applied: Apr 5. Sprayed with mecoprop/2,4-D (Methoxone Extra at 6 pints in 40 gals): May 13. Combine harvested: Sept 10.

Oats: Seed combine drilled at 170 lb, 'Nitro-Chalk' applied: Mar 15, 1965. Sprayed with MCPA at 1.13 lb and dicamba at 0.08 lb in 40 gals: May 19. Combine harvested: Sept 10.

Spring beans: Seed placement drilled at 200 lb: Feb 18, 1965 (Rows spaced at 10.5 in). Sprayed with menazon (Saphicol at 0.5 pints in 40 gals): June 4. Combine harvested: Sept 29. Variety: Garton's Pedigree Tic.

- NOTES: (1) Yields were taken for winter and spring wheat only.
(2) Estimates of the incidence of take-all (*Ophiobolus graminis*) and eyespot (*Cercospora herpotrichoides*) were made on 8 occasions for winter and 4 for spring wheat.
(3) For previous years' results see 'Results' 63/C/10 and 64/C/9.

Standard errors per plot. Grain:
Winter wheat: 4.11 or 11.7% (4 d.f.)
Spring wheat: 0.95 or 3.0% (4 d.f.)

65/C/9.2

SUMMARY OF RESULTS

GRAIN

Crop	W	O	Be	Mean
1963	W	W	O	
1964				

WINTER WHEAT

34.8	31.8	38.9	35.1
(±2.05)	(±2.90)		

SPRING WHEAT

31.2	29.6	34.9	31.7
(±0.47)	(±0.67)		

Mean D.M.%: Winter wheat: 72.7
 Spring wheat: 70.4