

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1965

[Full Table of Content](#)



65/S/SB/A/11 Saxmundham - Rotation 2

Rothamsted Research

Rothamsted Research (1966) *65/S/SB/A/11 Saxmundham - Rotation 2* ; Yields Of The Field Experiments 1965, pp 35 - 36 - DOI: <https://doi.org/10.23637/ERADOC-1-159>

65/A/11.1

SAXMUNDHAM

ROTATION II 1965

(SB)

For history, treatments, rotations etc. see Rothamsted Report for 1964 pp. 228-232 and 'Results' 64/A/10.

All plots, including plot 8 (the treatment of which was discontinued after 1952) were sown to barley, which was manured as follows:-

Plots 1, 2, 3, 4 and 8: No P (P0)

Plots 5 and 6: 1.5 cwt P₂O₅ (P1)

Plot 7: 3.0 cwt P₂O₅ (P2)

All P₂O₅ as superphosphate.

Basal manuring: 100 lb N and 200 lb K as 'Nitro-Chalk' and muriate of potash.

Area of each plot: 0.0545. Area harvested: 0.0148.

Cultivations, etc.: Ploughed: Oct 28 - Nov 18, 1964. Fertilisers applied: Mar 30, 1965. Seed drilled at 150 lb: Apr 1.

Sprayed with hormonal weedkiller: May 12. Combine harvested: Aug 31. Variety: Proctor.

65/A/11.2

SUMMARY OF RESULTS

BARLEY, GRAIN

Plot no.	Treatment 1965	
1	P0	15.9
2	P0	31.3
3	P0	34.6
4	P0	34.2
5	P1	34.3
6	P1	34.1
7	P2	33.2
8	P0	31.4
Mean		31.1

Mean D.M. %: 79.9