

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1966

[Full Table of Content](#)



### 66/R/PGM/C/14 N P K and Cutting - Old Grass (Park Grass Plot 6 Microplots)

#### Rothamsted Research

Rothamsted Research (1967) *66/R/PGM/C/14 N P K and Cutting - Old Grass (Park Grass Plot 6 Microplots)* ; Yields Of The Field Experiments 1966, pp 175 - 176 - DOI:

<https://doi.org/10.23637/ERADOC-1-158>

66/C/15.1

SPRING WHEAT

(BH)

Sod seeding and pests - New Zealand 1966, the second year.

Design: 3 randomised blocks of 3 plots, split into 2.

Area of each sub-plot: 0.0226. Area harvested: 0.0152.

Treatments: All combinations of:-

- Whole plots: 1. Seedbed preparation: Ploughed 1965 and 1966 (M).  
Ploughed with ioxynil spray 1965, ploughed 1966 (MI).  
Direct seeding after paraquat\* spray (P).  
Sub-plots: 2. Insecticide spray: None (O), chlordane at 8.4 lb  
plus diazinon at 4 lb before sowing (D).

\* At 2 lb ion in 40 gals.

Basal applications: 340 lb (20:10:10) combine drilled. Weedkillers:  
Amino-triazole at 4 lb plus ammonium thiocyanate at 3.7 lb in 40 gals,  
mecoprop/2,4-D (Methoxone Extra at 6 pints in 30 gals).

Cultivations, etc.: Amino-triazole and ammonium thiocyanate applied:  
Oct 13, 1965. M plots ploughed, P plots trimmed with forage  
harvester and produce carted: Nov 16. Insecticide applied:  
Jan 27, 1966. P plots sprayed with paraquat: Mar 1. M plots  
rotary cultivated: Mar 14. Seed drilled at 180 lb: Mar 17.  
Mecoprop/2,4-D applied: May 17. Combine harvested: Sept 7.  
Variety: Kloka.

- NOTES (1) Counts of soil fauna were made throughout the season.  
(2) For the previous year's results see 'Results' 65/C/24.

Standard errors per plot. Grain:  
Whole plot: 3.59 or 10.3% (4 d.f.)  
Sub-plot: 3.42 or 9.9% (6 d.f.)

66/C/15.2

SUMMARY OF RESULTS

GRAIN

	D	D	Mean
	(1) and (2)		(±2.07)
M	41.8	45.0	43.4
MI	39.7	43.0	41.3
P	18.5	20.3	19.4
Mean (±1.14)	33.3	36.1	34.7

Mean D.M. %: 83.2

(1) (±2.50) For use in vertical and diagonal comparisons

(2) (±1.98) For use in horizontal and interaction comparisons