


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 1966

[Full Table of Content](#)



---

## 66/W/WBL/C/23 Scorch Study - Spring Wheat 3rd Year

### Rothamsted Research

Rothamsted Research (1967) *66/W/WBL/C/23 Scorch Study - Spring Wheat 3rd Year* ; Yields Of The Field Experiments 1966, pp 207 - 208 - DOI: <https://doi.org/10.23637/ERADOC-1-158>

66/c/23.1

SPRING WHEAT

(WBL)

'Scorch' Study - Woburn Butt Close 1966, the third year.

Design: 3 x 2 x 2 x 2 in 4 blocks of 12 plots.

Area of each plot: 0.0032. Area harvested: 0.0023.

Treatments: All combinations of:-

1. Nitrogen applied 1966: 0.6 (N1), 1.2 (N2), 1.8 (N3) cwt N as 'Nitro-Chalk' applied half in seedbed, half on May 27.
2. Fumigant 1966: None (66 O). Sprayed with formalin\* on Feb 17, 1966 (66 F).
3. Fumigant 1965: None (65 O). Sprayed with formalin\* on Dec 7, 1964 (65 F).
4. Fumigant 1964: None (64 O). Sprayed twice with formalin\* (64 F).

Other factors included in 1964 and 1965 have been omitted from the analysis.

\* A 38% solution of formaldehyde at 266 gals in 3700 gals.

Basal applications, etc.: 2.5 cwt (0:20:20) combine drilled.

Weedkiller: Sprayed with Ioxynil/mecoprop (Atril C at 5 pints in 35 gals): May 13, 1966.

Cultivations, etc.: Ploughed: Nov 15 - 23, 1965. Seed drilled at 160 lb: Apr 13, 1966. Seedbed 'Nitro-Chalk' applied: Apr 25. Combine harvested: Sept 7. Variety: Klokka.

- NOTES: (1) Soil samples were taken for *Heterodera avenae* populations in Oct 1965, and for nematode counts in mid Sept 1966.
- (2) 20 plants per plot were taken for estimation of *Heterodera avenae* per gram of root and top weights in May 1966.
- (3) For previous years' results see 'Results' 64/Da/3 and 65/C/30.

Standard error per plot.

Grain: 4.03 or 17.4% (22 d.f.)

66/c/23.2

# SUMMARY OF RESULTS

## GRAIN

	N1	N2	N3	Mean
		( $\pm 1.43$ )		( $\pm 0.82$ )
66 O	16.3	23.0	25.5	21.6
66 F	18.9	24.5	30.5	24.6
65 O	18.2	22.4	26.0	22.2
65 F	17.1	25.1	30.1	24.1
64 O	18.3	22.7	28.3	23.1
64 F	16.9	24.8	27.8	23.2
Mean ( $\pm 1.01$ )	17.6	23.8	28.0	23.1

Mean D.M. %: 81.9