Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



# Yields of the Field Experiments 1966



Full Table of Content

## 66/R/BZ/C/26 Lucerne Virus Control - Lucerne and Lucerne/COCKSFOOT

#### **Rothamsted Research**

Rothamsted Research (1967) 66/R/BZ/C/26 Lucerne Virus Control - Lucerne and Lucerne/COCKSFOOT; Yields Of The Field Experiments 1966, pp 217 - 218 - DOI: https://doi.org/10.23637/ERADOC-1-158

66/c/26.1

#### LUCERNE

(BZ)

Virus control - Long Hoos, 1966.

Design: 4 x 4 Latin square.

Area of each plot: 0.0661. Area harvested: 0.0046.

Treatments: All combinations of:-

1. Cropping: Lucerne (L), lucerne and cocksfoot in alternate rows (M).

2. Insecticide spray: None (0), sprayed with demeton-s-methyl (Metasystox at 12 fluid oz in 80 gals) one week after each cut (S).

The M plots received 0.6 cwt N as 'Nitro-Chalk' in the seedbed, and 0.5 cwt N, 0.5 cwt K20 as (16:0:16) as top-dressing after each cut except the last. The L plots received 0.5 cwt K20 as muriate of potash as top-dressing after each cut except the last.

Basal applications: 0.6 cwt P205, 1.2 cwt K20 as (0:14:28) in seedbed. Weedkiller: Dinoseb at 2.1 lb in 40 gals.

Cultivations, etc.: Ploughed: Oct 28, 1965. Rotary cultivated:
Mar 30, 1966. Basal PK compound applied: Apr 28. 'NitroChalk' applied to M plots: Apr 29. Rotary cultivated: Apr 30.
Seed drilled - at 20 lb to L plots and 10 lb lucerne and 4 lb
cocksfoot to M plots: May 2. Weedkiller applied: June 16.
Cut to clear weeds (no yields): July 14. Cut: Oct 25.
Variety: Du Puits. Previous crops: Oats 1964, spring wheat 1965.

NOTE: Aphid counts were made and the incidences of lucerne mosaic virus and of bean leaf roll virus were estimated.

Standard error per plot.
Dry matter: 1.89 or 7.9% (6 d.f.)

66/c/26.2

### SUMMARY OF RESULTS

DRY MATTER (cut on Oct 25)

1	0	S	Mean
	(±0.94)		(±0,67)
L	21.7	23.4	22.5
М	25.2	25.3	25.2
Mean (±0.67)	23.4	24.3	23.9

Mean D.M. %: 19.9