


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1966

[Full Table of Content](#)



66/R/RW301/DA/2 Winter Wheat - Spun Seed

Rothamsted Research

Rothamsted Research (1967) *66/R/RW301/DA/2 Winter Wheat - Spun Seed* ; Yields Of The Field Experiments 1966, pp 247 - 248 - DOI: <https://doi.org/10.23637/ERADOC-1-158>

66/Da/2.1

WINTER WHEAT

(RW 301)

Spun and drilled seed, and cultivations, Great Knott I 1966.

Design:

Spun seed: 6 randomised blocks of 4 plots, with seed rates on strips of 3 blocks.

Drilled seed: 6 randomised blocks of 2 plots.

Area of each plot: 0.0135. Area harvested: 0.0096.

Treatments:

Spun seed: all combinations of:-

To strips of 3 blocks: (1) Seed rate: 190 lb (L), 250 (H).

To plots: (2) Seedbed cultivations: spring-tine cultivate, harrow, sow, harrow (C1).
Disc, sow, harrow (C2). Spring-tine cultivate, sow, harrow (C3).
Spring-tine cultivate, sow, spring-tine cultivate, harrow (C4).

Drilled seed: Seedbed cultivations C1, C3 as above (all at seed-rate L).

Basal applications: 310 lb (6:15:15) broadcast by distributor, 0.94 cwt N as 'Nitro-Chalk' top dressed in spring. Weedkiller: Ioxynil/MCPA (Actril A at 2 pints in 40 gals).

Cultivations, etc.: Deep-tine cultivated twice: Nov 3, 1965. Basal NPK applied, pre-sowing treatments carried out: Nov 5. Seed sown, post-sowing treatments carried out: Nov 6. Weedkiller applied: Apr 29, 1966. 'Nitro-Chalk' applied: May 2. Combine harvested: Aug 23. Variety: Cappelle. Previous crops: Barley 1964, potatoes 1965.

Standard error per plot (pooled spun and drilled seed):
Grain: 1.84 or 4.1% (17 d.f.)

66/Da/2.2

SUMMARY OF RESULTS

GRAIN

SPUN SEED

	C1	C2	C3	C4	Mean
	(± 1.06)*				
L	48.4	47.2	46.6	45.0	46.8
H	44.1	43.0	43.1	45.9	44.0
Mean (± 0.75)	46.2	45.1	44.9	45.5	45.4

* For use in horizontal and interaction comparisons only

DRILLED SEED

	C1	C3	Mean
	45.0	44.9	45.0
	(± 0.75)		

Pooled mean: 45.3

Pooled mean D.M. %: 82.2