

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1966

[Full Table of Content](#)



66/R/RP1/1/DD/1 Early Potatoes - Dsa

Rothamsted Research

Rothamsted Research (1967) *66/R/RP1/1/DD/1 Early Potatoes - Dsa* ; Yields Of The Field Experiments 1966, pp 273 - 274 - DOI: <https://doi.org/10.23637/ERADOC-1-158>

66/Dd/1.1

EARLY POTATOES

(RP/1)

Effects of DSA (dimethylamino-succinamic acid - a dwarfing compound) on early potatoes - Little Hoos 1966.

Design: 6 randomised blocks of 4 plots.

Area of each plot: 0.0064. Area harvested: 0.0004.

Treatments: All combinations of:-

1. Varieties: Arran Pilot (A), Maris Peer (M).
2. DSA spray: None (O), sprayed at 1.5 lb in 120 gals at tuber formation (S).

Basal applications: 13.5 tons dung, 7.75 cwt (17:11:22). Fungicide: Mancozeb at 1.2 lb in 37 gals on 2 occasions.

Cultivations, etc.: Dung applied: Jan 11, 1966. Ploughed: Jan 12. Basal NPK applied: Mar 30. Rotary cultivated, potatoes planted: Apr 14. DSA applied: June 10. Fungicide applied: July 1 and 25. Sprayed with diquat (Reglone at 4 pints in 40 gals): Sept 17. Lifted: Sept 19. Previous crops: Barley 1964, fallow 1965.

NOTE: The crop was sampled on 4 occasions for leaf area, dry weights and tuber yield. The yields presented are based on the final samples taken on Sept 19.

Standard error per plot.

Total tubers: 2.397 or 13.6% (14 d.f.)

66/Da/1.2

SUMMARY OF RESULTS

TOTAL TUBERS

	O	S	Mean
	(±0.978)		(±0.692)
A	18.03	18.28	18.16
M	18.03	15.90	16.97
Mean (±0.692)	18.03	17.09	17.56