


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1967

[Full Table of Content](#)



---

### 67/R/LL/C/3 and 67/W/WLL/C/3 Long-term Liming - Barley

#### Rothamsted Research

Rothamsted Research (1968) *67/R/LL/C/3 and 67/W/WLL/C/3 Long-term Liming - Barley* ; Yields Of The Field Experiments 1967, pp 125 - 127 - DOI: <https://doi.org/10.23637/ERADOC-1-157>

67/C/3.1

LONG TERM LIMING EXPERIMENT - BARLEY

(LL and WLL)

Rothamsted Sawyers I and Woburn Stackyard Series C - the sixth year.

For treatments etc., see 'Results' 63/C/3 and for previous years' results see 62/C/8, 63/C/3, 64/C/3, 65/C/3 and 66/C/3.

Area of each plot: 0.0289. Area harvested: 0.0128.

Basal applications:

Sawyers I (R): 0.75 cwt N as 'Nitro-Chalk' combine drilled.  
Weedkiller: Mecoprop/2,4-D (Methoxone Extra at 6 pints in 30 gals).

Stackyard Series C (W): 0.62 cwt N as sulphate of ammonia broadcast in the seedbed, 0.38 cwt applied by hand as top-dressing. Weedkillers: Aminotriazole at 4 lb and ammonium thiocyanate at 3.7 lb in 33 gals. Ioxynil/mecoprop (Atril C at 5 pints in 35 gals) on 2 occasions. (The second application was made because the first had little effect).

Cultivations, etc.:-

Sawyers I (R): Ploughed: Sept 16, 1966. P and K applied: Feb 22, 1967. Seed drilled at 140 lb: Mar 3. Weedkiller applied: May 12. Combine harvested: Aug 22. Variety: Maris Badger.

Stackyard Series C (W): Aminotriazole and ammonium thiocyanate applied: Sept 27, 1966. Ploughed: Oct 28. P and K applied: Feb 24, 1967. Sulphate of ammonia applied, seed drilled at 140 lb: Mar 4. Remainder of sulphate of ammonia applied: Mar 21. Ioxynil/mecoprop applied: May 9 and 31. Combine harvested: Aug 21. Variety: Maris Badger.

Standard errors per plots. Grain:

Sawyers I (R): 7.16 or 26.0% (15 d.f.)  
Stackyard Series C (W): 3.04 or 9.2% (15 d.f.)

67/c/3.2

SUMMARY OF RESULTS

SAWYERS I (R)

GRAIN

	CA0	CA2	CA4	CA8	Mean
Mean ( $\pm 2.53$ )	11.5	34.5	33.6	30.8	27.6
		( $\pm 3.58$ )			( $\pm 1.79$ )
-	7.7	30.7	27.4	23.9	22.4
P	15.3	38.2	39.8	37.7	32.7
-	12.3	34.2	30.5	26.6	25.9
K	10.7	34.7	36.7	35.0	29.3
	-	P			
		( $\pm 2.53$ )			
-	22.3	29.5			
K	22.6	36.0			

Mean D.M. %: 83.5

67/C/3.3

STACKYARD SERIES C (W)

GRAIN

	CA0	CA2	CA4	CA8	Mean
Mean ( $\pm 1.07$ )	29.0	33.5	34.7	35.0	33.0
-		( $\pm 1.52$ )			( $\pm 0.76$ )
P	23.1	29.4	33.3	32.7	29.6
	34.9	37.6	36.1	37.4	36.5
-	27.8	32.2	32.5	34.4	31.7
K	30.1	34.8	36.9	35.7	34.4
	-	P			
-	( $\pm 1.07$ )				
K	28.6	34.9			
	30.6	38.1			

Mean D.M. %: 82.4