


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1967

[Full Table of Content](#)



67/R/AF/C/4 Levels of N and K - Grass 10th Year

Rothamsted Research

Rothamsted Research (1968) *67/R/AF/C/4 Levels of N and K - Grass 10th Year* ; Yields Of The Field Experiments 1967, pp 129 - 131 - DOI: <https://doi.org/10.23637/ERADOC-1-157>

67/C/4.1

GRASS

(AF)

Levels of N and K - Harwoods Piece 1967, the 10th year.

For treatments etc. see 'Results' 63/C/7.1 and 65/C/6.2 and for previous years' results see 58/Cg/2, 59/Cg/2, 60/Ci/1, 61/Dg/1, 62/C/11, 63/C/7, 64/C/6, 65/C/6 and 66/C/5.

Area of each plot: 0.0087. Area harvested: 0.0059.

Cultivations, etc.: N, P and K fertilisers applied: Mar 10, 1967.
Cut four times: May 23, July 7, Sept 4, Oct 26. N and K fertilisers applied after first 3 cuts.

NOTE: Crop samples were taken for N, P and K determinations.
Soil samples were taken for pH and available P and K.

Standard errors per plot. Dry matter:

1st cut:	1.96 or 8.4% (33 d.f.)
2nd cut:	2.13 or 12.3% (33 d.f.)
3rd cut:	1.70 or 8.7% (33 d.f.)
4th cut:	1.00 or 17.1% (33 d.f.)
Total of 4 cuts:	3.72 or 5.6% (33 d.f.)

67/C/4.2

SUMMARY OF RESULTS

DRY MATTER

N	0	1	1	1	2	2	2	3	3	3	3	3	3	
P	1	1	1	1	1	1	1	1	1	1	0	2	2	
K	0	0	1	2	0	1	2	0	1	2	2	2	2	Mean

1ST CUT

| 1.6 11.2 12.7 12.8 20.1 23.9 24.4 27.8 34.5 37.8 36.4 37.3 | 23.4
 (±0.98)

Mean D.M. %: 21.7

2ND CUT

| 7.4 13.6 14.3 12.0 19.9 20.7 18.7 19.7 19.1 21.7 20.8 20.4 | 17.4
 (±1.06)

Mean D.M. %: 27.8

3RD CUT

| 3.7 12.2 13.8 14.3 19.8 20.4 22.1 21.9 25.8 27.5 26.5 27.8 | 19.7
 (±0.85)

Mean D.M. %: 26.5

67/C/4.3

DRY MATTER

N	0	1	1	1	2	2	2	3	3	3	3	3	Mean
P	1	1	1	1	1	1	1	1	1	1	0	2	
K	0	0	1	2	0	1	2	0	1	2	2	2	

4TH CUT

0.7	3.3	3.3	5.0	6.5	8.2	8.3	3.5	7.2	7.5	7.3	9.5	5.9
(±0.50)												

Mean D.M. %: 17.1

TOTAL OF 4 CUTS

13.5	40.3	44.1	44.0	66.2	73.2	73.5	73.0	86.6	94.5	91.0	95.0	66.2
(±1.86)												

Mean D.M. %: 23.3

Treatment symbols:

N 0 1 2 3 0.0 0.3 0.6 0.9 cwt N as 'Nitro-Chalk' 21 per cut
 P 0 1 2 0.0 0.6 1.2 cwt P₂O₅ as Granular Superphosphate per cut
 K 0 1 2 0.0 0.3 0.6 cwt K₂O as Granular Muriate of Potash per cut