


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1967

[Full Table of Content](#)



---

### 67/R/BY/C/15 Previous Crops and N for Barley 1966-67 - Barley

#### Rothamsted Research

Rothamsted Research (1968) *67/R/BY/C/15 Previous Crops and N for Barley 1966-67 - Barley* ; Yields Of The Field Experiments 1967, pp 169 - 171 - DOI: <https://doi.org/10.23637/ERADOC-1-157>

67/C/15.1

PREVIOUS CROPS & N FOR BARLEY 1966 - 67

(BY)

The effect of previous cropping and nitrogen on the yield of barley -  
Fosters Corner 1967, the second year - barley.

Design: 3 randomised blocks of 9 plots, split into 3 for N.

Area of each sub plot: 0.0107. Area harvested: 0.0067.

Treatments: All combinations of:-

Whole plots (applied 1966):-

1. Cropping: Spring wheat (W), Kale (K), Italian Ryegrass (G).
2. Nitrogen: None (R0), 1.0 (R2), 2.0 (R4) cwt N as 'Nitro-Chalk'.

Sub plots (applied to barley 1967):-

3. Nitrogen: None (N0), 0.5 (N1), 1.0 (N2) as 'Nitro-Chalk'.

Basal applications: 2.5 cwt (0:20:20) combine drilled. Weedkiller:  
Mecoprop at 1.5 a.e. in 20 gals.

Cultivations, etc.: Ploughed: Nov 25, 1966. Seed drilled at 145 lb,  
'Nitro-Chalk' applied: Mar 6, 1967. Sprayed: May 16. Combine  
harvested: Aug 21. Variety: Maris Badger.

NOTE: For previous year's results see 'Results' 66/C/19.

Standard errors per plot. Grain:

- Whole plot: 0.95 or 2.6% (16 d.f.)  
Sub plot: 2.06 or 5.5% (36 d.f.)

67/C/15.2

SUMMARY OF RESULTS

GRAIN

	R0	R2	R4	Mean
		(±0.55)		(±0.32)
W	38.6	37.7	39.4	38.6
K	40.8	40.7	40.1	40.5
G	30.3	33.3	34.3	32.6
Mean (±0.32)	36.6	37.3	38.0	37.3

	N0	N1	N2
		(1) and (2)	
W	36.6	40.3	38.9
K	37.0	43.5	41.1
G	22.6	36.8	38.4
Mean (±0.40)	32.1	40.2	39.5

		(1) and (2)	
R0	29.5	39.8	40.5
R2	31.3	40.7	39.8
R4	35.5	40.1	38.2

(1) (±0.64) For use in vertical and diagonal comparisons  
 (2) (±0.69) For use in horizontal and interaction comparisons



67/C/15.3

	GRAIN											
	W			K			G					
	NO	N1	N2	NO	N1	N2	NO	N1	N2			
	(1) and (2)											
R0	34.0	40.9	41.0	34.3	44.3	43.7	20.1	34.1	36.7			
R2	34.5	40.4	38.2	37.1	44.4	40.6	22.1	37.3	40.6			
R4	41.2	39.6	37.6	39.6	41.7	39.1	25.7	39.1	38.0			

(1) ( $\pm 1.12$ ) For use in comparisons involving different C & R

(2) ( $\pm 1.19$ ) For use in comparisons within the same C & R

Mean D.M. %: 83.9