

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1967

[Full Table of Content](#)



---

### 67/R/EZ/C/30 N and Growth Regulators - Beans

#### Rothamsted Research

Rothamsted Research (1968) *67/R/EZ/C/30 N and Growth Regulators - Beans* ; Yields Of The Field Experiments 1967, pp 217 - 218 - DOI: <https://doi.org/10.23637/ERADOC-1-157>

67/C/30.1

SPRING BEANS

(EZ)

N and growth regulators, Long Hoos III 1967.

Design: 2 randomised blocks of 24 plots.

Area of each plot: 0.0010. Area harvested: 0.0005.

Treatments: All combinations of:-

1. Nitrogen: None (NO), 1.5 cwt (N1), 3.0 cwt (N2) as 'Nitro-Chalk'.
2. Times of application: In the seedbed (E), half in the seedbed, half in June (EL).
3. Growth regulators: None (O), chlormequat\* at 5 lb in 112 gals (C), DSA\*\* at 5 lb in 112 gals (D), topped after flowering (T).

\* 2 chloroethyltrimethylammonium chloride, formerly known as CCC.

\*\* Dimethylaminosuccinamic acid (previously called 'B-Nine', now called alar).

Basal applications: 210 lb (0:20:20) placement drilled. Weedkiller: Simazine at 1 lb in 32 gals. Insecticide: Demeton-s-methyl at 3 oz in 37 gals and later at 3 oz in 3 gals by fixed-wing aircraft.

Cultivations, etc.: Ploughed: Sept 22, 1966. Ground chalk applied at 50 cwt: Jan 7, 1967. Ploughed 2nd time: Jan 13. Seed drilled at 200 lb: Mar 16. Seedbed 'Nitro-Chalk' applied: Mar 17. Weedkiller applied: Mar 18. Chlormequat and DSA applied: May 9. Second half dressing of 'Nitro-Chalk' applied to EL treatment: May 31. Insecticide applied: June 14 and July 11. Plants topped (T treatment): July 5. Hand harvested: Sept 5. Variety: Tarvin. Previous crops: Potatoes 1965, spring wheat 1966.

Standard error per plot.

Grain: 2.77 or 7.5% (23 d.f.)

67/c/30.2

SUMMARY OF RESULTS

GRAIN

	E	EL	O	C	D	T	Mean
	(±0.98)		(±1.39)				(±0.69)
NO	-	-	37.2	34.7	35.1	35.3	35.6
N1	36.8	36.6	38.3	36.9	35.5	36.0	36.7
N2	38.3	39.4	39.7	37.8	39.0	38.8	38.8
E*			39.2	36.6	37.5	36.8	37.5
EL*			38.8	38.1	37.0	38.0	38.0
Mean (±0.80)			38.4	36.5	36.5	36.7	37.0

Mean D.M. %: 77.2

\* The figures in these two lines are means over N1 and N2 only.