

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1967

[Full Table of Content](#)



67/R/EAA/C/31 Formalin and N - Grasses

Rothamsted Research

Rothamsted Research (1968) *67/R/EAA/C/31 Formalin and N - Grasses* ; Yields Of The Field Experiments 1967, pp 219 - 221 - DOI: <https://doi.org/10.23637/ERADOC-1-157>

67/C/31.1

GRASS

(EAA)

Effects of formalin and nitrogen, Fosters O & E I, 1967.

Design: 4 randomised blocks of 8 plots.

Area of each plot: 0.0016. Area harvested: 0.0010.

Treatments: All combinations of:-

1. Formalin: None (0), sprayed with a 38% solution of formaldehyde at 532 gals in 3630 gals (F).
2. Nitrogen: None (N0), 0.3 (N1), 0.6 (N2), 0.9 (N3) cwt N as calcium nitrate per cut.

NOTE: Because the grass established poorly the N dressings were repeated on 9 June (before the 1st cut).

Basal applications: 8 cwt (0:14:28) in seedbed.

Cultivations, etc.: Ploughed: Nov 8, 1966. Formalin applied: Feb 10, 1967. Basal PK and 1st N dressings applied, seeds sown at 30 lb: Mar 20. N dressings repeated: June 9. Cut three times: July 10, Sept 5 and Nov 6. Calcium nitrate applied after 1st and 2nd cuts. Varieties: Soots Timothy and Meadow Fescue (S53). Previous crops: Potatoes 1965, barley 1966.

Standard errors per plot. Dry matter:

1st cut:	2.10 or 12.8% (21 d.f.)
2nd cut:	1.99 or 7.1% (21 d.f.)
3rd cut:	0.79 or 14.4% (21 d.f.)
Total of 3 cuts:	3.11 or 6.2% (21 d.f.)

67/c/31.2

SUMMARY OF RESULTS

DRY MATTER

	NO	N1	N2	N3	Mean
	1ST CUT				
	(±1.05)				(±0.53)
O	5.0	12.2	16.5	18.3	13.0
F	12.9	20.1	23.6	23.1	19.9
Mean (±0.74)	8.9	16.1	20.0	20.7	16.4
	2ND CUT				
	(±0.99)				(±0.50)
O	17.5	29.7	32.4	32.1	27.9
F	18.4	29.0	32.9	32.9	28.3
Mean (±0.70)	17.9	29.4	32.6	32.5	28.1

Mean D.M. %: 1st cut: 23.0
 2nd cut: 20.6

67/c/31.3

DRY MATTER					
	NO	N1	N2	N3	Mean
3RD CUT					
(±0.40)					
O	0.7	6.2	7.9	6.4	5.3
F	1.2	6.6	7.8	7.2	5.7
Mean (±0.28)	0.9	6.4	7.9	6.8	5.5

TOTAL OF 3 CUTS					
(±1.55)					
(±0.78)					
O	23.2	48.1	56.8	56.8	46.2
F	32.4	55.7	64.3	63.3	53.9
Mean (±1.10)	27.8	51.9	60.5	60.1	50.1

Mean D.M. %: 3rd cut: 21.9
 Total of 3 cuts: 21.9