

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1967

[Full Table of Content](#)



67/S/SAX/RCL/1/C/45 Phosphate and Potash - Red Clover

Rothamsted Research

Rothamsted Research (1968) *67/S/SAX/RCL/1/C/45 Phosphate and Potash - Red Clover* ; Yields Of The Field Experiments 1967, pp 269 - 270 - DOI: <https://doi.org/10.23637/ERADOC-1-157>

67/C/45.1

RED CLOVER

(Sax/RCl/1)

Phosphate and potash, Saxmundham, Victor's Plot 1967, the first year.

Design: 4 randomised blocks of 4 plots.

Area of each plot: 0.0018. Area harvested: 1st cut - 0.0014,
2nd cut - 0.0012.

Treatments: All combinations of:-

1. Phosphate: 0.5 cwt (P1), 2.0 cwt (P4) P₂O₅ as triple superphosphate.
2. Potash: None (K0), 2.0 cwt (K1) K₂O as muriate of potash.

Basal applications: None.

Cultivations, etc.: - Ploughed: Sept 22, 1966. Fertilisers applied:
Mar 8, 1967. Seed sown at 26 lb: Mar 22. Cut twice: July 13
and Sept 7. Variety: Dorset Marl Red Clover. Previous crops:
Barley 1965, winter wheat 1966.

Standard errors per plot. Dry matter:

1st cut:	1.88 or 7.8% (9 d.f.)
2nd cut:	2.54 or 9.4% (9 d.f.)
Total of 2 cuts:	2.71 or 5.3% (9 d.f.)

67/C/45.2

SUMMARY OF RESULTS

	KO	K1	Mean
1ST CUT			
(±0.94)			
P1	21.5	24.0	22.7
P4	24.4	26.6	25.5
Mean (±0.67)	22.9	25.3	24.1
2ND CUT			
(±1.27)			
P1	24.1	26.8	25.5
P4	26.5	30.2	28.4
Mean (±0.90)	25.3	28.5	26.9
TOTAL OF 2 CUTS			
(±1.36)			
P1	45.6	50.8	48.2
P4	50.9	56.8	53.8
Mean (±0.96)	48.2	53.8	51.0

Mean D.M. %: 1st cut: 26.5
 2nd cut: 22.7
 Total of 2 cuts: 24.6