

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1967

[Full Table of Content](#)



67/R/PG/A/6 Park Grass - Hay

Rothamsted Research

Rothamsted Research (1968) 67/R/PG/A/6 Park Grass - Hay ; Yields Of The Field Experiments 1967, pp 27 - 28 - DOI: <https://doi.org/10.23637/ERADOC-1-157>

67/A/6.1

HAY - THE PARK GRASS PLOTS 1967

(PG)

For history, treatments etc. see 'Details' 1962 and 'Results'
65/A/6.

Ground chalk was applied to sub-plots as follows (tons CaCO₃):-

Plot	Sub-plot	
	b	c
1	-	1.25
4-2	-	2.25
9	-	1.75
10	-	2.00
11-1	2.5	2.00
11-2	1.5	2.00
18-1	-	2.00

Cultivations, etc.: Mineral fertilisers and fish meal applied:
Jan 12, 1967. Ground chalk applied: Jan 24. Nitrogenous
fertilisers applied: 1st dressing - Apr 5, 2nd dressing - Apr 18.
Cut twice: June 12, Oct 18.

SUMMARY OF RESULTS

Plot No	1st cut				2nd cut				Total of 2 cuts				Mean		
	a	b	c	d	Mean	a	b	c	d	Mean	a	b	c	d	
1	15.0	7.2	11.2	8.2	10.4	13.3	10.9	2.4	3.2	7.5	28.3	18.1	13.6	11.4	17.9
2	12.0	13.9	9.3	7.4	10.7	14.3	14.3	14.2	14.5	14.3	26.3	28.2	23.6	21.9	25.0
3	13.2	15.2	8.7	10.4	11.9	13.8	15.1	14.7	15.5	14.8	27.0	30.3	23.3	25.9	25.6
4-1	15.8	14.6	19.0	19.3	17.2	14.4	13.8	18.7	19.1	16.5	30.2	28.3	37.7	38.4	33.6
4-2	35.0	35.4	33.3	26.0	32.4	9.8	8.7	5.4	11.8	8.9	44.8	44.1	38.7	37.8	41.4
7	43.5	38.4	25.6	26.0	33.4	22.8	21.8	16.7	15.8	19.3	66.2	60.1	42.3	41.7	52.6
8	19.6	21.3	24.6	21.5	21.8	17.8	15.8	19.1	17.8	17.6	37.4	37.1	43.7	39.3	39.4
9	57.0	50.6	39.1	37.7	46.1	22.4	20.3	8.8	10.3	15.5	79.4	70.9	47.9	48.0	61.6
10	37.9	36.3	27.7	27.2	32.3	10.5	8.5	3.5	7.5	7.5	48.4	44.8	31.2	34.7	39.8
11-1	53.7	55.4	56.0	44.6	52.5	20.3	14.3	8.7	20.5	15.9	74.0	69.7	64.8	65.1	68.4
11-2	54.8	55.9	59.5	44.0	53.6	25.3	29.3	11.0	17.5	20.8	80.2	85.2	70.5	61.5	74.3
12	12.2	11.8	12.0	19.9	19.9	17.5	17.5	17.5	18.7	18.7	32.0	32.0	29.4	30.7	30.7
13	35.7	37.5	43.6	41.3	39.5	35.5	30.5	27.5	23.6	29.3	71.2	68.0	71.0	64.9	68.8
14	44.5	40.8	39.0	38.5	40.7	19.7	22.8	23.6	22.3	22.1	64.3	63.5	62.6	60.8	62.8
15	36.1	20.2	28.1	26.7	26.7	15.8	15.8	15.8	21.3	21.3	62.7	36.0	49.4	36.0	49.4
16	37.9	43.0	36.9	32.3	37.5	22.9	24.6	21.5	21.6	22.7	60.8	67.7	58.4	53.9	60.2
17	15.8	21.4	19.8	15.6	18.2	14.5	11.4	20.1	16.9	15.7	30.3	32.8	39.9	32.5	33.9
18-1			16.8	16.7				7.7	5.7	6.7			24.5	22.4	23.4
18-2					21.4					7.7			15.8	15.8	15.8
18-3	23.5	19.1			21.3	11.8	11.1			11.4	35.3	30.2	20.2	20.2	20.2
19-1						23.2								32.7	32.7
19-2														43.4	43.4
19-3														48.1	48.1
20-1														46.9	46.9
20-2														67.8	67.8
20-3														62.9	62.9
														58.0	58.0

Mean D.M. %: 1st cut: 25.0

2nd cut: 25.7

Total of 2 cuts: 25.4

67/A/6.2